## KOLAR Document ID: 1637037

	WELL R			WWC-5		ision of Wat						
		Correction		e in Well Use		ources App. 1			Well ID			
1 LOCATION OF WATER WELL:     Fraction       County:     ½						1 0				ge Number $\Box \to \Box W$		
county.						ural Address where well is located (if unknown, distance and						
							irection from nearest town or intersection): If at owner's address, check here:					
Address:												
Address:			States	ZIP:								
City: 3 LOCAT	FWFII		State:									
WITH "		ft										
	<b>SECTION BOX</b> . Depth(s) Groundwater Encountered: 1)					Longitude:						
1	2) ft. 3) ft., or 4)					Datum: WGS 84 NAD 83 NAD 27 Source for Latitude/Longitude:						
	below land surface, measured on (mo-day-yr						GPS (unit make/model:)					
NW					neasured on (mo-day-yr)			(WAAS enabled? ☐ Yes ☐ No)				
	Pump test data: Well water							Land Survey Topographic Map				
W	337.11			s pumping vater was fi		Online Mapper:						
				s pumping								
Estimated Y			d Yield:gpm				6 Elevation:ft.  Ground Level  TOC					
S Bore Hole Diameter:					Source	Source:  Land Survey  GPS  Topographic Map Other						
	mile	DE LICED		in. to	ft.			Oulei	•••••			
7 WELL WATER TO BE USED AS:         1. Domestic:       5. □ Public Water Supply: well ID         10. □ Oil Field Water Supply: lease												
	□ Household											
	Item 100 and a state of the state of th						$\Box$ Cased $\Box$ Uncased $\Box$ Geotechnical					
	Livestock 8. Monitoring: well ID						12. Geothermal: how many bores?					
	2. Irrigation 9. Environmental Remediation: well ID .						a) Closed Loop					
3. ☐ Feedlo 4. ☐ Industr			Air Sparge Recovery		extraction		b) Open Loop □ Surface Discharge □ Inj. of Water 13. □ Other (specify):					
Was a chemical/bacteriological sample submitted to KDHE? $\Box$ Yes $\Box$ No If yes, date sample was submitted:												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft., Diameter in. to ft.												
Casing height above land surface in. Weight lbs./ft. Wall thickness or gauge No												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
$\Box \text{ Steel} \qquad \Box \text{ Stainless Steel} \qquad \Box \text{ PVC} \qquad \Box \text{ Other (Specify)} \dots \dots$												
Brass       Galvanized Steel       None used (open hole)         SCREEN OR PERFORATION OPENINGS ARE:       Image: Comparison of the sector of												
Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)												
$\Box$ Louvered Shutter $\Box$ Key Punched $\Box$ Wire Wrapped $\Box$ Saw Cut $\Box$ None (Open Hole)												
SCREEN-PERFORATED INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft.												
GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft., From ft. to ft. to ft.												
9 GROUT MATERIAL:  Neat cement Cement grout Bentonite Other												
Grout Intervals: From												
Septic			on: No Lateral Line			thin 200 ft. Livestock Po	ens		cide Storage			
			Cess Pool	Sewage Lag		Fuel Storage			oned Water			
Watert	ight Sewer Lin	es 🗆 S	Seepage Pit	☐ Feedyard		Fertilizer St			ll/Gas Well			
Other (Specify) Direction from well? ft.												
Direction fro 10 FROM			ITHOLOG			ТО		ft. HO. LOG (cont.) or		CINTEDVALO		
IU FKOM	ТО	1	ATHOLOG	JIC LUG	FROM	10		no. Log (cont.) or	PLUGGIN	JINTEKVALS		
					Notes:							
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was a constructed, reconstructed, or plugged												
				S CERTIFICATION								
Kansas Wa	ater Well Con	tractor's Lice	ense No		ter Well Rec	cord was co	mple	ted on (mo-day-ve	ear)	50 and 00n01.		
	ousiness name	of										
KS Damast				ELL OWNER and retain of Vater Geology Section 10						785 206 2565		
KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												