WATER WELL R		WWC-5		ision of Water				
➤ Original Record	Correction	ge in Well	Res	ources App. No). <u> </u>	Well ID		
1 LOCATION OF WA	TER WELL: Use	Fraction	Sec	tion Number	Township Number	Range Number		
County: Sedgwick		SW 4SW 4SW 4	SE 1/4 13		T 26 S	R1 DE DW		
2 WELL OWNER: L		First:	Street or Rural Address where well is located (if unknown, distance and					
Business:BLUE CUS!		direction from	nearest town or i	ntersection): If at owner's	address, check here:			
Address: 106 S. Breezy Pointe Circle								
Address: 5413 N. Saint Paul Ct. Wichita, Kansas 67204								
City: Wichita	State: Kans	as ZIP: 67235	5413 N. a	saint Pau.	L Ct. Wichita	Ransas 0/204		
3 LOCATE WELL	A DEPTH OF COA	DIETED WELL.	40 6		27 70179	(4		
WITH A III						(decimal degrees)		
SECTION BOX:								
N	2) ft. 3) ft., or 4) WELL'S STATIC WATER LEVEL: 12					\square NAD 83 \square NAD 27		
[well SSTATIC WATER LEVEL: ## ■ below land surface, measured on (mo-day-yr				Source for Latitude/Longitude:			
NWNE	above land surface, measured on (mo-day-yr)				(WAAS enabled? ☐ Yes ☐ No)			
	Pump test data: Well water was			☐ Land Survey ☐ Topographic Map				
W				☐ ☐ On	☐ Online Mapper:			
SW SE		vater was ft						
×		s pumping	gpm	6 Elevation:ft. ☐ Ground Level ☐ TOO				
S	Estimated Yield: 1							
mile	2 in. to 4.9							
Think the time to								
7 WELL WATER TO				,,	T' 11W - O ' ' '			
1. Domestic:		ater Supply: well ID			Field Water Supply: lease			
Household		g: how many wells?		11. Test Hole: well ID				
Lawn & Garden		techarge: well ID		☐ Cased ☐ Uncased ☐ Geotechnical				
Livestock	8. Monitoring: well ID							
2. Irrigation	9. Environmental Remediation: well ID							
					en Loop Surface Disch			
4. Industrial	☐ Recovery	☐ Injection		13. ∐ Oth	er (specify):			
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ■ No If yes, date sample was submitted:								
Water well disinfected? ■ Yes □ No								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter5								
Casing height above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ■ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:								
Continuous Slot								
□ Louvered Shutter □ Key Punched □ Wire Wrapped ■ Saw Cut □ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From 30 ft. to 49 ft., From ft. to ft., From ft. to ft.								
GRAVEL PACK INTERVALS: From 24 ft. to 49 ft., From ft., From ft., From ft. to ft.								
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ■ Bentonite ☐ Other								
Grout Intervals: From4								
Nearest source of possible contamination:								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
■ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well								
Other (Specify)								
Direction from well? West								
10 FROM TO	LITHOLO	GIC LOG	FROM	TO I	LITHO. LOG (cont.) or P	LUGGING INTERVALS		
	copsoil							
	lay							
	ine sand							
	edium sand							
				 				
			 	ļ				
Notes:								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was 🗷 constructed, \Box reconstructed, or \Box plugged								
under my jurisdiction as	nd was completed on (r	no-day-year) 05/31/	2022 and	this record is	true to the best of my	knowledge and belief.		
Kansas Water Well Cont	ractor's License No	236 This Water	Well Record	was completed	d on (mo-day-year) 5./.3	1/2022		
under the business nam	e of	eli and Pump Servi	çeSi	gnature . 200	a S.Karp			
Mail I white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWTS Section,								
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.								
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015								