

WATER WELL RECORD Form WWC-5

Division of Water Resources App. No.

Well ID

- Original Record Correction Change in Well Use

1 LOCATION OF WATER WELL: County: SEDGWICK Fraction NW 1/4 SW 1/4 NE 1/4 NE 1/4 Section Number 30 Township Number T 26 S Range Number R 1 E W

2 WELL OWNER: Last Name: DON KLAUSMEYER CONSTRUCTION LLC First: Address: 10008 W. YORK ST. City: WICHITA State: KS ZIP: 67215 Street or Rural Address where well is located (if unknown, distance and direction from nearest town or intersection): 4560 N. ATHERTON ST. MAIZE, KS 67101

3 LOCATE WELL WITH 'X' IN SECTION BOX: N W E S Bore Hole Diameter: 12 in. to 70 ft. and 70 ft. Estimated Yield: 23 gpm

5 Latitude: 37.76407 Longitude: -97.46674 Horizontal Datum: WGS 84 Source for Latitude/Longitude: GPS (unit make/model: I-PHONE)

7 WELL WATER TO BE USED AS: 1. Domestic: Household, Lawn & Garden, Livestock 2. Irrigation 3. Feedlot 4. Industrial 5. Public Water Supply: well ID 6. Dewatering: how many wells? 7. Aquifer Recharge: well ID 8. Monitoring: well ID 9. Environmental Remediation: well ID 10. Oil Field Water Supply: lease 11. Test Hole: well ID 12. Geothermal: how many bores? 13. Other (specify):

Was a chemical/bacteriological sample submitted to KDHE? Water well disinfected? Yes No If yes, date sample was submitted: Water well disinfected? Yes No

8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded Casing diameter 5 in. to 70 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 12 in. Weight 2.35 lbs./ft. Wall thickness or gauge No. SDR26 TYPE OF SCREEN OR PERFORATION MATERIAL: Steel Stainless Steel Fiberglass PVC Other (Specify) SCREEN OR PERFORATION OPENINGS ARE: Continuous Slot Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify) Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole) SCREEN-PERFORATED INTERVALS: From 50 ft. to 70 ft., From ft. to ft., From ft. to ft. GRAVEL PACK INTERVALS: From 24 ft. to 70 ft., From ft. to ft., From ft. to ft.

9 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Grout Intervals: From 4 ft. to 24 ft., From ft. to ft., From ft. to ft. Nearest source of possible contamination: Septic Tank Lateral Lines Pit Privy Livestock Pens Insecticide Storage Sewer Lines Cess Pool Sewage Lagoon Fuel Storage Abandoned Water Well Watertight Sewer Lines Seepage Pit Feedyard Fertilizer Storage Oil Well/Gas Well Other (Specify) Direction from well? EAST Distance from well? 50+ ft.

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, LITHO. LOG (cont.) or PLUGGING INTERVALS. Rows: 0-3 TOP SOIL, 3-22 CLAY, 22-46 FINE SAND, 46-70 MEDIUM SAND.

11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year) 1-4-2024 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This Water Well Record was completed on (mo-day-year) 1-6-2024 under the business name of HARP WELL AND PUMP SERVICE INC. Signature TODD S. HARP