


1 LOCATION OF WATER WELL: County <u>Sedgwick</u> Fraction <u>NE 1/4 NE 1/4 SE 1/4</u> Section Number <u>1</u> Township Number <u>T 26 S</u> Range Number <u>R 1 E</u> Distance and direction from nearest town or city street address of well if located within city? <u>See below.</u>		2 WATER WELL OWNER: RR#, St. Address, Box # : <u>Ed Schroeder</u> City, State, ZIP Code : <u>7321 No. Meridian</u> <u>Valley Center KS 67147</u> Board of Agriculture, Division of Water Resources Application Number:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 		4 DEPTH OF COMPLETED WELL: <u>50</u> ft. ELEVATION: Depth(s) Groundwater Encountered 1. <u>19</u> ft. 2. _____ ft. 3. _____ ft. WELL'S STATIC WATER LEVEL <u>19</u> ft. below land surface measured on mo/day/yr <u>12/31/91</u> Pump test data: Well water was <u>19</u> ft. after <u>12</u> hours pumping <u>20</u> gpm Est. Yield <u>60</u> gpm: Well water was _____ ft. after _____ hours pumping _____ gpm Bore Hole Diameter <u>11</u> in. to <u>50</u> ft. and _____ in. to _____ ft. WELL WATER TO BE USED AS: 1 Domestic 2 Irrigation 3 Feedlot 4 Industrial 5 Public water supply 6 Oil field water supply 7 Lawn and garden only 8 Air conditioning 9 Dewatering 10 Monitoring well 11 Injection well 12 Other (Specify below) Was a chemical/bacteriological sample submitted to Department? Yes _____ No <u>X</u> ; If yes, mo/day/yr sample was submitted _____ Water Well Disinfected? Yes <u>X</u> No _____	
5 TYPE OF BLANK CASING USED: 1 Steel 2 PVC Blank casing diameter <u>5</u> in. to <u>38</u> ft. Dia _____ in. to _____ ft. Dia _____ in. to _____ ft. Casing height above land surface <u>12</u> in., weight <u>2.80</u> lbs./ft. Wall thickness or gauge No. <u>160 PVC</u> 3 RMP (SR) 4 ABS 5 Wrought iron 6 Asbestos-Cement 7 Fiberglass 8 Concrete tile 9 Other (specify below) Casing joints: Glued <u>X</u> Clamped _____ Welded _____ Threaded _____		TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 2 Brass SCREEN OR PERFORATION OPENINGS ARE: 1 Continuous slot 2 Louvered shutter 3 Stainless steel 4 Galvanized steel 3 Mill slot 4 Key punched 5 Fiberglass 6 Concrete tile 5 Gauzed wrapped 6 Wire wrapped 7 Torch cut 8 RMP (SR) 9 ABS 8 Saw cut 9 Drilled holes 10 Other (specify) 10 Asbestos-cement 11 Other (specify) 12 None used (open hole) SCREEN-PERFORATED INTERVALS: From <u>38</u> ft. to <u>50</u> ft., From _____ ft. to _____ ft. From _____ ft. to _____ ft., From _____ ft. to _____ ft. GRAVEL PACK INTERVALS: From <u>20</u> ft. to <u>50</u> ft., From _____ ft. to _____ ft. From _____ ft. to _____ ft., From _____ ft. to _____ ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other _____ Grout Intervals: From <u>3</u> ft. to <u>20</u> ft., From _____ ft. to _____ ft., From _____ ft. to _____ ft. What is the nearest source of possible contamination: 1 Septic tank 2 Sewer lines 3 Watertight sewer lines 4 Lateral lines 5 Cess pool 6 Seepage pit 7 Pit privy 8 Sewage lagoon 9 Feedyard 10 Livestock pens 11 Fuel storage 12 Fertilizer storage 13 Insecticide storage 14 Abandoned water well 15 Oil well/Gas well 16 Other (specify below) Direction from well? <u>SW</u> How many feet? <u>110</u>		7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>12-31-91</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>318</u> This Water Well Record was completed on (mo/day/yr) <u>12-31-91</u> under the business name of <u>Wenger Pully</u> by (signature) <u>[Signature]</u>	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Top soil			
2	17	CLAY.			
17	29	fine sand.			
29	32	med. gravel.			
32	34	CLAY.			
34	50	GRAVEL.			