


1 LOCATION OF WATER WELL: County: Leisure Fraction: NE 1/4 SW 1/4 NW 1/4 Section Number: 19 Township Number: T 26 S Range Number: R 1 EW  
 Distance and direction from nearest town or city street address of well if located within city? See Below

2 WATER WELL OWNER: John and Lori Heger  
 RR#, St. Address, Box #: 11831 Albert Circle  
 City, State, ZIP Code: Maize, Kansas 67101  
 Board of Agriculture, Division of Water Resources  
 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL: 52 ft. ELEVATION:  
 Depth(s) Groundwater Encountered 1. 24 ft. 2. . . . . ft. 3. . . . . ft.  
 WELL'S STATIC WATER LEVEL 24 ft. below land surface measured on mo/day/yr 9/20/88  
 Pump test data: Well water was 24 ft. after 1 hours pumping 20 gpm  
 Est. Yield 60 gpm Well water was . . . . . ft. after . . . . . hours pumping . . . . . gpm  
 Bore Hole Diameter: 11 in. to 52 ft., and . . . . . in. to . . . . . ft.  
 WELL WATER TO BE USED AS:  
 1 Domestic  3 Feedlot  6 Oil field water supply  9 Dewatering  12 Other (Specify below)  
 2 Irrigation  4 Industrial  7 Lawn and garden only  10 Monitoring well  
 Was a chemical/bacteriological sample submitted to Department? Yes. . . . . No.  X; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes  X No

5 TYPE OF BLANK CASING USED:  
 1 Steel  3 RMP (SR)   
 2 PVC  4 ABS   
 5 Wrought iron  8 Concrete tile   
 6 Asbestos-Cement  9 Other (specify below)   
 7 Fiberglass   
 CASING JOINTS: Glued . . . . . Clamped . . . . .  
 Welded . . . . .  
 Threaded . . . . .  
 Blank casing diameter 5 in. to 40 ft., Dia. . . . . in. to . . . . . ft., Dia. . . . . in. to . . . . . ft.  
 Casing height above land surface 12 in., weight 1.59 lbs./ft. Wall thickness or gauge No. SOR 26  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel  3 Stainless steel  5 Fiberglass  8 RMP (SR)   
 2 Brass  4 Galvanized steel  6 Concrete tile  9 ABS   
 7 PVC  10 Asbestos-cement   
 11 Other (specify) . . . . .  
 12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot  3 Mill slot   
 2 Louvered shutter  4 Key punched   
 5 Gauzed wrapped  8 Saw cut  11 None (open hole)  
 6 Wire wrapped  9 Drilled holes   
 7 Torch cut  10 Other (specify) . . . . .  
 SCREEN-PERFORATED INTERVALS: From 40 ft. to 52 ft., From . . . . . ft. to . . . . . ft.  
 From . . . . . ft. to . . . . . ft., From . . . . . ft. to . . . . . ft.  
 GRAVEL PACK INTERVALS: From 23 ft. to 52 ft., From . . . . . ft. to . . . . . ft.  
 From . . . . . ft. to . . . . . ft., From . . . . . ft. to . . . . . ft.

6 GROUT MATERIAL: 1 Neat cement  2 Cement grout  3 Bentonite  4 Other . . . . .  
 Grout Intervals: From 3 ft. to 23 ft., From . . . . . ft. to . . . . . ft., From . . . . . ft. to . . . . . ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank  4 Lateral lines  7 Pit privy  10 Livestock pens  14 Abandoned water well  
 2 Sewer lines  5 Cess pool  8 Sewage lagoon  11 Fuel storage  15 Oil well/Gas well  
 3 Watertight sewer lines  6 Seepage pit  9 Feedyard  12 Fertilizer storage  16 Other (specify below)  
 13 Insecticide storage  
 Direction from well? SW How many feet? 70

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Top so.			
2	19	CLAY			
19	32	fine SAND.			
32	33	clay			
33	52	SAND (GRAVEL)			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9/20/88 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 318. This Water Well Record was completed on (mo/day/yr) 10/01/88 under the business name of Weninger Drilling by (signature) [Signature]

OFFICE USE ONLY  
T  
R  
EW  
SEC.  
1/4  
1/4  
1/4