

1 LOCATION OF WATER WELL:		FRACTION		Section Number		Township Number		Range Number	
Sedgwick		SE 1/4 NE 1/4 SE 1/4		28		T 26 S		R 1W E/W	

Distance and direction from nearest town or city street address of well If located within city?

4005 N. Ridge Road Wichita, Kansas

2	WATER WELL OWNER:	RUSH, Kevin	Board of Agriculture, Division of Water Resource
	RR#, ST. ADDRESS, BOX #:	4005 N. Ridge Road	
	CITY, STATE, ZIP CODE:	Wichita, Kansas	
			Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">4 DEPTH OF COMPLETED WELL</td> <td style="width: 50%; text-align: right;">105 ft.</td> </tr> <tr> <td>Depth(s) groundwater Encountered</td> <td style="text-align: right;">1 ft.</td> </tr> <tr> <td>WELL'S STATIC WATER LEVEL</td> <td style="text-align: right;">15</td> </tr> <tr> <td></td> <td style="text-align: right;">FT. BELOW LAND SURFACE MEASURED ON mo/day/yr</td> </tr> <tr> <td>Pump test data:</td> <td></td> </tr> <tr> <td>Well water was</td> <td style="text-align: right;">ft. after</td> </tr> <tr> <td>hours pumping</td> <td style="text-align: right;">gpm</td> </tr> <tr> <td>Est. Yield</td> <td></td> </tr> <tr> <td>gpm: Well water was</td> <td style="text-align: right;">ft. after</td> </tr> <tr> <td>hours pumping</td> <td style="text-align: right;">gpm</td> </tr> <tr> <td>Bore Hole Diameter</td> <td style="text-align: right;">12 in. to 105 ft. and in. to ft.</td> </tr> <tr> <td>WELL WATER TO BE USED AS:</td> <td></td> </tr> <tr> <td>5 Public water supply</td> <td style="text-align: right;">8 Air conditioning</td> </tr> <tr> <td>11 Injection well</td> <td></td> </tr> <tr> <td>1 Domestic</td> <td style="text-align: right;">3 Feedlot</td> </tr> <tr> <td>6 Oil field water supply</td> <td style="text-align: right;">9 Dewatering</td> </tr> <tr> <td>12 Other (Specify below)</td> <td></td> </tr> <tr> <td>2 Irrigation</td> <td style="text-align: right;">4 Industrial</td> </tr> <tr> <td>7 Lawn and garden only</td> <td style="text-align: right;">10 Monitoring well</td> </tr> </table>	4 DEPTH OF COMPLETED WELL	105 ft.	Depth(s) groundwater Encountered	1 ft.	WELL'S STATIC WATER LEVEL	15		FT. BELOW LAND SURFACE MEASURED ON mo/day/yr	Pump test data:		Well water was	ft. after	hours pumping	gpm	Est. Yield		gpm: Well water was	ft. after	hours pumping	gpm	Bore Hole Diameter	12 in. to 105 ft. and in. to ft.	WELL WATER TO BE USED AS:		5 Public water supply	8 Air conditioning	11 Injection well		1 Domestic	3 Feedlot	6 Oil field water supply	9 Dewatering	12 Other (Specify below)		2 Irrigation	4 Industrial	7 Lawn and garden only	10 Monitoring well
4 DEPTH OF COMPLETED WELL	105 ft.																																						
Depth(s) groundwater Encountered	1 ft.																																						
WELL'S STATIC WATER LEVEL	15																																						
	FT. BELOW LAND SURFACE MEASURED ON mo/day/yr																																						
Pump test data:																																							
Well water was	ft. after																																						
hours pumping	gpm																																						
Est. Yield																																							
gpm: Well water was	ft. after																																						
hours pumping	gpm																																						
Bore Hole Diameter	12 in. to 105 ft. and in. to ft.																																						
WELL WATER TO BE USED AS:																																							
5 Public water supply	8 Air conditioning																																						
11 Injection well																																							
1 Domestic	3 Feedlot																																						
6 Oil field water supply	9 Dewatering																																						
12 Other (Specify below)																																							
2 Irrigation	4 Industrial																																						
7 Lawn and garden only	10 Monitoring well																																						

5 TYPE OF CASING USED:		5 Wrought iron		8 Concrete tile		CASING JOINTS:		Glued ☒ Clamped	
1 Steel		3 RMP (SR)		6 Asbestos-Cement		9 Other (Specify below)		Welded	
2 PVC		4 ABS		7 Fiberglass		SDR-26		Threaded	
Blank casing Diameter		5 in. to 90		ft., Dia		in. to		ft., Dia in. to ft.	
Casing height above land surface		12 in.		weight 2.35		lbs. / ft.		Wall thickness or gauge No. .214	
TYPE OF SCREEN OR PERFORATION MATERIAL:				5 Fiberglass		7 PVC		10 Asbestos-cement	
1 Steel		3 Stainless Steel		6 Concrete tile		8 RMP (SR)		11 other (specify)	
2 Brass		4 Galvanized steel				9 ABS		12 None used (open hole)	
SCREEN OR PERFORATION OPENING ARE:				5 Gauzed wrapped		8 Saw cut		11 None (open hole)	
1 Continuous slot		3 Mill slot		6 Wire wrapped		9 Drilled holes			
2 Louvered shutter		4 Key punched		7 Torch cut		10 Other (specify)			
SCREEN-PERFORATION INTERVALS:		from 90		ft. to 102		ft., From		ft. to ft.	
		from 102		ft. to 105		ft., From		ft. to ft.	
GRAVEL PACK INTERVALS:		from 24		ft. to 105		ft., From		ft. to ft.	
		from		ft. to		ft., From		ft. to ft.	

6	GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other	bentonite hole plug
Grout Intervals: From		4	ft. to	24	ft. From	ft. to
What is the nearest source of possible contamination:		ft. From	77	ft. to	80	ft.
1 Septic tank	4 Lateral lines	7 Pit privy	11 Fuel storage	14 Abandon water well		
2 Sewer lines	5 Cess pool	8 Sewage lagoon	12 Fertilizer storage	15 Oil well/Gas well		
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	13 Insecticide storage	16 Other (specify below)		

Direction from well? **Northwest** How many feet? **100**

[illegible]

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10/22/1994 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 236 This Water Well Record was completed on (mo/day/yr) 10/24/94 Under the business name of Harp Well & Pump Service, Inc. by (signature) Jane Frederick