

1 LOCATION OF WATER WELL: County: Reno		Fraction NW 1/4 SE 1/4 SW 1/4	Section Number 4	Township Number T 26 S	Range Number R 10 E (W)																																																																		
Distance and direction from nearest town or city street address of well if located within city? Approximately 250' North of the intersection of Nebraska St. and N. Duncan St. in Turon			Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: 37.809369 Longitude: -98.423676 Elevation: Unknown Datum: NAD83 Data Collection Method: WAAS GPS Unit																																																																				
2 WATER WELL OWNER: City of Turon RR#, St. Address, Box # : P.O. Box 366 City, State, ZIP Code : Turon, KS 67583																																																																							
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: N W E --NW-- --NE-- --SW-- --SE-- X S	4 DEPTH OF COMPLETED WELL 81 ft. Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft. WELL'S STATIC WATER LEVEL 25.5 ft. below land surface measured on mo/day/yr 04-02-07 Pump test data: Well water was Not checked ft. after _____ hours pumping _____ gpm Est. Yield Unknown gpm: Well water was _____ ft. after _____ hours pumping _____ gpm WELL WATER TO BE USED AS: (5) Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well Was a chemical/bacteriological sample submitted to Department? Yes No ☒ If yes, mo/day/yr _____ Sample was submitted _____ Water well disinfected? Yes ☒ No																																																																						
	5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued ☒ Clamped 1 Steel 3 RMP (SR) 6 Asbestos-Cement (9) Other (specify below) Welded _____ (2) PVC 4 ABS 7 Fiberglass Stainless Steel Threaded _____ Blank casing diameter 12 in. to 53.7 ft., Diameter 12 in. to 70 ft., Diameter _____ in. to _____ ft. Casing height above land surface 12 in., weight 12.71 lbs./ft. Wall thickness or gauge No. .490																																																																						
	TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel (3) Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify) _____ 2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: (1) Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (Specify) _____																																																																						
	SCREEN-PERFORATED INTERVALS: From 53.7 ft. to 67.6 ft., From _____ ft. to _____ ft. From 70 ft. to 80 ft., From _____ ft. to _____ ft. GRAVEL PACK INTERVALS: From 50 ft. to 68 ft., From _____ ft. to _____ ft. From 69 ft. to 81 ft., From _____ ft. to _____ ft.																																																																						
6 GROUT MATERIAL: 1 Neat Cement (2) Cement grout 3 Bentonite (4) Other 50% Bentonite Holeplug/50% Sand Compacted Soil Bentonite Holeplug Grout Intervals: From 0-5 ft. to 5-25 ft., From 68 ft. to 69 ft., From 25 ft. to 50 ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage (16) Other (specify below) 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well None known Direction from well? _____ How many feet? _____																																																																							
<table border="1" style="width:100%; border-collapse: collapse;"><thead><tr><th>FROM</th><th>TO</th><th>LITHOLOGIC LOG</th><th>FROM</th><th>TO</th><th>PLUGGING INTERVALS</th></tr></thead><tbody><tr><td>0</td><td>2</td><td>Topsoil</td><td>70</td><td>78</td><td>Sand, very fine to fine, some medium</td></tr><tr><td>2</td><td>6</td><td>Clay, brown</td><td>78</td><td>81</td><td>Clay, brown, sandy</td></tr><tr><td>6</td><td>15</td><td>Sand and gravel, fine, medium</td><td></td><td></td><td></td></tr><tr><td>15</td><td>25</td><td>Clay, brown and white</td><td></td><td></td><td></td></tr><tr><td>25</td><td>34</td><td>Sand and gravel, fine, medium</td><td></td><td></td><td></td></tr><tr><td>34</td><td>35</td><td>Clay, brown</td><td></td><td></td><td></td></tr><tr><td>35</td><td>45</td><td>Sand and gravel, fine, medium, with clay, brown</td><td></td><td></td><td></td></tr><tr><td>45</td><td>54</td><td>Clay, gray</td><td></td><td></td><td></td></tr><tr><td>54</td><td>67</td><td>Sand and gravel, fine, medium</td><td></td><td></td><td></td></tr><tr><td>67</td><td>70</td><td>Clay, brown</td><td></td><td></td><td></td></tr></tbody></table>						FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0	2	Topsoil	70	78	Sand, very fine to fine, some medium	2	6	Clay, brown	78	81	Clay, brown, sandy	6	15	Sand and gravel, fine, medium				15	25	Clay, brown and white				25	34	Sand and gravel, fine, medium				34	35	Clay, brown				35	45	Sand and gravel, fine, medium, with clay, brown				45	54	Clay, gray				54	67	Sand and gravel, fine, medium				67	70	Clay, brown			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																																																		
0	2	Topsoil	70	78	Sand, very fine to fine, some medium																																																																		
2	6	Clay, brown	78	81	Clay, brown, sandy																																																																		
6	15	Sand and gravel, fine, medium																																																																					
15	25	Clay, brown and white																																																																					
25	34	Sand and gravel, fine, medium																																																																					
34	35	Clay, brown																																																																					
35	45	Sand and gravel, fine, medium, with clay, brown																																																																					
45	54	Clay, gray																																																																					
54	67	Sand and gravel, fine, medium																																																																					
67	70	Clay, brown																																																																					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed (3) plugged under my jurisdiction and was completed on (mo/day/year) 06-08-07 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/year) 06-08-07 Under the business name of Clarke Well & Equipment, Inc. by (signature) _____ INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.																																																																							