


1 LOCATION OF WATER WELL: Fraction SE 1/4 SW 1/4 SW 1/4 Section Number 15 Township Number T 26 S Range Number R 11 EW
 County: Pratt

Distance and direction from nearest town or city street address of well if located within city:
From Turon, KS: 3 miles West and 3 miles South.

2 WATER WELL OWNER: Stanton Brown - etal
 RR#, St. Address, Box #: 130177 NE 70th St Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: Preston, KS 67583 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL 131 ft. ELEVATION: ft.
 Depth(s) Groundwater Encountered: 1 48 ft. 2 ft. 3 ft.
 WELL'S STATIC WATER LEVEL 48 ft. below land surface measured on mo/day/yr 6-11-03
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm
 WELL WATER TO BE USED AS:
 1 Domestic 3 Feedlot 6 Oil field water supply 8 Air conditioning 11 Injection well
 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 9 Dewatering 12 Other (Specify below)
 Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes X No

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 Blank casing diameter 16 in. to 90 ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface 12 in., weight 16 lbs./ft. Wall thickness or gauge No. 1/2"
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless Steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-Cement
 2 Brass 4 Galvanized Steel 6 Concrete tile 9 ABS 11 Other (Specify)
 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 2 Mill slot 3 Guazed wrapped 4 Saw cut 5 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify) ft.
 SCREEN-PERFORATED INTERVALS: From 90 ft. to 131 ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 20 ft. to 131 ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From 3 ft. to 20 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 11 Fuel storage 15 Oil well/Gas well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage
 Direction from well? South How many feet? 1200'

| FROM | TO | LITHOLOGIC LOG | FROM | TO | PLUGGING INTERVALS |
|------|-----|--------------------------------------|------|----|--------------------|
| 0 | 2 | Top Soil | | | |
| 2 | 5 | Sandy Silt | | | |
| 5 | 16 | Tan Clay | | | |
| 16 | 22 | Brown Clay | | | |
| 22 | 28 | Tan Clay | | | |
| 28 | 38 | Tan + white Clay | | | |
| 38 | 52 | Fine to Coarse Sand to Med Gravel | | | |
| 52 | 55 | White Clay | | | |
| 55 | 67 | Fine to Coarse Sand to Med Gravel | | | |
| 67 | 78 | White + Tan Clay - Hard | | | |
| 78 | 90 | White + Tan Clay | | | |
| 90 | 100 | Fine to Coarse Sand to Fine Gravel | | | |
| 100 | 131 | Fine to Coarse Sand to Medium Gravel | | | |
| 131 | | White Clay | | | |

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 6-10-03 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 238 This Water Well Record was completed on (mo/day/yr) 6-23-03 under the business name of Weninger Irrigation by (signature) [Signature]