			WATE	R WELL RECOF	RD Form	WWC-5	KSA 82a-1			
1 LOCATION C					A 115		on Number			Range Number
County:	Prat		SW ½	NW ½		½ in oitu?	29	Т 26	S	R 11 E
Distance and dire Trinkle Enter	ection from r	nearest town	n or city street add	cress of well it is	ocated Witt	nin city?				
2 WATER WEL						···				
RR#, St. Address								Board of Agric	ultura Divi	sion of Water Resources
City Ctate 71D (8, DOX # .	Proeto	n, KS 67569			MW-12		Application Nu		SIOTI OF VVALET INESOURCES
LOCATE WE	LL'S LOCAT	ON WITH								
3 AN "X" IN SE	CTION BOX		I IURRIA UR U	OMPLETED W	ÆLL	25	ft. ELE	VATION:		
_	N		Depth(s) Ground	water Encounte	red 1		ftft	. 2	ft.	3 ft.
+			WELL'S STATIC	WATER LEVE	L N	A ft. I	below land s	surface measured of	n mo/day/	3 ft. S
	v N		Pump	test data: W	ell water w	as	1	t. after	hours p	umpinggpm g
1^~	V		Fet Yield	anm: W	eli water w	as	•	t after	hours p	umpina gom i
<u>₹</u> w		E	Bore Hole Diame	nter 8	in. to	25	,	ft. and	in	to ft. I Injection well Other (Specify below)
7			WELL WATER T	O BE USED AS	5: 5 Pub	lic water su	ipply	8 Air condition	ning 1	1 Injection well
sv	v s	E	1 Domestic	3 Feed lot	6 Oil :	field water s	supply	9 Dewatering	. 17	2 Other (Specify below)
 				bacteriological :	sample sul	omitted to D				mo/day/yr sample was
	S		submitted					ter Well Disinfecte		
5 TYPE OF BL	ANK CASIN			5 Wrought			ete tile			d Clamped
Steel		,	(SR)						Weld	ed
2 PVC		4 ABS		7 Fiberglas	s				Threa	aded X
Blank casing dia	meter	2	in. to 10	ft., Dia		in. t	0	ft., Dia		in. toft.
Casing height at	bove land su	ırface		in., weight			ibs./ft.	Wall thickness or	gauge No.	ent
	EN OR PER		N MATERIAL:			\mathcal{D}	PVC	10 Asbe	stos-ceme	ent
1 Steel		3 Stainle	ess steel nized steel	5 Fiberglas	S 411-	8	RMP (SR)	11 Othe	r (specify)	
2 Brass SCREEN OR PI	EDECIDATIO			6 Concrete	tile Gauzed	y henned	ABS	12 None	e usea (op	11 None (open hole)
1 Continu			Mill slot	6	Wire wr	i wrapped		9 Drilled holes		(open note)
2 Louvere			Key punched		Torch o	• •				
SCREEN-PERF	ORATED IN	ITERVALS:	From	10 ft.	to	25	ft.	From	ft. 1	to ft.
										toft.
GRAVE	L PACK INT	ERVALS:	From	8 ft.	to	22	ft.	From	ft. 1	to ft.l´
			From	22 ft.	to	25	ft.	From	ft. 1	to ft.
6 GROUT MAT	TERIAL:	1 Neat	cement 2	Cement grout		3 _{Ben}	tonite	4 Other		to ft.
Grout Intervals	From	0	ft. to 1	ft. From	1	ft. t	o 8	ft. From		ft. to ft.
What is the near								stock pens		andoned water well
1 Septic 1	tank	•	4 Lateral lines	7	Pit privy			storage	45 Oil	well/ Gas well
2 Sewer	lines		5 Cess pool		Sewage la	agoon		lizer storage	(19) Ott	her (specify below)
3 Waterti	ght sewer lin	nes	6 Seepage pit	9	Feedyard		13 Inse	cticide storage		ntaminated Site
Direction from w	ell?						How many	feet?		
FROM		ODE		OGIC LOG		FROM	TO	PLI	JGGING IN	NTERVALS
0	1		ement							
1	10		d to Light G	ray Sands,	very	ļ				
10	14		ayey rades to Coa	rea Graina	4	-				
10	14		kosic Sand,				 			
14	25		ind	voi y Olaye	1	 	+			
		-		***			+			

						<u> </u>	1			
					r well was (r my jurisdiction and was
completed on (n	no/day/yr)		02-1	U-U5					•	lge and belief. Kansas
Water Well Con	tractor's Lice	ense No.		554		This W	/ater Well R	ecord was complet	ed on (mo/	day/yr) 04-07-05
under the busine	ess name of	- 41 ·	Woof	ter Pump &	vveii in	C.	D	y (signature)	my C	reau of Water, 1000 SW
Jackson St.	, Ste. 420, To	peka, Kansa	as 66612-1367. Tel	ephone: 913-296	3-5545. Se	nd one to W	ATER WELL	owner and retain o	ne for your	records.