WATE	K WEI	LL RECORD	Form W	WC-5	Division of Wa	iter Resources App. N	0.	
1 LOCATION OF WATER WELL:			Fraction		Section Number	Township No.	Range Number	
County: Pratt		NE 14 NE 14 SE	1/4 1/4	30	T 26 S	R 11 □E 🗹W		
		Address of Well Location;		Global Positioning System (GPS) information:				
		own or intersection: If at		Latitude: (in decimal degrees)				
1				Longitude: (in decimal degrees)				
South Side of T&W Meats, Preston, KS					Elevation: (in decimal degrees)			
				Datum: WGS 84, NAD 83, NAD 27				
2 WAT	TER W	ELL OWNER: Cairo C	ooperative Equity E	Collection Method:				
		Address, Box #: PO Box			GPS unit (Make/Model:)			
O't Ctate ZID Calls					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
City, State, 211 Code . Cunning			ıham, KS 67035		Est. Accuracy:			
3 LOCATE WELL								
WITH AN "X" IN 4 DEPTH OF COMPLETED WELL .35 ft.								
SECI	SECTION BOX: Depth(s) Groundwater Encountered (1)							
	Pump test data: Well water was							
NW	v N		gpm. Well water wasft. after hours pumping gpm					
w		E Bore Hole Diam	Diameterin. toft., andft.					
 		WELL WATER	R TO BE USED AS: Public water supply Geothermal Injection well					
SW SE Domestic							Other (Specify below)	
'''	Irrigation Industrial Domestic-lawn & garden Monitoring well							
LL		Was a chemical/	bacteriological sample	e submitted to	Department?	Yes 🗹 No		
	S	If yes, mo/	day/yr sample was sul	bmitted		_		
	1 mile							
water went distincted: 1 to 12 No								
5 TYPE OF CASING USED: Steel V PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing	g diamet	er .2 in. to .28	ft., Diameter	in. t	o ft.,	Diameter	in. to ft.	
Casing diameter .2								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
Steel Stainless Steel PVC Other (Specify)								
Brass Galvanized Steel None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous slot								
Louvered shutter Key punched Wire wrapped Saw cut Other (specify)								
SCREEN-PERFORATED INTERVALS: From35								
From								
GRAVEL PACK INTERVALS: From35 ft. to22 ft., From ft. to ft.								
From								
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☑ Bentonite ☐ Other								
Grout In	tervals:	From	ft., Fron	ni	t. to f	t., From	ft. toft.	
What is t	the neare	est source of possible conta	mination:					
☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☐ Other (specify below)								
Sewer lines Cesspool Sewage lagoon Fuel storage Abandoned water well								
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard								
Direc	tion fron	n well Immediate Vicinit	Y	. Distance	rom wellImmed			
FROM	TO	LITHOLOG	IC LOG	FROM	TO LITHO.	LOG (cont.) or PLU	IGGING INTERVALS	
0'	1'	Silt, sand/gravel, crush	ed rock					
1'	5'	Silt, sandy brown, mois						
5'	9.5'	Sand, clay rd brn. fine		 				
	12'			+ +				
9.5'		Silt, clay rd brn, stiff da	шр	——				
12'	26'	As above with caliche		-				
26'	28'	Sand, clay red wet, f-m						
28'	35'	As above but saturated			Was Ten	nporary MW-2 to		
						nt well MW-8.		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was □ constructed, ✓ reconstructed, or □ plugged								
under my jurisdiction and was completed on (mo/day/year) .8/26/09								
Kansas Water Well Contractor's License No665 This Water Well Record was completed on mo/day/year) .8/31/09								
under the business name of Pratt Well Service, Inc. by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell/index.html.								
Chacles Villate Conv. Dink Conv. Dink Conv.								
KSA 82a-1212 Check: White Copy, Dlue Copy, Pink Copy								