WATER WELL RECORD		Form W	WC-5	Di	vision of Wate	r Resources App. No	_{).}			
		Fraction				Township No.		umber		
County: PRATT		1/4 NC 1/4 NK	1 1/4 NW 1/4			T 26 S				
Street/Rural Address					System (GPS) in					
from nearest town or i		Latitude: (in decimal degrees)								
					Longitude: (in decimal degrees)					
2/2 miles No of Paretra affect 14.				Eleva	Elevation:					
2 WATER WELL OWNER: Sabo Oferating Co.					<u>Datum</u> : ☐ WGS 84, ☐ NAD 83, ☐ NAD 27					
2/2 M. les Ne of Preston off of Havy 61 2 WATER WELL OWNER: Sabe Operating Co, RR#, Street Address, Box #: 34 South Wynden Dr. City State 71P. Code			Collec	Collection Method: GPS unit (Make/Model:)						
City, State, ZIP Code :			UK.	☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey						
City, State, 211 code	HOUSE	507 TX 7705	5 6			3 m, 3-5 m, 3				
3 LOCATE WELL						,				
WITH AN "X" IN		COMPLETED WEL								
SECTION BOX:	(2)									
N	WELL'S STATIC WATER LEVEL3.4ft. below land surface measured on mo/day/yr3—24-/D									
Pump test data: Well water wasft. after hours pumping										
EST. YIELDgpm. Well water wasft. after hours pumping							ping	£	gpm	
W Bore Hole Diameter ./O.5%.in. toft., andin. toft.										
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well										
Oil field water supply Dewatering Other (Specify below)										
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well										
S If yes, mo/day/yr sample was submitted										
Water well disinfected? \(\sum Y \) Yes \(\sum No \)										
water went distincted: 12 Tes 110										
5 TYPE OF CASING USED: Steel PVC Other Other										
CASING JOINTS:										
Casing diameter										
Casing height above land surface										
TYPE OF SCREEN OR PERFORATION MATERIAL: Steel										
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
☐ Continuous slot ☑ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole)										
Louvered shutter Key punched Wire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From 12.5										
SCREEN-PERFORATED INTERVALS: From										
From										
GRAVEL PACK INTERVALS: From. 1.25										
From										
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other										
What is the nearest source			и	π. ω	11.,	rioin	. 11. 10	• • • • • • • • • • • • • • • • • • • •	11.	
Septic tank		es Pit privy	Livestock	nens	☐ Insecticide	storage Oth	er (snecify	helow)		
Septic tank Sewer lines							·			
☐ Watertight sewer l	ines 🔲 Seepage p		Fertilizer s		Oil well/ga	s well	P	eld		
Direction from well			. Distance	from we	ell		<u></u>			
FROM TO	LITHOLOG		FROM	TO	LITHO. LO	OG (cont.) or PLU	GGING I	NTERV	ALS	
0 5' 51	ty TOPSOI	7	125	55"		el pock				
5' 25' TAN			55'	0	Bent	mite Sea	<u> </u>			
25' 45' Hand	1 Keddish-	BrN Clay								
45' 47' Med	d. GrAVEL									
47' 55' Whi										
55' 70' Sas		. w/coliche C	syens							
	avil	•								
130' 136 CA	Liche So	FT.								
			-							
7 CONTRACTORS	D I ANDOMESICO	20 OFFICIAL AND	NI. TI.:	11				71		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged										
under my jurisdiction and was completed on (mo/day/year) 3 24 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No 45 This Water Well Record was completed on (mo/day/year) 3 25										
under the business name	actor's License N	1 Section 1 1 1	water well R	ecora w	as completed	on theo/day/year)	///	:	·····	
INSTRUCTIONS: Use typew	riter or hall noint nen	PLEASE PRESS FIRM	Y and PRINT al	Dy (S	ase fill in blanks	and check the correct	answere S	end three	e coniec	
(white, blue, pink) to Kansas I	Department of Health	and Environment, Bureau	of Water, Geol	ogy Section	on, 1000 SW	kson St., Suite 420, 7	Topeka, Kan	sas 6661	2-1367.	
Telephone 785-296-5522. Ser	nd one copy to WAT									
http://www.kdheks.gov/waterwell/index.html.										
KSA 82a-1212										