


1 LOCATION OF WATER WELL: County: Pratt Fraction Near Center $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$ Section Number 32 Township Number T 26 S Range Number R 11 E **(W)**

Distance and direction from nearest town or city street address of well if located within city?
Approximately 1 mile south and 3/4 mile east of Preston, Ks.

2 WATER WELL OWNER: Donald G. Fisher
 RR#, St. Address, Box # : Route 1 Box 176
 City, State, ZIP Code : Preston, Ks. 67569
 Board of Agriculture, Division of Water Resources
 Application Number: 39,414

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:


4 DEPTH OF COMPLETED WELL: 134 ft. ELEVATION: unknown
 Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL .. 22 ft. below land surface measured on mo/day/yr
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield unknown gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter. 24 in. to 134 ft., and in. to ft.
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes.....No...x.....; If yes, mo/day/yr sample was sub-
 mitted Water Well Disinfected? Yes No x

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded x
 7 Fiberglass Threaded.....
 Blank casing diameter 16 in. to 65 ft., Dia 16 in. to 90 ft., Dia 16 in. to 113 ft.
 Casing height above land surface 12 in., weight 42.05 lbs./ft. Wall thickness or gauge No. 250
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)
 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From 65 ft. to 85 ft., From ft. to ft.
 From 90 ft. to 100 ft., From ft. to ft.
 From 113 ft. to 133 ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From 20 ft. to 133 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grout Intervals: From... 0 ft. to 20 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage none known.....
 Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	2	Sandy Topsoil			
2	22	Clay, brown, sandy			
22	47	Sand and Gravel, fine to very fine 42' and 47' limestone streak			
47	55	Clay, brown			
55	60	Clay, brown, sandy, limestone			
60	65	Clay, grayish brown, sandy			
65	76	Sand and Gravel, fine to very fine			
76	80	Clay, tan, sandy			
80	85	Sandy, fine to very fine			
85	92	Clay, yellow, brown, sandy			
92	100	Streaks sand and tan clay			
100	114	Clay, brown, sandy			
114	134	Sand and Gravel, very fine to fine with clay streak			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) ... 6-28-89 ... and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/year) 7-20-89 under the business name of Clarke Well and Equipment by (signature) Carol W. Clarke

OFFICE USE ONLY T R EW SEC 1/4 1/4