


1 LOCATION OF WATER WELL: Fraction Center North 1/4 NE 1/4 Section Number 20 Township Number T 26 S Range Number R 12W
 County: Pratt

Distance and direction from nearest town or city street address of well if located within city?
1 Mile South, 5 Miles West, 1 3/4 Miles North Of preston, Kns.

2 WATER WELL OWNER: Morgan Trinkle
 RR#, St. Address, Box # 80236 NE 70th Ave Board of Agriculture, Division of Water Resource
 City, State, ZIP Code Preston, Kans. 67569 Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

 4 DEPTH OF COMPLETED WELL: 186' ft. ELEVATION:
 Depth(s) Groundwater Encountered 1. 40' ft. 2. ft. 3. ft.
 WELL'S STATIC WATER LEVEL 38' ft. below land surface measured on mo/day/yr May 18, 1999.
 Pump test data: Well water was ft. after hours pumping gpm
 Est. Yield 750 gpm: Well water was ft. after hours pumping gpm
 Bore Hole Diameter 6. 3/4 in to 186' ft. and in. to ft.
 WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation XX 4 Industrial 7 Lawn and garden only 10 Monitoring well
 Was a chemical/bacteriological sample submitted to Department? Yes.....No.....XX; If yes, mo/day/yr sample was submitted
 Water Well Disinfected? Yes No XX

5 TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued XX Clamped
 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded
 2 PVC XX 4 ABS 7 Fiberglass Threaded.....
 Blank casing diameter 3" in. to 179' ft. Dia in. to ft. Dia in. to ft.
 Casing height above land surface 24" in. weight 1.56 lbs./ft. Wall thickness or gauge No. 300.
 TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC XX 10 Asbestos-cement
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped XX Saw cut 11 None (open hole)
 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes
 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From 186' ft. to 181' ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 GRAVEL PACK INTERVALS: From ft. to ft., From ft. to ft.
 From 186' ft. to 179' ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout XX 3 Bentonite 4 Other
 Grout Intervals: From 179' ft. to 0' ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well XX
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage
 Direction from well? East How many feet? 1500'

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0'	3'	Top Soil.	94'	116'	Medium Fine Sand.
3'	10'	Clay.	116'	121'	Medium Course sand.
10'	33'	Clay.	121'	132'	Clay.
33'	35'	Sugar Sand.	132'	150'	Sand & Clay Strips.
35'	40'	Sandy Clay.	150'	170'	Medium Fine Sand.
40'	45'	Fine Sand.	170'	186'	Medium Fine Sand.
45'	47'	Clay.			RED BED.
47'	49'	Medium Fine Sand.			
49'	50'	Clay.			
50'	60'	Medium Fine Sand.			
60'	74'	Medium Course Sand & Gravel.			
74'	79'	Clay.			
79'	85'	Medium Fine Sand.			
85'	91'	Course Sand & Gravel.			
91'	94'	Clay.			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) May 17, 1999 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 112 This Water Well Record was completed on (mo/day/yr) May 27, 1999 under the business name of Wells Drilling Co by (signature) Dal Wells