

COOPER #8

1 LOCATION OF WATER WELL: County: PRATT	Fraction NW 1/4 NE 1/4 NE 1/4	Section Number 28	Township Number T 26 S	Range Number R 12 E
---	---	-----------------------------	----------------------------------	-------------------------------

Distance and direction from nearest town or city street address of well if located within city?

PRESTON 334 W SOUTHSIDE.

2 WATER WELL OWNER: RR#, St. Address, Box # : 555 N. WOODLAWN SUITE 114 City, State, ZIP Code : WICHITA, KS 67208	Board of Agriculture, Division of Water Resources Application Number: 786-196
---	---

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 120 ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. 98 ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL 45' ft. below land surface measured on mo/day/yr 4-21-86
	Pump test data: Well water was ft. after hours pumping gpm
	Est. Yield gpm: Well water was ft. after hours pumping gpm
Bore Hole Diameter: 7 7/8 in. to 120 ft., and in. to ft.	WELL WATER TO BE USED AS:
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)	5 Public water supply 8 Air conditioning 11 Injection well
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well	
Was a chemical/bacteriological sample submitted to Department? Yes. No. ; If yes, mo/day/yr sample was submitted	Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued XY Clamped
1 Steel 3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	Welded
2 PVC 4 ABS	7 Fiberglass		Threaded.
Blank casing diameter 5 in. to 10.0 ft., Dia in. to ft., Dia in. to ft.			
Casing height above land surface 12 in., weight 2.65 lbs./ft. Wall thickness or gauge No. 214			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement	
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR)		11 Other (specify)	
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS		12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE: 1/8	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot 3 Mill slot	6 Wire wrapped	9 Drilled holes	
2 Louvered shutter 4 Key punched	7 Torch cut	10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From 1.00 ft. to 120 ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From 85 ft. to 120 ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.				
What is the nearest source of possible contamination: NONE	10 Livestock pens	14 Abandoned water well		
1 Septic tank 4 Lateral lines 7 Pit privy	11 Fuel storage	15 Oil well/Gas well		
2 Sewer lines 5 Cess pool 8 Sewage lagoon	12 Fertilizer storage	16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit 9 Feedyard	13 Insecticide storage			
Direction from well?	How many feet?			

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	20	TOP SOIL - CLAY			
20	40	BLACK-BROWN CLAY			
40	85	BROWN + GREY CLAY			
85	95	SAND & GRAVEL W/CLAY MIX			
95	97	CLAY STRIP			
97	120	SAND & GRAVEL W/CLAY STRIP			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) <u>constructed</u> , (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-21-86 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 389 This Water Well Record was completed on (mo/day/yr) 4-21-86 under the business name of REISER WATER WELL SERV. INC. by (signature) <i>Rudolph J. Reiser</i>
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY T R E W SEC. 1/4 1/4 1/4