| LOCATION OF WATE county: PRATT Distance and direction from | | Fraction | | | Section Number | Township | Number | l H | ange Num | nber |
|---|--|---|--|-----------------|--|--|---|--|----------------------------------|-------------------|
| | | SW | ∕4 SE 1⁄4 | SE 1/4 | 34 | T 26 | S | R | 12 | E/W |
| | om nearest tow | n or city street | | | y? | | | | | |
| | | 2 | 1/2 W. 2-5 0 | F PRESTON | ,KS. | | | | | |
| WATER WELL OWN | ER: VESS | OIL CO. | | | | | | | | |
| R#, St. Address, Box | | D E. 22nd | ST. N. BLDG | -300 | | Board of | Agriculture, | Division | of Water | Resource |
| ty, State, ZIP Code | | | 6.4899¢ 6722 | | | | on Number:T | | _ | |
| LOCATE WELL'S LO | | | | | 4 FLEVA | | | | | |
| AN "X" IN SECTION | BOX: | Depth(s) Grour | dwater Encountered | d 1 | ft. 2 | 2 | ft. 3 | 3 | <i></i> | ft. |
| NW | - NE | Pur | C WATER LEVEL . mp test data: Well gpm: Well | water was | ft. a | fter | hours pu | imping . | | gpm |
| w 1 | | | neter9ir TO BE USED AS: | | | and | | . to | | ft. |
| i | i 1 | X Domesti | | | water supply | | • | • | | low) |
| SW | SE | 2 Irrigation | | | nd garden only | • | | | | |
| | ¦ _× | • | l/bacteriological san | | - | | | | | |
| | | | ii/bacteriologicai sari | riple submitted | - | | | , moruay | | |
| <u> </u> | | mitted | | | | ter Well Disinfed | | | No X | |
| TYPE OF BLANK CA | | | 5 Wrought iron | | ncrete tile | | OINTS: Glue | | • | |
| 1 Steel | 3 RMP (SF | ₹) | 6 Asbestos-Cen | | her (specify below | , | | | · · · · · · · | |
| X2 PVC | 4 ABS | | 7 Fiberglass | | | | | | | |
| lank casing diameter . | | | | | | | | | | |
| asing height above lan | d surface | 12 | in., weight | | Ibs./ | ft. Wall thicknes | s or gauge N | lo | | |
| YPE OF SCREEN OR | PERFORATION | N MATERIAL: | | ž | PVC | 10 A | sbestos-ceme | ent | | |
| 1 Steel | 3 Stainless | steel | 5 Fiberglass | 8 | RMP (SR) | 11 0 | ther (specify) | | | |
| 2 Brass | 4 Galvaniz | ed steel | 6 Concrete tile | | ABS | 12 N | one used (or | en hole) |) | |
| CREEN OR PERFORA | ATION OPENIN | GS ARE: | 5 (| Gauzed wrappe | d | 8 Saw cut | | | ne (open | hole) |
| 1 Continuous slot | | ill slot | | Wire wrapped | _ | 9 Drilled holes | | | (opo | , |
| 1 Continuous sici | × '*' | 0.01 | • | TTIIC TTIAPPOG | | o Dilliou liolo | • | | | |
| 2 Louvered shutter CREEN-PERFORATED | | From | 129 ft. | to | ft., Froi | | ft. 1 | to to | | |
| 2 Louvered shutter CREEN-PERFORATEL GRAVEL PACE GROUT MATERIAL: |) INTERVALS: K INTERVALS: | From From From | 129 ft. 20 ft. tt. 2 Cement grout | to | ft., From ft., From tt., From | m | ft. 1 | to to to | | ft. ft. ft. |
| 2 Louvered shutter CREEN-PERFORATEL GRAVEL PACE GROUT MATERIAL: | O INTERVALS: K INTERVALS: 1 Neat o | From. | 129 ft. 20 ft. ft. | to | ft., Froi ft., Froi ft., Froi entonite 4 ft. to. | m | ft. 1 | to to to to | | ft ft |
| 2 Louvered shutter CREEN-PERFORATEL GRAVEL PACE GROUT MATERIAL: From the rearest sou | O INTERVALS: K INTERVALS: 1 Neat o | From. From. From. From Sement ft. to 20 contamination: | 129 ft. 2D ft. 2 Cement grout ft., From | to | ft., Froi ft., Froi ft., Froi entonite 4 ft. to | mm mm Otherft., From tock pens | ft. 1 | to to to to | od water v | ft ft |
| 2 Louvered shutter CREEN-PERFORATEL GRAVEL PACE GROUT MATERIAL: frout Intervals: From //hat is the nearest sou 1 Septic tank | 1 Neat of possible 4 Later | From From From ement ft. to20 contamination: al lines | 129 ft. 20 ft. 2 Cement grout ft., From 7 Pit priv | to | ft., Froi ft., Froi ft., Froi entonite 4 ft. to | mm mm Otherft., From tock pens storage | ft. 1 | totototototo | ed water v | |
| 2 Louvered shutter CREEN-PERFORATED GRAVEL PACE GROUT MATERIAL: rout Intervals: From //hat is the nearest sou 1 Septic tank 2 Sewer lines | 1 Neat of possible 4 Later 5 Cess | From From From ement ft. to20 contamination: al lines pool | 129 ft. 20 ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage | to | ft., Froi ft., Froi entonite 4 ft. to | mm Other tt., From tock pens storage izer storage | ft. 1 ft. 1 ft. 1 | tototototott. totott. tototbtbtb | od water v | |
| 2 Louvered shutter CREEN-PERFORATED GRAVEL PACE GROUT MATERIAL: rout Intervals: From that is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer | 1 Neat of possible 4 Later 5 Cess | From From From ement ft. to20 contamination: al lines pool | 129 ft. 20 ft. 2 Cement grout ft., From 7 Pit priv | to | ft., Froi ft., Froi entonite 4 ft. to | mm Other tt., From tock pens storage izer storage | ft. 1 | tototototott. totott. tototbtbtb | ed water v | |
| 2 Louvered shutter CREEN-PERFORATED GRAVEL PACE GROUT MATERIAL: rout Intervals: From /hat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer irection from well? | 1 Neat of possible 4 Later 5 Cess | From From From cement ft. to20 contamination: al lines pool age pit | 129 ft. 10 ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya | to | ft., Froi ft., Froi entonite 4 ft. to | mm Other tt., From tock pens storage izer storage ticide storage ny feet? | 14 A 15 C NON | toto | ed water vas well | |
| 2 Louvered shutter CREEN-PERFORATED GRAVEL PACE GROUT MATERIAL: rout Intervals: From /hat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer irrection from well? FROM TO | O INTERVALS: I Neat of possible 4 Laters 5 Cess r lines 6 Seep | From From From From cement ft. to 2D contamination: al lines pool age pit | 129 ft. 10 ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya | to | ft., Froi ft., Froi entonite 4 ft. to | mm Other tt., From tock pens storage izer storage ticide storage ny feet? | ft. 1 ft. 1 ft. 1 | toto | ed water vas well | |
| 2 Louvered shutter CREEN-PERFORATED GRAVEL PACE GROUT MATERIAL: rout Intervals: From /hat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer irrection from well? FROM TO 0 3 | O INTERVALS: I Neat of possible 4 Later: 5 Cess r lines 6 Seep | From From From From cement ft. to 2D contamination: al lines pool age pit | 129 ft. 10 ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya | to | ft., Froi ft., Froi entonite 4 ft. to | mm Other tt., From tock pens storage izer storage ticide storage ny feet? | 14 A 15 C NON | toto | ed water vas well | |
| 2 Louvered shutter CREEN-PERFORATED GRAVEL PACE GROUT MATERIAL: rout Intervals: From /hat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer irrection from well? FROM TO 0 3 118 | O INTERVALS: I Neat of possible 4 Later: 5 Cess r lines 6 Seep TOP SO CLAY | From From From From Exement ft. to20 contamination: al lines pool age pit LITHOLOGIC IL | 129 ft. 10 ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya | to | ft., Froi ft., Froi entonite 4 ft. to | mm Other tt., From tock pens storage izer storage ticide storage ny feet? | 14 A 15 C NON | toto | ed water vas well | |
| 2 Louvered shutter CREEN-PERFORATED GRAVEL PACE GROUT MATERIAL: rout Intervals: From that is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer irrection from well? FROM TO 0 3 | O INTERVALS: I Neat of possible 4 Later: 5 Cess r lines 6 Seep TOP SO CLAY | From From From From cement ft. to 2D contamination: al lines pool age pit | 129 ft. 10 ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya | to | ft., Froi ft., Froi entonite 4 ft. to | mm Other tt., From tock pens storage izer storage ticide storage ny feet? | 14 A 15 C NON | toto | ed water vas well | |
| 2 Louvered shutter CREEN-PERFORATED GRAVEL PACE GROUT MATERIAL: rout Intervals: From that is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer irrection from well? FROM TO 0 3 3 118 | O INTERVALS: I Neat of possible 4 Later: 5 Cess r lines 6 Seep TOP SO CLAY | From From From From Exement ft. to20 contamination: al lines pool age pit LITHOLOGIC IL | 129 ft. 10 ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya | to | ft., Froi ft., Froi entonite 4 ft. to | mm Other tt., From tock pens storage izer storage ticide storage ny feet? | 14 A 15 C NON | toto | ed water vas well | |
| 2 Louvered shutter CREEN-PERFORATED GRAVEL PACE GROUT MATERIAL: rout Intervals: From that is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer irrection from well? FROM TO 0 3 3 118 | O INTERVALS: I Neat of possible 4 Later: 5 Cess r lines 6 Seep TOP SO CLAY | From From From From Exement ft. to20 contamination: al lines pool age pit LITHOLOGIC IL | 129 ft. 20 ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya | to | ft., Froi ft., Froi entonite 4 ft. to | mm Other tt., From tock pens storage izer storage ticide storage ny feet? | 14 A 15 C NON | toto | ed water vas well | |
| 2 Louvered shutter CREEN-PERFORATED GRAVEL PACE GROUT MATERIAL: rout Intervals: From /hat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer irrection from well? FROM TO 0 3 118 | O INTERVALS: I Neat of possible 4 Later: 5 Cess r lines 6 Seep TOP SO CLAY | From From From From Exement ft. to 20 contamination: al lines pool age pit LITHOLOGIC IL | 129 ft. 20 ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya | to | ft., Froi ft., Froi entonite 4 ft. to | mm Other tt., From tock pens storage izer storage ticide storage ny feet? | 14 A 15 C NON | toto | ed water vas well | |
| 2 Louvered shutter CREEN-PERFORATED GRAVEL PACE GROUT MATERIAL: rout Intervals: From hat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well? FROM TO 0 3 3 118 | O INTERVALS: I Neat of possible 4 Later: 5 Cess r lines 6 Seep TOP SO CLAY | From From From From Exement ft. to 20 contamination: al lines pool age pit LITHOLOGIC IL | 129 ft. 20 ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya | to | ft., Froi ft., Froi entonite 4 ft. to | mm Other tt., From tock pens storage izer storage ticide storage ny feet? | 14 A 15 C NON | toto | ed water vas well | |
| 2 Louvered shutter CREEN-PERFORATED GRAVEL PACE GROUT MATERIAL: rout Intervals: From that is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer irrection from well? FROM TO 0 3 3 118 | O INTERVALS: I Neat of possible 4 Later: 5 Cess r lines 6 Seep TOP SO CLAY | From From From From Exement ft. to 20 contamination: al lines pool age pit LITHOLOGIC IL | 129 ft. 20 ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya | to | ft., Froi ft., Froi entonite 4 ft. to | mm Other tt., From tock pens storage izer storage ticide storage ny feet? | 14 A 15 C NON | toto | ed water vas well | |
| 2 Louvered shutter CREEN-PERFORATED GRAVEL PACE GROUT MATERIAL: Fout Intervals: From that is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well? FROM TO 0 3 3 118 | O INTERVALS: I Neat of possible 4 Later: 5 Cess r lines 6 Seep TOP SO CLAY | From From From From Exement ft. to 20 contamination: al lines pool age pit LITHOLOGIC IL | 129 ft. 20 ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya | to | ft., Froi ft., Froi entonite 4 ft. to | mm Other tt., From tock pens storage izer storage ticide storage ny feet? | 14 A 15 C NON | toto | ed water vas well | |
| 2 Louvered shutter CREEN-PERFORATED GRAVEL PACE GROUT MATERIAL: rout Intervals: From that is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer irrection from well? FROM TO 0 3 3 118 | O INTERVALS: I Neat of possible 4 Later: 5 Cess r lines 6 Seep TOP SO CLAY | From From From From Exement ft. to 20 contamination: al lines pool age pit LITHOLOGIC IL | 129 ft. 20 ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya | to | ft., Froi ft., Froi entonite 4 ft. to | mm Other tt., From tock pens storage izer storage ticide storage ny feet? | 14 A 15 C NON | toto | ed water vas well | |
| 2 Louvered shutter CREEN-PERFORATED GRAVEL PACE GROUT MATERIAL: Fout Intervals: From that is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well? FROM TO 0 3 3 118 | O INTERVALS: I Neat of possible 4 Later: 5 Cess r lines 6 Seep TOP SO CLAY | From From From From Exement ft. to 20 contamination: al lines pool age pit LITHOLOGIC IL | 129 ft. 20 ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya | to | ft., Froi ft., Froi entonite 4 ft. to | mm Other tt., From tock pens storage izer storage ticide storage ny feet? | 14 A 15 C NON | toto | ed water vas well | |
| 2 Louvered shutter CREEN-PERFORATED GRAVEL PACE GROUT MATERIAL: rout Intervals: From hat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer rection from well? FROM TO 0 3 3 118 | O INTERVALS: I Neat of possible 4 Later: 5 Cess r lines 6 Seep TOP SO CLAY | From From From From Exement ft. to 20 contamination: al lines pool age pit LITHOLOGIC IL | 129 ft. 20 ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya | to | ft., Froi ft., Froi entonite 4 ft. to | mm Other tt., From tock pens storage izer storage ticide storage ny feet? | 14 A 15 C NON | toto | ed water vas well | |
| 2 Louvered shutter CREEN-PERFORATED GRAVEL PACE GROUT MATERIAL: rout Intervals: From that is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer irrection from well? FROM TO 0 3 3 118 | O INTERVALS: I Neat of possible 4 Later: 5 Cess r lines 6 Seep TOP SO CLAY | From From From From Exement ft. to 20 contamination: al lines pool age pit LITHOLOGIC IL | 129 ft. 20 ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya | to | ft., Froi ft., Froi entonite 4 ft. to | mm Other tt., From tock pens storage izer storage ticide storage ny feet? | 14 A 15 C NON | toto | ed water vas well | |
| 2 Louvered shutter CREEN-PERFORATED GRAVEL PACE GROUT MATERIAL: rout Intervals: From that is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer irrection from well? FROM TO 0 3 3 118 | O INTERVALS: I Neat of possible 4 Later: 5 Cess r lines 6 Seep TOP SO CLAY | From From From From Exement ft. to 20 contamination: al lines pool age pit LITHOLOGIC IL | 129 ft. 20 ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya | to | ft., Froi ft., Froi entonite 4 ft. to | mm Other tt., From tock pens storage izer storage ticide storage ny feet? | 14 A 15 C NON | toto | ed water vas well | |
| 2 Louvered shutter CREEN-PERFORATED GRAVEL PACE GROUT MATERIAL: rout Intervals: From /hat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer irrection from well? FROM TO 0 3 118 | O INTERVALS: I Neat of possible 4 Later: 5 Cess r lines 6 Seep TOP SO CLAY | From From From From Exement ft. to 20 contamination: al lines pool age pit LITHOLOGIC IL | 129 ft. 20 ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya | to | ft., Froi ft., Froi entonite 4 ft. to | mm Other tt., From tock pens storage izer storage ticide storage ny feet? | 14 A 15 C NON | toto | ed water vas well | |
| 2 Louvered shutter CREEN-PERFORATED GRAVEL PACE GROUT MATERIAL: From that is the nearest sound 1 Septic tank 2 Sewer lines 3 Watertight sewer birection from well? FROM TO D 3 3 118 | O INTERVALS: I Neat of possible 4 Later: 5 Cess r lines 6 Seep TOP SO CLAY | From From From From Exement ft. to 20 contamination: al lines pool age pit LITHOLOGIC IL | 129 ft. 20 ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya | to | ft., Froi ft., Froi entonite 4 ft. to | mm Other tt., From tock pens storage izer storage ticide storage ny feet? | 14 A 15 C NON | toto | ed water vas well | |
| 2 Louvered shutter CREEN-PERFORATED GRAVEL PACE GROUT MATERIAL: rout Intervals: From //hat is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer irrection from well? FROM TO 0 3 3 118 118 149 | O INTERVALS: I Neat of the second of the se | From From From From Exement ft. to20 contamination: al lines pool age pit LITHOLOGIC IL RAVEL | 129 ft. 20 ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya | to | ft., Froi ft., F | m Other | 14 A 15 C NON | totototototho. | ed water vas well ecify below | |
| 2 Louvered shutter CREEN-PERFORATED GRAVEL PACE GROUT MATERIAL: rout Intervals: From that is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer irrection from well? FROM TO 0 3 3 118 118 149 CONTRACTOR'S OF | O INTERVALS: I Neat of D ree of possible 4 Laters 5 Cess r lines 6 Seep TOP SO CLAY G | From From From From Exement ft. to20 contamination: al lines pool age pit LITHOLOGIC IL RAVEL | 129 ft. 20 ft. 2 Cement grout ft., From 7 Pit priv 8 Sewage 9 Feedya | to | ft., Froi ft., F | m | ft. | tototototo | ed water values well ecify below | ft |
| 2 Louvered shutter CREEN-PERFORATED GRAVEL PACE GROUT MATERIAL: rout Intervals: From that is the nearest sou 1 Septic tank 2 Sewer lines 3 Watertight sewer frection from well? FROM TO 0 3 3 118 118 149 | O INTERVALS: I Neat of the control | From. From. From. From. From. Exement ft. to | 129 ft. 20 ft. 12 Cement grout 15 From 16 From 17 Pit priv 18 Sewage 19 Feedya | to | ft., Froi ft., F | m | ft. | der my ju | ed water values well ecify below | ff |