

1 LOCATION OF WATER WELL: County: Pratt Fraction: NE 1/4 NE 1/4 NE 1/4 Section Number: 8 Township Number: T 26 S Range Number: R 13 E/W

Distance and direction from nearest town or city street address of well if located within city?
Approximately 5 miles north and 1 mile west of Iuka

2 WATER WELL OWNER: John Mark Shoup
 RR#, St. Address, Box #: 100457 NW 10th Ave.
 City, State, ZIP Code: Iuka, KS 67066
 Board of Agriculture, Division of Water Resources
 Application Number: 43,854

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

4 DEPTH OF COMPLETED WELL: 75 ft. ELEVATION: unknown
 Depth(s) Groundwater Encountered: 1. 14.46 ft. 2. 14.46 ft. 3. 14.46 ft.
 WELL'S STATIC WATER LEVEL: 14.46 ft. below land surface measured on mo/day/yr 9-27-99
 Pump test data: Well water was not ch'd ft. after 9 hours pumping unknown gpm
 Est. Yield unknown gpm: Well water was 9 ft. after 80 hours pumping unknown gpm
 Bore Hole Diameter: 9 in. to 80 ft., and 80 in. to 80 ft.
 WELL WATER TO BE USED AS:
 5 Public water supply 8 Air conditioning 11 Injection well
 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well Pond Well
 Was a chemical/bacteriological sample submitted to Department? Yes No X No; If yes, mo/day/yr sample was submitted Water Well Disinfected? Yes No X

5 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued X Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded
 Blank casing diameter: 5 in. to 43 ft., Dia. 43 in. to 43 ft., Dia. 43 in. to 43 ft.
 Casing height above land surface: 24 in., weight 2.36 lbs./ft. Wall thickness or gauge No. 214
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)
 9 ABS 12 None used (open hole)
 SCREEN OR PERFORATION OPENINGS ARE:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 SCREEN-PERFORATED INTERVALS: From 43 ft. to 73 ft., From 43 ft. to 73 ft., From 43 ft. to 73 ft.
 GRAVEL PACK INTERVALS: From 20 ft. to 80 ft., From 20 ft. to 80 ft., From 20 ft. to 80 ft.

6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other Bentonite Holeplug
 Grout Intervals: From 0 ft. to 20 ft., From 0 ft. to 20 ft., From 0 ft. to 20 ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well
 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well
 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)
 13 Insecticide storage None known
 Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	4	Topsoil			
4	16	Clay, brown			
16	22	Clay, tan			
22	36	Clay, white, gravel streaks			
36	73	Sand and gravel, coarse, medium, fine			
73	80	Clay, brown, gravel streaks			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 9-27-99 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/yr) 10-1-99 under the business name of Clarke Well & Equipment, Inc. by (signature) Clarke Well & Equipment, Inc.

OFFICE USE ONLY
T
R
EW
SEC.
1/4
1/4
1/4