

WATER WELL RECORD

Form WWC-5

Division of Water Resources; App. No.

34,416.01

1 LOCATION OF WATER WELL:

County: Pratt

Fraction NE 1/4 NE 1/4 NW 1/4

Section Number 10

Township Number T 26 S

Range Number R 13 E W

Distance and direction from nearest town or city street address of well if located within city? Approximately 5 miles north and 1/2 mile east of Iuka

Global Positioning Systems (decimal degrees, min. of 4 digits)

Latitude: 37.805744

Longitude: -98.732416

Elevation: unknown


Datum: NAD 27

Data Collection Method: WAAS GPS Unit

2 WATER WELL OWNER: James W. Griffith

RR#, St. Address, Box #: 235 NE 110th St. City, State, ZIP Code: Iuka, KS 67066

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:



4 DEPTH OF COMPLETED WELL 81 ft.

Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) ft.

WELL'S STATIC WATER LEVEL 27.25 ft. below land surface measured on mo/day/yr

Pump test data: Well water was not checked ft. after hours pumping gpm

Est. Yield unknown gpm: Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well

(1) Domestic (3) Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes No [checked] If yes, mo/day/yrs

Sample was submitted Water well disinfected? Yes [checked] No

5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued [checked] Clamped

1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded

(2) PVC 4 ABS 7 Fiberglass Threaded

Blank casing diameter 5 in. to 60 ft., Diameter in. to ft., Diameter in. to ft.

Casing height above land surface 24 in., weight 2.36 lbs./ft. Wall thickness or gauge No. 214

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel 3 Stainless Steel 5 Fiberglass (7) PVC 9 ABS 11 Other (Specify)

2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot (3) Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)

2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (Specify)

SCREEN-PERFORATED INTERVALS: From 60 ft. to 79 ft., From ft. to ft.

GRAVEL PACK INTERVALS: From 55 ft. to 80 ft., From ft. to ft.

From ft. to ft., From ft. to ft.

From ft. to ft., From ft. to ft.

6 GROUT MATERIAL: 1 Neat Cement 2 Cement grout 3 Bentonite 4 Other Bentonite Holeplug

Compacted Soil Grout Intervals: From 0 ft. to 4 ft., From ft. to ft., From 4 ft. to 55 ft.

What is the nearest source of possible contamination:

1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify below)

2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well

3 Watertight sewer lines 6 Seepage pit (9) Feedyard 12 Fertilizer Storage 15 Oil well/gas well

Direction from well? West How many feet? ~100

Table with columns: FROM, TO, LITHOLOGIC LOG, FROM, TO, PLUGGING INTERVALS. Rows show depth intervals and soil descriptions like Topsoil, Clay, brown, Sand and gravel, coarse to fine.

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:

This water well was (1) constructed (2) reconstructed (3) plugged under my jurisdiction and was completed on (mo/day/year) 5-9-06 and this record is true to the best of my knowledge and belief.

Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/year) 5-17-06

Under the business name of Clarke Well & Equipment, Inc. by (signature)

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.