WATER WELL RE	CORD	Form WWC-5	Division of Wat	er Resources; App. No.	20090115	
1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number	
County: Pratt		SW 1/4 SE 1/4 NE 1/4		T 26 S	R13w E/W	
Distance and direction from nearest town or city street address of well if Global Positioning Systems (decimal degrees, min. of 4 di						
located within city?			Latitude:			
Iuka, 2N 1W				Longitude:		
2 WATER WELL OWNER: Beverly Grunder			Elevation:	Flevation		
RR#, St. Address, Box # : 3412 Cathlinda Sr.			Detailoll.	Elevation: Datum:		
City, State, ZIP Code : Winfield, KS 67156				- The state of the		
Williera, KS 07150			Data Collection Method:			
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL140						
LOCATION	D41-(-) C44	E1 (1) 30	6 (2)	G (2)	0	
WITH AN "X" IN						
SECTION BOX:	Pump test data: Well water wasft. after					
,,	Est. Yield80gpm: Well water was					
WELL WATER TO BE USER AS: 5 Public mater smale. 9 Air and distinct 11 Line in mall						
W   X   E	1	lustrial 7 Domestic (law	n & garden) 10 Mo	watering 12 Ot nitoring well		
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well						
SW SE Was a chamical/heaterial original sample submitted to Department? Vos. No. 1 If year ma/day/sws						
Was a chemical/bacteriological sample submitted to Department? Yes; If yes, mo/day/yrs Sample was submitted						
S	Sample was submitted	***	ater wen distinceted:	105	••••	
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped						
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded						
2 PVC 4 ABS 7 Fiberglass Threaded						
		in., Weight <b>2.</b> .8	lbs./ft. Wall thi	ickness or guage No. §	cn40	
TYPE OF SCREEN OR PERFORATION MATERIAL:						
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)						
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:						
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)						
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)						
SCREEN-PERFORATED INTERVALS: From120 ft. to1.40 ft., From ft. to ft.						
From						
GRAVEL PACK INTERVALS: From						
From						
6 GROUT MATERIA	L: 1 Neat cement 2	Cement grout 3 Bentonite	4 Other			
Grout Intervals: From						
What is the nearest source of possible contamination:						
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide storage 16 Other (specify						
2 Sewer lines	5 Cess pool	~ ~		bandoned water well	below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/gas well						
	Eas.t					
FROM TO	LITHOLOGIC	C LOG FRO	OM TO	PLUGGING INT	ERVALS	
	sand					
1 25 cla			Jar	boe 1-29		
	nd and gravel					
135 140 cla	ay		Ste	rling Dilling C	ompany	
				0. Box 1006	<b></b>	
				tt, KS 67124		
				471WW-4, 2007-3, - 10-10-		
				,		
					Photographic Control of the Control	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged						
under my jurisdiction and was completed on (mo/day/year)05/.08/.09 and this record is true to the best of my knowledge and belief.						
Kansas Water Well Contractor's License No186 This Water Well Record was completed on (mo/day/year)05/18/09						
under the business name	of Kelly's Water	Well Service, Inc.	by (signature)	thun & 14	nd	
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone						
		nt, Bureau of Water, Geology Sect				

http://www.kdheks.gov/waterwell/index.html.