USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

County Frac		Fraction	raction CISE		Section number		Township number	Range number		
 Location of well: 	Pratt	1/4	1/4	1/4	20)	T 26 s	_R 13	E/W	
2. Distance and direct	ction from nearest town or city:	AC	nold Jarl	r						
2n/2W Street address of well location if in city: LUNQ City, state, zip code:							Juka Ks.			
4. Locate with "X" in section below: Sketch map:							6. Bore hole dia. 29 in. Completion date			
						ŀ	Well depth ft.		76	
							7 Cable tool Rotary Driven Dug Hollow rod Jetted Bored Reverse rotary			
							8. Use:Domestic Public supply Industry Trrigation Air conditioning Stock			
							LawnOil field water Other			
							9. Casing: Material STCC Height: Aboye or below Threaded Welded Surface in.			
		RMP PVC	_!Weight	in. lbs./ft.						
I → 1 M 5. Type and color of					From T	To	Dia <u>16</u> in. to <u>86</u> ft. dept Dia. <u>in. to</u> <u>ft. dept</u>		es or	
5. Type and color of						<u> </u>	10. Screen: Manufacturer's name			
Kindy Jon Soil					01		Type Steel Dig. 16			
Clou	/				1/4	4	Set between 54 ft. and 86 ft.			
lanter Clau					i1 11	6	Gravel pack? Size range of material 1/2 3/4 3/5			
And the de					16 2	2	11. Statiç water level: mo./day/yr.			
Curle Stind						$\frac{c}{2}$	12. Purpping level below land surface Date <u>12-3-75</u>			
Lond- Clan Mavel					20/2	\leq	24 ft. after hrs. pumping 200 g.p.m.			
Clay_					32 9	44	Estimated maximum yield	1/4 YO	g.p.m. g.p.m.	
And E Chavel					476	5	13. Water sample submitted: mo./day/yr. CYes No Date 2 - 4-75			
Claus					65 6	6	14. Well head completion:			
Moral Clonn And & Marel				2	168	8	Pitless adapter Inches above grade			
Cama tal and & Maria					889	2/	15. Well grouted? With: Neat cement Bentonite Concrete			
Correspondence Ceccy					alli		Depth: Fromft. to0 ft.			
Kina - Clell)()	ft Direction Type			
Sana	E Draver	/			100 11	5	Well disinfected upon complet 17. Pump:		<u>N</u> • ↓	
Clay	1				115 11	8		LR	×	
Sand	: E Dravel	~			118 13	30	Length of drop pipe <u>45</u>	0 HP <u>8 0</u> Volts _ ft. capacity <u>600 g</u>		
Red.	Bed,				130		Type: Submersible	Turbine		
(Use a second sheet if needed)							Jet Centrifugal	Reciproc	ating	
18. Elevation:	^{19. Remarks:} 25397						20. Water well contractor's c	ertification:		
1940	2557/						This well was drilled under my is true to the best of my knowl	•	eport	
Topography:	\sim						Resencrant	5- Bernis	<u>134</u> \$	
	26 13	20	N >	X			Address	Bend , Ks,	se №.	
Upland Valley							SignedAuthorized repr	esentative Date		
	· · · · · · · · · · · · · · · · · · ·								= I	

Forward the white, blue and pink copies to the Department of Health and Environment

ı.

Form WWC-5