

OFFICE USE ONLY
T
R
E
M
SEC.
SW 1/4
NW 1/4
SE 1/4

1 LOCATION OF WATER WELL	Fraction	Section Number	Township Number	Range Number
County: <u>Pratt</u>	<u>SW 1/4 NW 1/4 SE 1/4</u>	<u>29</u>	<u>T 26 S</u>	<u>R 13 EW</u>

Distance and direction from nearest town or city? 3/4 West 1/4 North of Iuka
 Street address of well if located within city?

2 WATER WELL OWNER: Slawson Drilling
 RR#, St. Address, Box #: Box 1409
 City, State, ZIP Code: Great Bend, Ks. 67530
 Board of Agriculture, Division of Water Resources
 Application Number: T81-265


3 DEPTH OF COMPLETED WELL: 80 ft. Bore Hole Diameter: 11 in. to 80 ft., and in. to ft.
 Well Water to be used as:
 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well
 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 7 Lawn and garden only 10 Observation well
 Well's static water level: 45' ft. below land surface measured on 5 month 1 day 81 year
 Pump Test Data: Well water was ft. after hours pumping gpm
 Est. Yield: NA gpm: Well water was ft. after hours pumping gpm

4 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded
 Blank casing dia: 5 in. to 60 ft., Dia: in. to ft., Dia: in. to ft.
 Casing height above land surface: 18 in., weight lbs./ft. Wall thickness or gauge No. 258
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 Screen or Perforation Openings Are:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 Screen-Perforation Dia: 5 in. to 80 ft., Dia: in. to ft., Dia: in. to ft.
 Screen-Perforated Intervals: From 60 ft. to 80 ft., From ft. to ft., From ft. to ft.
 Gravel Pack Intervals: From 10 ft. to 80 ft., From ft. to ft., From ft. to ft.

5 GROUT MATERIAL: Neat cement Cement grout 3 Bentonite 4 Other
 Grouted Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well
 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well
 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below)
 13 Watertight sewer lines
 Direction from well: South west How many feet: 75? Water Well Disinfected? Yes No
 Was a chemical/bacteriological sample submitted to Department? Yes No If yes, date sample was submitted: month day year: Pump Installed? Yes No
 If Yes: Pump Manufacturer's name: Model No.: HP Volts:
 Depth of Pump Intake: ft. Pumps Capacity rated at: gal./min.
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on 5 month 1 day 81 year
 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134
 This Water Well Record was completed on 5 month 13 day 81 year under the business name of Rosencrantz-Bemis Ent. by (signature) Loia Dodson

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	FROM		LITHOLOGIC LOG	FROM		LITHOLOGIC LOG
	0	60	Sandy clay	0	60	
	60	80	Sand and gravel	60	80	



ELEVATION: _____
 Depth(s) Groundwater Encountered: 1. 45 ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.