268 WATEF	9248 R WELL	RECORD	Form WWC-	5	Division	of Water	Resources; App. No.		
1 LOCATION OF WATER WELL: Fraction County: Pratt Fraction NW 1/4 NE 1/4 NW 1/4				NA/ 1/4	Section N		Township Number		
County: Pratt NW 1/4 NE 1/4 NW 1/4 Distance and direction from nearest town or city street address of well if located							T 26 S	R 14 E W	
within city? Approximately 1 1/2 miles north and 3 1/4 miles east of Byers						Global Positioning Systems (decimal degrees, min. of 4 digits) Latitude: 37.825143 Longitude: -98.807558			
City, State, ZIP Code : luka, KS 67066						Datum: NAD83 Data Collection Method: WAAS GPS Unit			
							Method: WAAS GP	5 Unit	
	ATE WEI ATION							_	
	H AN ''X''	IN C: Depth(s) Groundwater WELL'S STATIC WA	Encountered (1))3	ft.	(2)	ft. (3)	ft,	
SECT	TION BOX	K: WELL'S STATIC WA	a: Well water was No	t checke	below lan	d surfac	e measured on mo/day	y/yr_ 01-30-09	
[]×	N	Est. Yield Unknown gpr	n: Well water was		ft. after_		hours pumping_	gpm	
NW	I '	WELL WATER TO I							
w L	,	· · · · · · · · · · · · · · · · · · ·	Feedlot 6 Oil fie	ld water s	supply	9 Dew	atering (12)	Other (Specify below)	
		2 Irrigation 4	Industrial 7 Dome	stic (lawn	& garden)	10 Mon	itoring well	Stock Well	
SW	/SE	Was a chemical/bacte	riological sample subr	nitted to	Departmen	nt? Yes	No 🗸 🖫	If yes, mo/day/yrs	
		Sample was submitted				-			
= (D3/D)	S F OF CA	SING USED: 5 Wrough						/ Clamped	
		RMP (SR) 6 Asbesto							
\sim							Thursday	1	
2) PVC 4 ABS 7 Fiberglass Blank casing diameter 5 in. to 51 ft., Diameter in. to ft., Diameter in. to ft. Casing height above land surface 24 in., weight 2.36 lbs./ft. Wall thickness or gauge No214									
Casing height above land surface 24 in., weight 2.36 lbs./ft. Wall thickness or gauge No214									
TYPE O	F SCREEN Steel	N OR PERFORATION MATE 3 Stainless Steel 5 Fibe	ERIAL: (7) PVC	9	ABS		11 Other (Specify)		
	Brass	4 Galvanized Steel 6 Cor	ncrete tile 8 RM (S	SR) 10	Asbestos-	Cement	12 None used (open h	nole)	
SCREEN	OR PER	FORATION OPENINGS ARE	Ξ:						
		s slot 3 Mill slot 5					s 11 None (open ho		
		shutter 4 Key punched 6 RATED INTERVALS: From			10 Oti	ner (Speci	ify)ft_to		
SCREET	N-I LICI OI	From			ft.,	From	ft. to	ft.	
	GRAVEL	PACK INTERVALS: From		64	ft.,	From	ft. to	ft.	
		From	ft. to						
6 GROU	UT MATE	RIAL: 1 Neat Cement 2	Cement grout 3Ben	tonite	4 Other _				
Grout Ir	ntervals:	From ft. to ource of possible contamination:	ft., From	0	ft. to:	20 _f	t., From	ft. to ft.	
What is t	the nearest s c tank	ource of possible contamination: 4 Lateral lines 7	Pit privy 10) Livesto	ck pens	13 Inse	cticide Storage	(16) Other (specify	
2 Sewe		5 Cess pool 8	Sewage lagoon 1	Fuel sto	orage	14 Aba	ndoned water well	below)	
3 Wate	rtight sewer	lines 6 Seepage pit 9	i codyard		er Storage	15 Oil	well/gas well _	None known	
		?		low man	T	T	DI LICCDIC DITT		
FROM 0	TO 7	LITHOLOGIC LO	JG	FROM	ТО	<u></u>	PLUGGING INTE	ERVALS	
7	18	Clay, brown, sandy, soft		-					
18	29	Clay, white, hard							
29	54	Sand and gravel, medium	to fine, loose,						
E 4	65	clean							
54 55	55 61	Clay, brown, hard Sand and gravel, medium	to fine loose		-				
55	J 31	clean							
61	64	Clay, tan, hard, with sand	streaks						
# CONT	TD A COTO	IC OD I ANDOWNEDIS CE	DTIFICATION						
under my	KACTOR iurisdictio	'S OR LANDOWNER'S CE and was completed on (mo/day/	χ_{vear} 01-30-09	his water	well was (1) d this record	d is true to	ructed (2) reconstrue the best of my knowle	cted (3) plugged	
								2-05-09	
		ame of Clarke Well & Equip			signature)	[f2	(Chri		
INSTRUC	TIONS: Use	typewriter or ball point pen. <u>PLEASE</u> ment of Health and Environment, Bu	PRESS FIRMLY and PRINT of	learly. Ple	ease fill in bla	nks, under	line or circle the correct an	swers. Send top three	
		e to WATER WELL OWNER and re						2-150/. Telephone	