	TEO MELL	F		1 ~	otion Alizab	T	· ····································	Danes Mirel	
.OCATION OF WA unty: Pratt		Fraction NE 1/4	NE 1/4	NW 1/4 Se	ction Number 26	Township N	umber S	Range Numbe	er E/W
		n or city street addre	74					<u> </u>	E/ VV
	f Byers, Ka	•	300 01 11011 11 101	oatoa within one .					
			rilling C	ompany					
VATER WELL OV			n Center	oTo crA		D: 4.44		Ni tata - ar Maria - Ba	
*, St. Address, Bo		•		67202			•	ivision of Water Res Unknown	source
State, ZIP Code	· · · · · · · · · · · · · · · · · · ·	MICHITOR	Kansas	90 90		Application	Number: known	011111111111111111111111111111111111111	
OCATE WELL'S I N "X" IN SECTIO	LOCATION WITH N BOX:	4 DEPTH OF COM Depth(s) Groundwate WELL'S STATIC WA	PLETED WELL er Encountered	1,39	ft. ELEV/ ft.	ATION:		7/27/81	
x							i ino/day/yi	7/27/81 mping	
NW		Est. Yield60 Bore Hole Diameter	) gpm: Well v	water was	ft. a	after	. hours pur	mping	. gpm
w <del>                                    </del>	+ E	WELL WATER TO E		5 Public wat		8 Air conditioning		njection well	
i	i	1 Domestic	3 Feedlot			•		Other (Specify below	νl
SW	SE	2 Irrigation	4 Industrial	***		_		·····	•
1 !	!	Was a chemical/bact			-				
			enological sam	pie submitted to L	-		-		as sui
	· · · · · · · · · · · · · · · · · · ·	mitted				ater Well Disinfecte		<u>No</u>	
YPE OF BLANK			Wrought iron	8 Conc				Clamped	
1 Steel	3 RMP (SF		Asbestos-Ceme		(specify belo	•		ed	
2 PVC	4 ABS	in. to	Fiberglass					ded	
nk casing diamete	r ?	.in. to	ft., Dia	in. to	)	ft., Dia	i	n. to Sch. 40	չ ft.
ing height above	land surface		weight	≮•○	Ibs.	ft. Wall thickness	or gauge No	)	, 
E OF SCREEN	OR PERFORATION			7 P			estos-ceme		
1 Steel	3 Stainless	s steel 5	Fiberglass	8 Ri	MP (SR)	11 Oth	er (specify)		
2 Brass	4 Galvanize		Concrete tile	9 A	BS .	12 Nor	ne used (ope	en hole)	
REEN OR PERFC	RATION OPENING	GS ARE:	5 G	auzed wrapped		8 Saw cut		11 None (open hol	le)
1 Continuous sl		ill slot		/ire wrapped		9 Drilled holes		(0,000	,
2 Louvered shu		ey punched		orch cut			۸		
					80 4 5	To Other (specify	/) · · · · · · · · · · · · · · · · · · ·		
REEN-PERFORA	TED INTERVALS:			<b>O</b>	T.T.π Fro	9M	π. το	)	π.
GRAVEL PA	ACK INTERVALS:	From	10 ft. t	o	ft., Fro	om	ft. to	)	ft.
GRAVEL PA	ACK INTERVALS:	From From From	10 ft. t	o	ft., Fro	om	ft. to	<b>)</b>	ft. ft. ft.
		From	10 ft. t	0	ft., Fro 80 . ft., Fro ft., Fro	om	ft. to	)	ft.
		From	10 ft. t	0	ft., Fro 80 . ft., Fro ft., Fro	om	ft. to	)	ft.
GROUT MATERIA ut Intervals: Fro		From 2 Conft. to	10 ft. t	0	80 ft., Fro ft., Fro onite 4	om	ft. tc	)	ft. ft. ft.
GROUT MATERIA ut Intervals: Fro at is the nearest s	L: 1 Neat com	From	10 ft. t  ft. t  cement grout  ft., From	3 Bent ft.	80 ft., Fro ft., Fro ft., Fro onite 4 to	om	ft. to	o	ft. ft. ft.
GROUT MATERIA ut Intervals: Fro at is the nearest s 1 Septic tank	L: 1 Neat com	From 2 Contamination:	10 ft. t  ft. t  cement grout  ft., From  7 Pit privy	0	80 ft., Fro ft., Fro onite 4 to	om	ft. to ft. to ft. to	oft. too pandoned water well	ft. <u>ft.</u> ft.
GROUT MATERIA ut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines	om	From 2 Contamination: al lines pool	10 ft. t  ft. t  Cement grout  ft., From  7 Pit privy 8 Sewage	o	80 ft., Fro ft., Fro onite 4 to	om	ft. to ft. to ft. to	o	ft. ft. ft.
GROUT MATERIA ut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight seg	L: 1 Neat com	From	10 ft. t  ft. t  cement grout  ft., From  7 Pit privy	o	80 ft., Fro ft., Fro onite 4 to. 10 Lives 11 Fuel 12 Ferti 13 Inse	Other	14 Ab	oft. too pandoned water well	ft. ft. ft.
GROUT MATERIA ut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se- action from well?	om	From 2 Contamination: al lines pool age pit South	10 ft. t  ft. t  cement grout  ft., From  7 Pit privy  8 Sewage  9 Feedyare	o	ft., Fro 80 ft., Fro ft., Fro onite 4 to	om	14 Ab 15 Oi 16 Ot	tt. to	ft. ft. ft.
ROUT MATERIA  It Intervals: Fro  It is the nearest s  Septic tank  Sewer lines  Watertight section from well?	om	From	10 ft. t  ft. t  cement grout  ft., From  7 Pit privy  8 Sewage  9 Feedyare	o	ft., From tt., F	om	14 Ab	tt. to	ft <u>ft</u> ft
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO	L: 1 Neat com. cource of possible of 4 Latera 5 Cess wer lines: 6 Seep	From 2 Contamination: al lines pool age pit South	10 ft. t  ft. t  cement grout  ft., From  7 Pit privy  8 Sewage  9 Feedyare	o	ft., Fro 80 ft., Fro ft., Fro onite 4 to	om	14 Ab 15 Oi 16 Ot	tt. to	ft <u>ft</u> ft
ROUT MATERIA  It Intervals: Fro  It is the nearest s  Septic tank  Sewer lines  Watertight section from well?	om	From 2 Contamination: al lines pool age pit South	10 ft. t  ft. t  cement grout  ft., From  7 Pit privy  8 Sewage  9 Feedyare	o	ft., From tt., F	om	14 Ab 15 Oi 16 Ot	tt. to	ft <u>ft</u> ft
FROUT MATERIAL ATTENDED IN THE PROPERTY OF T	L: 1 Neat com. cource of possible of 4 Latera 5 Cess wer lines: 6 Seep	From 2 Contamination: al lines pool age pit South	10 ft. t  ft. t  cement grout  ft., From  7 Pit privy  8 Sewage  9 Feedyare	o	ft., Fro 80 ft., Fro ft., Fro onite 4 to	om	14 Ab 15 Oi 16 Ot	tt. to	ft <u>ft</u> ft
FROUT MATERIAL ATTENDED IN THE PROPERTY OF T	L: 1 Neat com. cource of possible of 4 Latera 5 Cess wer lines: 6 Seep	From 2 Contamination: al lines pool age pit South	10 ft. t  ft. t  cement grout  ft., From  7 Pit privy  8 Sewage  9 Feedyare	o	ft., Fro 80 ft., Fro ft., Fro onite 4 to	om	14 Ab 15 Oi 16 Ot	tt. to	ft <u>ft</u> ft
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO	L: 1 Neat com. cource of possible of 4 Latera 5 Cess wer lines: 6 Seep	From 2 Contamination: al lines pool age pit South	10 ft. t  ft. t  cement grout  ft., From  7 Pit privy  8 Sewage  9 Feedyare	o	ft., Fro 80 ft., Fro ft., Fro onite 4 to	om	14 Ab 15 Oi 16 Ot	tt. to	ft <u>ft</u> ft
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO	L: 1 Neat com. cource of possible of 4 Latera 5 Cess wer lines: 6 Seep	From From  Dement 10  It. to 10  Contamination:  al lines  pool  age pit  LITHOLOGIC LOC  rave1	10 ft. t  ft. t  cement grout  ft., From  7 Pit privy  8 Sewage  9 Feedyare	o	ft., Fro 80 ft., Fro ft., Fro onite 4 to	om	14 Ab 15 Oi 16 Ot	tt. to	ft ft ft
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 0 45 45 80	L: 1 Neat com. cource of possible of 4 Latera 5 Cess wer lines: 6 Seep	From 2 Contamination: al lines pool age pit South	10 ft. t  ft. t  cement grout  ft., From  7 Pit privy  8 Sewage  9 Feedyare	o	ft., Fro 80 ft., Fro ft., Fro onite 4 to	om	14 Ab 15 Oi 16 Ot	tt. to	ft <u>ft</u> ft
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 0 45 45 80	L: 1 Neat com. cource of possible of 4 Latera 5 Cess wer lines: 6 Seep	From From  Dement 10  It. to 10  Contamination:  al lines  pool  age pit  LITHOLOGIC LOC  rave1	10 ft. t  ft. t  cement grout  ft., From  7 Pit privy  8 Sewage  9 Feedyare	o 3 Bent ft.	ft., Fro. 80 ft., Fro. ft.	om	14 Ab 15 Oi 16 Ot	tt. to	ft <u>ft</u> ft
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 0 45 45 80	L: 1 Neat com. cource of possible of 4 Latera 5 Cess wer lines: 6 Seep	From From  Dement 10  It. to 10  Contamination:  al lines  pool  age pit  LITHOLOGIC LOC  rave1	10 ft. t  ft. t  cement grout  ft., From  7 Pit privy  8 Sewage  9 Feedyare	o 3 Bent ft.	ft., Fro. 80 ft., Fro. ft.	om	14 Ab 15 Oi 16 Ot	tt. to	ft <u>ft</u> ft
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 0 45 45 80	L: 1 Neat com. cource of possible of 4 Latera 5 Cess wer lines: 6 Seep	From From  Dement 10  It. to 10  Contamination:  al lines  pool  age pit  LITHOLOGIC LOC  rave1	10 ft. t  ft. t  cement grout  ft., From  7 Pit privy  8 Sewage  9 Feedyare	o 3 Bent ft.	ft., Fro. 80 ft., Fro. ft.	om	14 Ab 15 Oi 16 Ot	tt. to	ft. <u>ft</u> ft.
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 0 45 45 80	L: 1 Neat com. cource of possible of 4 Latera 5 Cess wer lines: 6 Seep	From From  Dement 10  It. to 10  Contamination:  al lines  pool  age pit  LITHOLOGIC LOC  rave1	10 ft. t  ft. t  cement grout  ft., From  7 Pit privy  8 Sewage  9 Feedyare	o 3 Bent ft.	ft., Fro. 80 ft., Fro. ft.	om	14 Ab 15 Oi 16 Ot	tt. to	ft
ROUT MATERIA t Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 0 45 45 80	L: 1 Neat com. cource of possible of 4 Latera 5 Cess wer lines: 6 Seep	From From  Dement 10  It. to 10  Contamination:  al lines  pool  age pit  LITHOLOGIC LOC  rave1	10 ft. t  ft. t  cement grout  ft., From  7 Pit privy  8 Sewage  9 Feedyare	o 3 Bent ft.	ft., Fro. 80 ft., Fro. ft.	om	14 Ab 15 Oi 16 Ot	tt. to	ft
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 0 45 45 80	L: 1 Neat com. cource of possible of 4 Latera 5 Cess wer lines: 6 Seep	From From  Dement 10  It. to 10  Contamination:  al lines  pool  age pit  LITHOLOGIC LOC  rave1	10 ft. t  ft. t  cement grout  ft., From  7 Pit privy  8 Sewage  9 Feedyare	o 3 Bent ft.	ft., Fro. 80 ft., Fro. ft.	om	14 Ab 15 Oi 16 Ot	tt. to	ft <u>ft</u> ft
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 0 45 45 80	L: 1 Neat com. cource of possible of 4 Latera 5 Cess wer lines: 6 Seep	From From  Dement 10  It. to 10  Contamination:  al lines  pool  age pit  LITHOLOGIC LOC  rave1	10 ft. t  ft. t  cement grout  ft., From  7 Pit privy  8 Sewage  9 Feedyare	o 3 Bent ft.	ft., Fro. 80 ft., Fro. ft.	om	14 Ab 15 Oi 16 Ot	tt. to	ft ft ft
GROUT MATERIA  at Intervals: Fro  at is the nearest s  1 Septic tank  2 Sewer lines  3 Watertight section from well?  IOM TO  0 45  45 80	L: 1 Neat com. cource of possible of 4 Latera 5 Cess wer lines: 6 Seep	From From  Dement 10  It. to 10  Contamination:  al lines  pool  age pit  LITHOLOGIC LOC  rave1	10 ft. t  ft. t  cement grout  ft., From  7 Pit privy  8 Sewage  9 Feedyare	o 3 Bent ft.	ft., Fro. 80 ft., Fro. ft.	om	14 Ab 15 Oi 16 Ot	tt. to	ft <u>ft</u> ft
GROUT MATERIA ut Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? ROM TO 0 45 45 80	L: 1 Neat com. cource of possible of 4 Latera 5 Cess wer lines: 6 Seep	From From  Dement 10  It. to 10  Contamination:  al lines  pool  age pit  LITHOLOGIC LOC  rave1	10 ft. t  ft. t  cement grout  ft., From  7 Pit privy  8 Sewage  9 Feedyare	o 3 Bent ft.	ft., Fro. 80 ft., Fro. ft.	om	14 Ab 15 Oi 16 Ot	tt. to	ft <u>ft</u> ft
GROUT MATERIA  ut Intervals: Fro at is the nearest s  1 Septic tank  2 Sewer lines  3 Watertight segection from well?  ROM TO  0 45  45 80	Clay Sand and G	From From  Dement 10 2 Contamination: al lines pool age pit LITHOLOGIC LOC  Travel	10 ft. t  ft. t  Cement grout  ft., From  7 Pit privy  8 Sewage  9 Feedyard	Bent ft.	ft., Fro. 80 ft., Fro. ft.	om	14 Ab 15 Oi 16 Ot	to	
BROUT MATERIA out Intervals: Fro at is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight segection from well? ROM TO 0 45 45 80	Clay Sand and G	From From  Dement 10 2 Contamination: al lines pool age pit LITHOLOGIC LOC  Travel	10 ft. t  ft. t  Cement grout  ft., From  7 Pit privy  8 Sewage  9 Feedyard	Bent ft.	ft., Fro. 80 ft., Fro. ft.	om	14 Ab 15 Oi 16 Ot	to	ttft.
BROUT MATERIA  ut Intervals: Fro at is the nearest s  1 Septic tank  2 Sewer lines  3 Watertight seption from well?  BOM TO  0 45  45 80	Clay Sand and G	From From  Dement 10 ft. to	10 ft. t  ft. t  Cement grout  ft., From  7 Pit privy  8 Sewage  9 Feedyard	Bent ft.	ft., Fro. 80 ft., Fro. ft.	om	14 At 15 Oi 16 Ot Olugged under the state of	to	ft ft ft
ROUT MATERIA at Intervals: Fro t is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 0 45 45 80  CONTRACTOR'S Deted on (mo/day)	Clay Sand and C	From From  Dement 10 2 Contamination: al lines pool age pit LITHOLOGIC LOC  Travel	10 ft. t  ft. t  Cement grout  ft., From  7 Pit privy  8 Sewage  9 Feedyard  3	agoon d FROM	ft., Fro. 80 ft., Fro. ft.	om	14 At 15 Oi 16 Ott	on the first to th	ft ft ft
ATTENDED TO	Clay Sand and C OR LANDOWNER  y/year) r's License No.	From From  Perment 10 ft. to 10 contamination: al lines pool ge pit South LITHOLOGIC LOC  Travel  ASS CERTIFICATION: 186	10 ft. t  ft. t  Cernent grout . ft., From  7 Pit privy 8 Sewage 9 Feedyard 3  This water we This Water	Bent ft.    Sent   Sent	tt., From tt., F	om	14 At 15 Oi 16 Ott	or my jurisdiction are byledge and belief. It	ft ff
ROUT MATERIA at Intervals: Fro it is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight section from well? OM TO 0 45 45 80  CONTRACTOR'S bleted on (mo/day ar Well Contractor or the business na	Clay Sand and G Sand a	From From  Perment 10 ft. to 10 contamination: al lines pool ge pit South LITHOLOGIC LOC  Travel  ASS CERTIFICATION: 186	10 ft. t  ft. t  Cement grout .ft., From  7 Pit privy 8 Sewage 9 Feedyard  G  This water we This Water Well	alagoon d FROM  FROM  In the second with the s	tt, From tt,	om	14 At 15 Oi 16 Ot 15 Oi 15 Oi 16 Ot 17 Oi 18 / 25	off. to	f f f f f f f f f f f f f f f f f f f