

OFFICE USE ONLY

T

26

15

EW

SEC

1

1

1

1

1

1

1 LOCATION OF WATER WELL
 County: Pratt Fraction 1/4 Near Center of SE Section Number 2 Township Number T 26 S Range Number R 15 E/W

Distance and direction from nearest town or city? Approx. 1 1/4 mile north and 3/4 mile West of Byers Street address of well if located within city?


2 WATER WELL OWNER: Shelby Neelly
 RR#, St. Address, Box #: Box 58 Board of Agriculture, Division of Water Resources
 City, State, ZIP Code: Byers, KS 67021 Application Number: Not available

3 DEPTH OF COMPLETED WELL: 100 ft. Bore Hole Diameter: 24 in. to 100 ft., and in. to ft.
 Well Water to be used as:
 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well
 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
 7 Lawn and garden only 10 Observation well
 Well's static water level: 19 ft. below land surface measured on 2 month 3 day 1981 year
 Pump Test Data: Well water was ft. after hours pumping gpm
 Est. Yield not ck'd gpm: Well water was ft. after hours pumping gpm

4 TYPE OF BLANK CASING USED:
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded XX
 7 Fiberglass Threaded
 Blank casing dia 16 in. to 40 ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface: 12 in., weight 31.75 lbs./ft. Wall thickness or gauge No 188
 TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement 11 Other (specify)
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)
 Screen or Perforation Openings Are:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify) Doerr Bridge Slot
 Screen-Perforation Dia 16 in. to 100 ft., Dia in. to ft., Dia in. to ft.
 Screen-Perforated Intervals: From 40 ft. to 100 ft., From ft. to ft., From ft. to ft.
 Gravel Pack Intervals: From 10 ft. to 100 ft., From ft. to ft., From ft. to ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grouted Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination:
 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well
 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well
 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below) FIELD
 13 Watertight sewer lines
 Direction from well: all How many feet n/a? Water Well Disinfected? Yes No XX
 Was a chemical/bacteriological sample submitted to Department? Yes No X If yes, date sample was submitted month day year: Pump Installed? Yes 6-2-81 No
 If Yes: Pump Manufacturer's name Peerless Pump Co. Model No. 12LD-2 HP 50 Volts 460
 Depth of Pump Intake 80 ft. Pumps Capacity rated at 950 gal./min.
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on 2 month 3 day 1981 year
 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185
 This Water Well Record was completed on 6 month 25 day 1981 year under the business name of CLARKE WELL & EQ., INC. by (signature) [Signature]

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:


| FROM | TO | LITHOLOGIC LOG | FROM | TO | LITHOLOGIC LOG |
|------|----|---|------|-----|-----------------------------|
| 0 | 3 | Sandy topsoil | 31 | 34 | Fine sand, grvl, white clay |
| 3 | 9 | Fine sand & strks yellow brown sandy clay | 34 | 36 | Fine sand cemented sand |
| 9 | 14 | Brn, grn, sandy clay | 36 | 41 | Sand & gravel, clay strks |
| 14 | 17 | white clay | 41 | 57 | Sand & grvl, sandy clay |
| 17 | 20 | Sand & sandy green clay | 57 | 71 | Fine-coarse sand & grvl |
| 20 | 26 | caliche strks @ 18' | 71 | 88 | Clay and caliche streaks |
| 26 | 26 | Wht clay, some sandy, strks | 88 | 94 | Fine sand & gravel |
| 26 | 26 | caliche at XX 25' | 94 | 97 | Fine-med sand & gravel |
| 26 | 31 | Brn sandy clay w/strks | 97 | 100 | Tan clay & cemented sand |

 ELEVATION: unknown
 Depth(s) Groundwater Encountered 1. 19 ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.