WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

County Fraction (5/2)				Section number		Township number	Range number		
1. Location of well:	Portt	900	1/4		16	26	15	- 4	
2 Distance and disc.	etion from normal town or eiter	1/4 1/4	1/4	er of wel			R	E/W	
2. Distance and direction from pearest town or city: 25 / E Of Hopewell Street address of well location if in city:					· XZ	Throld. Smith			
Street address of well location if in city: City, state, zip code;						Mickrille,	Ks.		
4. Locate with "X" in section below: N					6. Bore hole dia. 29 in. Completion date Well depth 155 ft. 3 19-76			76	
	1					7 Cable tool _ Rotary			
NW	NE					Hollow rod Jetted		se rotary	
						8. Use: Domestic Public supply Industry			
W E									
						9. Casing: Material STCT/ Height: Above or below			
						Threaded Welded Surface in.			
S 1 1 Mile						RMPPVCWeightlbs./ft. Dia. LLE in. to ft. depth Wall Thickness: inches or			
					То	Dia in. to ft. de	oth gage No		
	Nindy Log	2 Soil		0		10. Screen: Manufacturer's			
(Vay	<i></i>			/	12	62/2	Dia. 16		
Ain!	kind			17	14	Slov genze 3/6	Length	د. ا	
11/10/2				10	77		_ft, and <u></u>	ft.	
lay				14	38	Gravel pack?Size re		14 3/8	
Sand	E Gravel			38	43	11. Static water level:	irface Date 12 8	/day/yr. - 25	
Way				43	52	12. Pumping level below lar	nd surfaces:		
In and				52	59	ft. after hrs. pumpingg.p.m.			
700				60		Estimated maximum yield —		g.p.m.	
Lay	1 6 0.	· · · · · · · · · · · · · · · · · · ·		54	60	13. Water sample submitted: Yes No	Date 12-19-	/day/yr.	
Dood	Sand & Dra	wel		60	25	14. Well head completion:	Dule		
Clay				ne	nd	Pitless adapter	Inches above g	rade	
01 6 8 4 2 01.				7.7	02	15. Well grouted? Bentonite Concrete			
2000	Sand ? D	nucl		3 52	87	Depth: From ft. to	ft.	oncrere -	
Class				87	98	16. Negrest source of possib	le contamination:	~ {	
Donal	Shavel.			88	<i>(</i> () 3	ft Direction Well disinfected upon compl		No	
10000			······································		,,,,,	17. Pump:	Not installed	 "+	
yay	- n			103	114	Widthord Crotter 3 House	12 HP 100 Volts	[]	
Sorod	Sand			114	/23	Length of drop pipe	ft. capacity	>	
Clay				123	123/2	Type: Submersible	Turbine		
Sund.	(Use a second sh	neet if needed)		123/2	129	Jet Centrifugal	Reciproc Other	ating 5	
18. Elevation:	19. Remarks:	,		129	133	20. Water well contractor's		— "	
	Lood Con S	and	- ' '	133	155	This well was drilled under n	ny jurisdiction and this r	report	
Topography:	Way -	7 H. W. 10 To 1 H. L. 10 L.	<i>f</i>	155	165	is true to the best of my know	, ·	34 5	
<u>—</u> ніп	Sand	Mira	1.	165	173	Business name	Bimes /	nse No.	
Slope	Clay with SAND	/11/189		73	190	Address Theat D	LINES KE.		
Valley	Good SAND : GO	wel_	//	900	295	Signed Authorized re	presentative Date	1-4/	
Forward the white, blu	e and pink copies to the Department (of Health and Environment					Form WWC	 :-5	