

1 LOCATION OF WATER WELL
 County: Edwards Fraction NW 1/4 SW 1/4 SW 1/4 Section Number 1 Township Number T 26 S Range Number R 16 EW

Distance and direction from nearest town or city? Leawards 1/2 SOUTH 3 1/2 EAST Street address of well if located within city?

2 WATER WELL OWNER: Sterling Delq Co. Board of Agriculture, Division of Water Resources
 RR#, St. Address, Box #: 129 Application Number: T 79-151
 City, State, ZIP Code: Sterling, Kansas 67579

3 DEPTH OF COMPLETED WELL: 70 ft. Bore Hole Diameter: 9 in. to 10 ft., and in. to ft.

Well Water to be used as:
 1 Domestic 3 Feedlot 5 Public water supply 6 Oil field water supply 8 Air conditioning 11 Injection well
 2 Irrigation 4 Industrial 7 Lawn and garden only 9 Dewatering 12 Other (Specify below)
 10 Observation well
 Well's static water level: 18 ft. below land surface measured on 9 month 4 day 1979 year
 Pump Test Data None : Well water was ft. after hours pumping. gpm
 Est. Yield gpm: Well water was ft. after hours pumping gpm

4 TYPE OF BLANK CASING USED: X
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued X Clamped
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded
 7 Fiberglass Threaded
 Blank casing dia 5 in. to 70 ft., Dia in. to ft., Dia in. to ft.
 Casing height above land surface: 12 in., weight 278.3 lbs./ft. Wall thickness or gauge No. 265

TYPE OF SCREEN OR PERFORATION MATERIAL:
 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement
 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)
 9 ABS 12 None used (open hole)
 Screen or Perforation Openings Are:
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes
 7 Torch cut 10 Other (specify)
 Screen-Perforation Dia: 5 in. to 50 ft., Dia 70 in. to ft., Dia in. to ft.
 Screen-Perforated Intervals: From ft. to ft., From ft. to ft.
 From ft. to ft., From ft. to ft.
 Gravel Pack Intervals: From 50 ft. to 70 ft., From ft. to ft.
 From ft. to ft., From ft. to ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other
 Grouted Intervals: X From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.
 What is the nearest source of possible contamination: X
 1 Septic tank 4 Cess pool None 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well
 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well
 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below)
 13 Watertight sewer lines
 Direction from well How many feet ? Water Well Disinfected: X Yes No X
 Was a chemical/bacteriological sample submitted to Department? Yes No If yes, date sample
 was submitted month day year: Pump Installed? X Yes No X
 If Yes: Pump Manufacturer's name Model No. HP Volts
 Depth of Pump Intake ft. Pumps Capacity rated at gal./min.
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: X This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was
 completed on 9 month 1 day 1979 year
 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 143
 This Water Well Record was completed on 9 month 1 day 1979 year under the business
 name of Myers Water Well Serv. by (signature) Floyd Brounahl

7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	FROM		TO		LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
		0	10			<u>Fine Sand</u>		
	10	20			<u>Clay</u>			
	20	40			<u>SANDY CLAY</u>			
	40	50			<u>Fine Sand</u>			
	5	70			<u>GRAVEL</u>			

ELEVATION: ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
T
26
R
16
EW
SEC.
1
NW 1/4 SW 1/4 SW 1/4