

OFFICE USE ONLY

T

26

R

16

EW

SEC

3

1/4

1/4

1/4

1/4

1 LOCATION OF WATER WELL  
 County: Edwards Fraction 1/4 Center of 1/4 NW 1/4 Section Number 3 Township Number T 26 S Range Number R 16 EW

Distance and direction from nearest town or city? 1 mile East of Trousdale, KS Street address of well if located within city?

2 WATER WELL OWNER: Southwestern College c/o Tom Schmittker  
 RR#, St. Address, Box #: Albright Investment Co. Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: P.O. Box 642, Winfield, KS 67146 Application Number: Not Available

3 DEPTH OF COMPLETED WELL: 135 ft. Bore Hole Diameter: 24 in. to 135 ft., and      in. to      ft.  
 Well Water to be used as:  
 1 Domestic 3 Feedlot 5 Public water supply 8 Air conditioning 11 Injection well  
 2 Irrigation 4 Industrial 6 Oil field water supply 9 Dewatering 12 Other (Specify below)  
 7 Lawn and garden only 10 Observation well  
 Well's static water level: 26 ft. below land surface measured on 4 month 9 day 1980 year  
 Pump Test Data: Well water was      ft. after      hours pumping      gpm  
 Est. Yield Not Ck'd gpm: Well water was      ft. after      hours pumping      gpm

4 TYPE OF BLANK CASING USED:  
 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile Casing Joints: Glued      Clamped       
 2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded XX  
 7 Fiberglass Threaded       
 Blank casing dia: 16 in. to 65 ft. Dia 16 in. to 120 ft. Dia      in. to      ft.  
 Casing height above land surface: 12 in. weight 31.75 lbs./ft. Wall thickness or gauge No. 7 ga.  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement  
 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 11 Other (specify)       
 12 None used (open hole)  
 Screen or Perforation Openings Are:  
 1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)  
 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes  
 7 Torch cut 10+Other (specify) Doerr Bridge Slot  
 Screen-Perforation Dia: 16 in. to 105 ft. Dia 16 in. to 135 ft. Dia      in. to      ft.  
 Screen-Perforated Intervals: From 65 ft. to 105 ft. From      ft. to      ft.  
 From 120 ft. to 135 ft. From      ft. to      ft.  
 Gravel Pack Intervals: From 45 ft. to 135 ft. From      ft. to      ft.  
 ANNULAR FILL From 10 ft. to 45 ft. From      ft. to      ft.

5 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other  
 Grouted Intervals: From 0 ft. to 10 ft. From      ft. to      ft. From      ft. to      ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank 4 Cess pool 7 Sewage lagoon 10 Fuel storage 14 Abandoned water well  
 2 Sewer lines 5 Seepage pit 8 Feed yard 11 Fertilizer storage 15 Oil well/Gas well  
 3 Lateral lines 6 Pit privy 9 Livestock pens 12 Insecticide storage 16 Other (specify below)  
 13 Watertight sewer lines  
 Direction from well: West How many feet: 900' Water Well Disinfected? Yes      No XX  
 Was a chemical/bacteriological sample submitted to Department? Yes      No XX If yes, date sample was submitted      month      day      year: Pump Installed? Yes XX No       
 If Yes: Pump Manufacturer's name: Peerless Pump Co. Model No. 12MB-3 HP 80 Volts       
 Depth of Pump Intake: 80 ft. Pumps Capacity rated at 1200 gal./min.  
 Type of pump: 1 Submersible 2 Turbine 3 Jet 4 Centrifugal 5 Reciprocating 6 Other

6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on 4 month 9 day 1980 year  
 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185  
 This Water Well Record was completed on 4 month 21 day 1980 year under the business name of Clarke Well & Eq., Inc. by (signature) Charles W. Clarke

LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
		0	12	Sand w/brown sandy clay		
	12	15	Gravel w/white clay streaks	44	106	Sand & gravel
	15	22	Sand & gravel	106	118	Tan & white sandy clay
	22	27	Brown sandy clay w/gravel streaks	118	119	Caliche w/white clay
	27	31	White sandy clay w/caliche streaks	123	134	White clay & sand
	31	32	Tan sandy clay	134		Sand & gravel
	32	36	Sand & gravel			Tan & Clay
	36	38	Brown sandy clay			
ELEVATION: Unknown	38	44	Tan sandy clay w/caliche			

Depth(s) Groundwater Encountered 1. 26 ft. 2.      ft. 3.      ft. 4.      ft. (Use a second sheet if needed)

INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.