		WATER WELL RECORD F	orm WWC-5	KSA 82a			
LOCATION OF WA		on	Sec	tion Number	Township Numb	=	
County: Edwar	ds L	<u> </u>	1/4	5	т 26	S R 16 E	-W
		treet address of well if located	within city?				
タ NOTEN を WATER WELL OV	west of Trous	***************************************					
.,		rker			Poord of Agric	ultura Division of Motor Boo	
RR#, St. Address, Bo	Lewis, Ks	67550			*	ulture, Division of Water Resember: 34,883	Jurce
		OF COMPLETED WELL1	00	6 E E 44			
AN "X" IN SECTIO							
- ——		Groundwater Encountered 1.					
1 l j	1 1 1 1	TATIC WATER LEVEL					
100/	NE Fat Viola	Pump test data: Well water					
!!!		1400 gpm: Well water					•
<u> </u> w	• ti	Diameter29in. to					π.
~	1 Dor		Public wate		8 Air conditioning	-	
sw	SE 20 Irrig					12 Other (Specify below)	
!			-	-		· If you mo/dou/w comple we	
<u> </u>	s mitted	emical/bacteriological sample su	Diffilled to De		ter Well Disinfected?	and the same of th	s sub
5 TYPE OF BLANK	*	5 Wrought iron	8 Concre	*		S: Glued Clamped	
0 Steel	3 RMP (SR)	6 Asbestos-Cement				Weldedx	
2 PVC	4 ABS	7 Fiberglass				Threaded	
		6.9 ft., Dia			ft Dia	in to	 #
-	-	1.8 in., weight					
	OR PERFORATION MATERIA	- ·	7 PV		10 Asbesto	-	
1) Steel	3 Stainless steel	5 Fiberglass		P (SR)		specify)	
2 Brass	4 Galvanized steel	6 Concrete tile	9 AB			sed (open hole)	
	RATION OPENINGS ARE:		wrapped		8 Saw cut	11 None (open hole	a
1 Continuous sl	ot 3 Mill slot		rapped		9 Drilled holes	, , , , , , , , , , , , , , , , , , ,	•
2 Louvered shu	tter 4 Key punched		• •				
SCREEN-PERFORAT		69 ft. to			· • • • • • • • • • • • • • • • • • • •		
					!!		ft.
	From.	ft. to					
GRAVEL PA		ft. to ft. to		ft., Fror	n <i>.</i>	ft. to	ft.
GRAVEL PA		ft. to 1.0 ft. to ft. to		ft., Fror	m	ft. to	ft. ft.
	ACK INTERVALS: From.	1.0 ft. to	120	ft., Fror ft., Fror ft., Fror	n	ft. to	ft. ft. <u>ft.</u>
6 GROUT MATERIA	ACK INTERVALS: From. From L: 0 Neat cement	1.0	120 3 Bento	ft., Fror ft., Fror ft., Fror nite 4	n	. ft. to	ft. ft. <u>ft.</u>
GROUT MATERIA Grout Intervals: Fro	ACK INTERVALS: From. From L: 0 Neat cement	1.0 ft. to	120 3 Bento	ft., Fror ft., Fror ft., Fror nite 4 to	n	. ft. to	ft. ft. <u>ft.</u>
GROUT MATERIA Grout Intervals: Fro What is the nearest s	ACK INTERVALS: From. From L: 0 Neat cement om0ft. to	1.0 ft. to	3 Bento	ft., Frorft., Fror ft., Fror nite 4 to	n	ft. to	ft. ft. <u>ft.</u>
GROUT MATERIA Grout Intervals: Fro What is the nearest s	ACK INTERVALS: From. From L: 0 Neat cement om0ft. to ource of possible contaminat	1.0 ft. to	3 Bento ft.	ft., Frorft., Fror ft., Fror nite 4 to	n	ft. to	ft. ft. <u>ft.</u>
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines	ACK INTERVALS: From. From L: 0 Neat cement om 0 ft. to ource of possible contaminat 4 Lateral lines	2 Cement grout 10 ft. to 2 Tement grout 10 ft., From 7 Pit privy	3 Bento ft.	ft., Frorft., Fror ft., Fror nite 4 to	nn Other tock pens storage	ft. to	ft. ft. <u>ft.</u>
GROUT MATERIA Grout Intervals: Fro What is the nearest s Septic tank 2 Sewer lines 3 Watertight sex	ACK INTERVALS: From. From L: 0 Neat cement om 0 ft. to ource of possible contaminat 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit	t. to ft. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	ft., Fror ft., Fror nite 4 to	n	ft. to	ft. ft. <u>ft.</u>
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO	ACK INTERVALS: From. From L: 0 Neat cement om 0 ft. to ource of possible contaminat 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit TOTH UIX	t. to ft. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento ft.	ft., Fror ft., Fror nite 4 to	n	ft. to	ft. ft. <u>ft.</u>
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO 0 2	ACK INTERVALS: From. From L: 0 Neat cement om 0 ft. to ource of possible contaminat 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit Toth LITHOL Top soil	t. to ft. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagoo 9 Feedyard	3 Bento	ft., Fror ft., Fror nite 4 to	n	ft. to	ft. ft. <u>ft.</u>
GROUT MATERIA Grout Intervals: Fro What is the nearest s Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 2 2 1.2	ACK INTERVALS: From. From L: 0 Neat cement om 0 ft. to ource of possible contaminat 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit Toth Top soil Sandy clay	1.0	3 Bento	ft., Fror ft., Fror nite 4 to	n	ft. to	ft. ft. <u>ft.</u>
GROUT MATERIA Grout Intervals: Fro What is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO 0 2 2 12 12 18	ACK INTERVALS: From. From L: 0 Neat cement om 0 ft. to ource of possible contaminat 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit Touth LITHOL Top soil Sandy clay Sand and grave	1.0	3 Bento	ft., Fror ft., Fror nite 4 to	n	ft. to	ft. ft. <u>ft.</u>
GROUT MATERIA Grout Intervals: Fro What is the nearest s Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO 0 2 2 12 12 18 18 32	ACK INTERVALS: From. From L: 0 Neat cement om0ft. to ource of possible contaminat 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit Toth LITHOL Top soil Sandy clay Sand and grave Clay	t. to ft. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagod 9 Feedyard OGIC LOG	3 Bento	ft., Fror ft., Fror nite 4 to	n	ft. to	ft. ft. <u>ft.</u>
GROUT MATERIA Grout Intervals: Fro What is the nearest s Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO 0 2 2 12 12 18 18 32 32 112	ACK INTERVALS: From. From L: 0 Neat cement om 0 ft. to ource of possible contaminat 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit Toth Uix LITHOL Top soil Sandy clay Sand and grave Clay Good clean sai	t. to ft. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagod 9 Feedyard OGIC LOG	3 Bento	ft., Fror ft., Fror nite 4 to	n	ft. to	ft. ft. <u>ft.</u>
GROUT MATERIA Grout Intervals: Fro What is the nearest s Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO 0 2 2 12 12 18 18 32 32 112	ACK INTERVALS: From. From L: 0 Neat cement om0ft. to ource of possible contaminat 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit Toth LITHOL Top soil Sandy clay Sand and grave Clay	t. to ft. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagod 9 Feedyard OGIC LOG	3 Bento	ft., Fror ft., Fror nite 4 to	n	ft. to	ft. ft. <u>ft.</u>
GROUT MATERIA Grout Intervals: Fro What is the nearest s Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO 0 2 2 12 12 18 18 32 32 112	ACK INTERVALS: From. From L: 0 Neat cement om 0 ft. to ource of possible contaminat 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit Toth Uix LITHOL Top soil Sandy clay Sand and grave Clay Good clean sai	t. to ft. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagod 9 Feedyard OGIC LOG	3 Bento	ft., Fror ft., Fror nite 4 to	n	ft. to	ft. ft. <u>ft.</u>
GROUT MATERIA Grout Intervals: Fro What is the nearest s Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO 0 2 2 12 12 18 18 32 32 112	ACK INTERVALS: From. From L: 0 Neat cement om 0 ft. to ource of possible contaminat 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit Toth Uix LITHOL Top soil Sandy clay Sand and grave Clay Good clean sai	t. to ft. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagod 9 Feedyard OGIC LOG	3 Bento	ft., Fror ft., Fror nite 4 to	n	ft. to	ft. ft. <u>ft.</u>
GROUT MATERIA Grout Intervals: Fro What is the nearest s Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO 0 2 2 12 12 18 18 32 32 112	ACK INTERVALS: From. From L: 0 Neat cement om 0 ft. to ource of possible contaminat 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit Toth Uix LITHOL Top soil Sandy clay Sand and grave Clay Good clean sai	t. to ft. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagod 9 Feedyard OGIC LOG	3 Bento	ft., Fror ft., Fror nite 4 to	n	ft. to	ft. ft. <u>ft.</u>
GROUT MATERIA Grout Intervals: Fro What is the nearest s Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO 0 2 2 12 12 18 18 32 32 112	ACK INTERVALS: From. From L: 0 Neat cement om 0 ft. to ource of possible contaminat 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit Toth Uix LITHOL Top soil Sandy clay Sand and grave Clay Good clean sai	t. to ft. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagod 9 Feedyard OGIC LOG	3 Bento	ft., Fror ft., Fror nite 4 to	n	ft. to	ft. ft. <u>ft.</u>
GROUT MATERIA Grout Intervals: Fro What is the nearest s Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO 0 2 2 12 12 18 18 32 32 112	ACK INTERVALS: From. From L: 0 Neat cement om 0 ft. to ource of possible contaminat 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit Toth Uix LITHOL Top soil Sandy clay Sand and grave Clay Good clean sai	t. to ft. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagod 9 Feedyard OGIC LOG	3 Bento	ft., Fror ft., Fror nite 4 to	n	ft. to	ft. ft. <u>ft.</u>
GROUT MATERIA Grout Intervals: Fro What is the nearest s Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO 0 2 2 12 12 18 18 32 32 112	ACK INTERVALS: From. From L: 0 Neat cement om 0 ft. to ource of possible contaminat 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit Toth Uix LITHOL Top soil Sandy clay Sand and grave Clay Good clean sai	t. to ft. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagod 9 Feedyard OGIC LOG	3 Bento	ft., Fror ft., Fror nite 4 to	n	ft. to	ft. ft. <u>ft.</u>
GROUT MATERIA Grout Intervals: Fro What is the nearest s Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO 0 2 2 12 12 18 18 32 32 112	ACK INTERVALS: From. From L: 0 Neat cement om 0 ft. to ource of possible contaminat 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit Toth Uix LITHOL Top soil Sandy clay Sand and grave Clay Good clean sai	t. to ft. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagod 9 Feedyard OGIC LOG	3 Bento	ft., Fror ft., Fror nite 4 to	n	ft. to	ft. ft. <u>ft.</u>
GROUT MATERIA Grout Intervals: Fro What is the nearest s Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO 0 2 2 12 12 18 18 32 32 112	ACK INTERVALS: From. From L: 0 Neat cement om 0 ft. to ource of possible contaminat 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit Toth Uix LITHOL Top soil Sandy clay Sand and grave Clay Good clean sai	t. to ft. to 2 Cement grout 10 ft., From 7 Pit privy 8 Sewage lagod 9 Feedyard OGIC LOG	3 Bento	ft., Fror ft., Fror nite 4 to	n	ft. to	ft. ft. <u>ft.</u>
GROUT MATERIA Grout Intervals: Fro What is the nearest s Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 2 2 12 12 18 18 32 32 112 112 120	ACK INTERVALS: From. From L: 0 Neat cement Interval lines From 4 Lateral lines From 4 Lateral lines From 5 Cess pool From LITHOL Top soil Sandy clay Sand and grave Clay	10	3 Bento ft.	ft., Fror ft., Fror ft., Fror nite 4 to 10 Livest 11 Fuel: 12 Fertili 13 Insect How mar	n	ft. to	ft. ft. ft.
GROUT MATERIA Grout Intervals: Fro What is the nearest s Septic tank 2 Sewer lines 3 Watertight sev Direction from well? FROM TO 0 2 2 12 12 18 18 32 32 112 112 120	ACK INTERVALS: From. From L: 0 Neat cement Interval lines From A Lateral lines From	10	3 Bento ft.	ft., Fror ft., Fror ft., Fror nite 4 to 10 Livest 11 Fuel: 12 Fertili 13 Insect How mar TO	n	ft. to	ft
GROUT MATERIA Grout Intervals: From the service of	ACK INTERVALS: From. From L: 0 Neat cement om 0 ft. to ource of possible contaminat 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit Toth LITHOL Top soil Sandy clay Sand and grave Clay Clay Clay Clay Clay Clay Clay Clay	t. to 2 Cement grout 10	3 Bento ft.	tt., Fror ft., Fror ft., Fror ft., Fror ft., Fror lite 4 fto	n Other	ft. to	ft
GROUT MATERIA Grout Intervals: Fro What is the nearest s Septic tank Septic tank Sewer lines Watertight sevention from well? FROM TO Septic tank Seventines To Septic tank Seventines Seven	ACK INTERVALS: From. From L: 0 Neat cement om 0 ft. to ource of possible contaminat 4 Lateral lines 5 Cess pool wer lines 6 Seepage pit Toth LITHOL Top soil Sandy clay Sand and grave Clay Clay Clay Clay Clay Clay Clay Clay	## Company of the content of the con	3 Bento ft.	tt., Fror tt., Fror ft., Fror nite 4 to	n Other	ft. to	ft
GROUT MATERIA Grout Intervals: Fro What is the nearest s (1) Septic tank 2 Sewer lines 3 Watertight sex Direction from well? FROM TO 0 2 2 12 12 18 18 32 32 112 112 120 T CONTRACTOR'S completed on (mo/day Water Well Contractor under the business na	ACK INTERVALS: From. From L: 0 Neat cement John	t. to 2 Cement grout 10	3 Bento ft.	tt., Fror tt., Fror ft., Fror nite 4 to	n Other	ft. to	ft. ft. ft. ft.