

OFFICE USE ONLY

T

26

R

16

EW

SEC

24

11/2

C

11/2

11/2

11/2

11/2

1 LOCATION OF WATER WELL		Fraction Near Center of		Section Number	Township Number	Range Number	
County: Edwards		1/4 1/4 NE 1/4		24	T 26 S	R 16 EW	
Distance and direction from nearest town or city? 2 1/2 miles South & 3 3/4 mile east of Trousdale, KS				Street address of well if located within city?			
2 WATER WELL OWNER: Norman Wood							
RR#, St. Address, Box # :				Board of Agriculture, Division of Water Resources			
City, State, ZIP Code : Trousdale, KS 67145				Application Number: Not Available			
3 DEPTH OF COMPLETED WELL: 130 ft. Bore Hole Diameter: 24 in. to 130 ft., and in. to ft.							
Well Water to be used as:							
1 Domestic		3 Feedlot		8 Air conditioning		11 Injection well	
2 Irrigation		4 Industrial		9 Dewatering		12 Other (Specify below)	
Well's static water level: 23 ft. below land surface measured on 12 month 11 day 1980 year							
Pump Test Data : Well water was ft. after hours pumping gpm							
Est. Yield Not ckd gpm: Well water was ft. after hours pumping gpm							
4 TYPE OF BLANK CASING USED:							
1 Steel		3 RMP (SR)		8 Concrete tile		Casing Joints: Glued Clamped	
2 PVC		4 ABS		9 Other (specify below)		Welded XX	
Blank casing dia: 16 in. to 70 ft., Dia in. to ft., Dia in. to ft.		7 Fiberglass					
Casing height above land surface: 12 in., weight 31.75 lbs./ft. Wall thickness or gauge No. 188		Threaded					
TYPE OF SCREEN OR PERFORATION MATERIAL:							
1 Steel		3 Stainless steel		7 PVC		10 Asbestos-cement	
2 Brass		4 Galvanized steel		8 RMP (SR)		11 Other (specify)	
Screen or Perforation Openings Are:		5 Gauzed wrapped		8 Saw cut		11 None (open hole)	
1 Continuous slot		3 Mill slot		9 Drilled holes			
2 Louvered shutter		4 Key punched		10 Other (specify) Doerr Bridge Slot			
Screen-Perforation Dia: 16 in. to 130 ft., Dia in. to ft., Dia in. to ft.							
Screen-Perforated Intervals: From 70 ft. to 130 ft., From ft. to ft., From ft. to ft.							
Gravel Pack Intervals: From 10 ft. to 130 ft., From ft. to ft., From ft. to ft.							
5 GROUT MATERIAL:							
1 Neat cement		2 Cement grout		3 Bentonite		4 Other	
Grouted Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.							
What is the nearest source of possible contamination:							
1 Septic tank		4 Cess pool		7 Sewage lagoon		10 Fuel storage	
2 Sewer lines		5 Seepage pit		8 Feed yard		11 Fertilizer storage	
3 Lateral lines		6 Pit privy		9 Livestock pens		12 Insecticide storage	
Direction from well: not applicable		How many feet ?		Water Well Disinfected? Yes No X		14 Abandoned water well	
Was a chemical/bacteriological sample submitted to Department? Yes No X		If yes, date sample		Pump Installed? Yes X No		15 Oil well/Gas well	
If Yes: Pump Manufacturer's name: Peerless Pump CO.		Model No. 12MB-3		HP 80		16 Other (specify below)	
Depth of Pump Intake: 80 ft.		Pumps Capacity rated at 1050 gal./min.		Field			
Type of pump:		1 Submersible		2 Turbine		3 Jet	
		4 Centrifugal		5 Reciprocating		6 Other	
6 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on 12 month 11 day 1980 year							
and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185							
This Water Well Record was completed on 1 month 23 day 1981 year under the business name of Clarke Well & Eq., Inc. by (signature)							
7 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:							
		FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
		0	11	Fine sand w/strks sandy brown clay	67	85	Fine-med sand & grvl with coarse streaks
		11	21	Tan & green sandy clay	85	87	Tan sandy clay-Sand & grvl
		21	26	F.sand w/thin stks clay	87	95	Fine-Med sand & gravel
		26	33	Gr.sandy clay,clche 30-32	95	110	Wht & tan sndy clay,clch streaks
		33	37	V.fine sand & grvl,f.sand			
		37	38	White sandy w/thin caliche	110	123	Fine-Med. sand & gravel
		38	40	Yellow sandy clay	123	128	Yellow & tan sandy clay
		40	62	Fine to coarse sand & grvl w/scattered clay strks	128	130	Fine-Med. sand & gravel
		62	67	Tan sdy clay w/clch strks			
ELEVATION: Unknown							
Depth(s) Groundwater Encountered 1. 23 ft. 2. ft. 3. ft. 4. ft. (Use a second sheet if needed)							
INSTRUCTIONS: Use typewriter or ball point pen, please press firmly and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Water Well Contractors, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.							