WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

| | | | | | | | | | | | |
|--|---------|---------------------------------------|----|-----|----------------|---------------|--------------------------------------|--|---|---------------------------------------|--|
| 1 100-11 5 11 | County | Fraction | | | Section number | | Township number | | Range number | | |
| 1. Location of well: | Edwards | SW 1/4 | NW | 1/4 | <u>N</u> W | 1/4 | 28 | | Т | 26 s | R 16 € |
| 2. Distance and direction from nearest town or city: 3. Own | | | | | | 3. Own | ner of well: Jerald L. Starkey, M.D. | | | | |
| 4 miles South of Trousdale, KS R.R. or Street address of well location if in city: | | | | | | | | | | | |
| | | | | | | | ate, zip code: Russell, KS 67665 | | | | |
| 4. Locate with "X" in section below: N | | | | | | | | | 6. Bore hole dia, $\frac{24}{94}$ in. Completion date $\frac{7-6-78}{7-19-78}$ Well depth $\frac{94}{94}$ ft. Pump Set $\frac{7-19-78}{1000}$ | | |
| Ī [| | | | | | | | | 7 Cable tool Rotary Driven Dug | | |
| X -NWNE 1 1 E | | | | | | | | Hollow rod Jetted Bored X Reverse rotary | | | |
| | | | | | | | | 8. Use: Domestic Public supply Industry | | | |
| | | | | | | | | | X Irrigation Air conditioning Stock Lawn Oil field water Other | | |
| | | | | | | | | 9. Casing: Material steel Height: Above or below | | | |
| <u> </u> | | | | | | | | Threaded WeldedX Surface 12 in. RMP PVC Weight 30 . 3 ibs./ft. | | | |
| S 1 → → 1 Mile → → 1 | | | | | | | | | | | |
| 5. Type and color of material | | | | | | From | То | | | oth gage No. 7 ga. | |
| , | | | | | | | | ļ | 10. Screen: | Monufacturer's | name W. A. Brown |
| Sandy top | soil | | | | | | 0 | 5 | Type DO | uble-slot | . Dia. 16" |
| Sandy clay & sand | | | | | | | 5 | 20 | Slot gauze. | 1/8" | Length40 * |
| | | | | | | | | | | n <u>54</u> | |
| Gray & brown clay & limestone | | | | | | | 20 | 35 | Gravel pac | k? Yes Size ro | andft. ange of material 3/8-200 |
| Sand & gravel & thin clay at 54' | | | | | | · | 35 | 93 | | water level: NC ft. below land su | OT CHECKED ^{mo./day/yr.} |
| Brown cla | у | | | | | | 93 | 94 | | | d surfaceNOT CHECKED |
| | | | | | | | | | | | hrs. pumping g.p.m. hrs. pumping g.p.m. |
| | | | | | | | | | | naximum yield <u> </u> | · · · · · · · · · · · · · · · · · · · |
| | | | | | | | | | | sample submitted: | mo./day/yr. |
| | | | | | | | | | | ead completion: | Daie |
| | | | | | | | | | | | 12 Inches above grade |
| | | | | | | , | | | | outed? Yes | |
| | | | | | | | | | With:^ Depth: From | Neat cement ft. to | Bentonite Concrete ft. |
| | | | | | | | | | | | e contamination: FIELD |
| | | | | | | | | | | Direction ected upon compl | Type etion? YesX No |
| | | | | | | | | | 17. Pump: | · · · · · · · · · · · · · · · · · · · | Not installed |
| | | | | | | | | | Manufactur | er's name <u>Pee</u> | erless Pump Co. |
| | | | | | | | | | Model numl | ber <u>12MB-3</u> | HP |
| | | | | | | | | | Type: | P | |
| | | · · · · · · · · · · · · · · · · · · · | | | | | | | | mersible | X Turbine |
| (Use a second sheet if needed) | | | | | | | | Jet Cen | trifugal | Reciprocating Other | |
| 18. Elevation: 19. Remarks: | | | | | | | | | | well contractor's | |
| | | | | | | | | | 1 | | ny jurisdiction and this report wledge and belief. |
| Topography: | | | | | | | | | Clarke | ′ _ | |
| Hill | | | | | | | | | Business nar | | License No. |
| Slope Upland | | | | | | | | | 1 13 | 7-1/1 | 7-20-7 |
| Valley | | | | | | | | | Signed — | Authorized rep | presentative Date' |

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5