49	5 76	696 w	ATER WELL RE	CORD	Form	WWC-	5 KS/	A 82a-121	2 ID N	o					
1 LOCAT	ION OF W	ATER WELL:	Fraction					Section Nu			nship Nu	mber	Ra	ange Nur	nber
County:	Edwards		SW 1/	⁴ SW	/ 1/4	SW	1/4	19		т	26	s	R	16	E (W)
Distance a	and directio	on from nearest	town or city stree	et addres	ss of we	ll if loca	ted within	city?							
			d 2 miles west of	Trousda	ale										
2 WATER	R WELL OV	VNER: Dean We	elsch												
RR#, St. A City, State	Address, Bo , ZIP Code	<ul><li>x # : Route 1 - . Haviland,</li></ul>	Box 35 KS 67059								d of Agri ication N		vision	of Water	Resources
3 LOCATI	e well's l	OCATION WITH	4 DEPTH OF	COMPL	ETED W	/ELL	67	ft. E	LEVAT	ION: unl	known				
AN "X"	IN SECTION	ON BOX:	Depth(s) Grou	indwate	r Encou	ntered 1	1		ft 2	)		ft 2			, ft.
Ā [	1		WELL'S STATION	C WATE	R LEVEL	_ 23.3	30 ft. b	elow land	surface	measured	d on mo/d	lay/yr 6-14	4-05		
	_ NW	NE													gpm
	1	1	Est. Yield un	KIIOWII	gpm: We	ell water	was	 67	ft. af	ter		. hours pu	mping		gpm
₩ W	ı	! E	Bore Hole Dian	neter	0										ft.
7 "	-	!	WELL WATER	TO BE USE	ED AS:	5	Public wate	er supply	8	Air cond	litioning	11	Injec	tion well	
	- sw	SE	1 Domestic	3 F	eedlot	6	Oil field wa	ter supply	9	Dewater	ring	12	Othe	r (specify	below)
	!	1	2 Irrigation		ndustrial		,	lawn & gard	•		· ,			tock Wel	
<u>▼</u>	'   S		Was a chemical/	/bacteriol	ogical sa	imple sul	omitted to	Departmen							
E =			mitted				C		Water			Yes √			
_	OF BLANK	CASING USED:			ight iron			crete tile	olow)			ITS: Glued			
1 Steel 2 PVC		3 RMP (SR) 4 ABS			stos-Cem	nent	g Othe	er (specify be	elow)						· · · · · · · · · · · · · · · · · · ·
_	ina diamete		i- 4-	7 Fibe	•						D'-				
Casina h	sing diamete	er 5 land surface		55	π., Dia		0.00	in. to		π.,	Dia 	NI-	ın. to	,	ft
				in., weig	nt				IDS./II	t. wall thic		gauge No		.214	
			TION MATERIAL				7 PVC					stos-cement			
1 Stee 2 Bras		<ul><li>3 Stainless</li><li>4 Galvanize</li></ul>			erglass		8 RMF					(specify)			••••
	_	ORATION OPE		6 Cor	ncrete tile	uzed wrap	9 ABS	1		8 Saw o		used (open	,	pen hole)	
	ntinuous slot	_	Mill slot			e wrappe	,			9 Drille		,, ,	one (o	pen noie)	
	vered shutte	_	Key punched		7 Tor		u								ft.
		RATED INTERVALS:	From	55		ft. to	65	ft.,	, From			ft. to			ft.
			From		1	ft. to			From			ft to			ft.
	GRAVEL	PACK INTERVAL	LS: From	20		ft. to	23	ft.,	, From			ft. to			ft
			From	27	1	ft. to	65	ft.,	, From			ft. to			ft.
6 GRO	UT MATER	RIAL: 1 Neat	cement 2 Cem	nent grout	3	Bentonite	<del></del>		4 0	ther Bei	ntonite Hol	eplug			
Grout Int	ervals: Fro	nm.	ft. to		ft Eron	_	0	ft to	20	ft., F	rom	22	ft to	27	ft.
				n.	ft., Fron	''		ft. to				23	ft. to		
What is the nearest source of possible contamination:  1 Septic tank  4 Lateral lines  7 Pit privy  11 Fuel storage										Abandoned water well     Oil well/Gas well					
										cify below)					
	ertight sewer		Seepage pit			edyard		13 Insect		•	Old wa	ter well	и (орос	, 50.01.,	
Direction f	from well?					,				feet? 20					
FROM	TO	1	LITHOLOGIC LO	26			FROM		Indiry	10011 20	PLUG	GING INT	ED\/A	18	
0	3	Topsoil					TROW	+ '		-	1 200	OINO INT			
3	9	Clay, brown,	sandy												
9	13	Clay, gray, br	·						_						
13	27	Clay, gray													
27	43	V. C	vel, fine to coarse	e					+						
43	45	Clay, gray	,							-					
45	67		vel, fine to coarse	e											
											22.2				
フ CONTRA	CTOR'S OR	LANDOWNER'S	CERTIFICATION:	This wate	r well was	(1) co	nstructed	), (2) rec	onstruct	ed , or	(3) plugge	d unde	r mv iu	risdiction a	and was
	on (mo/day			6-14-05											ef. Kansas
		's License No	185		This Wa	ater We	I Record	was compl				/	6-15		
under the b	ousiness na	me of Clarke W	ell & Equipment,	, Inc.		**************************************			by (si	gnature)	h	ul D	da	A	
INSTRUCT	IONS: Use type	writer or hall noint nen	PLEASE PRESS FIRE	MI Y and PI	PINT clearly	/ Please fil	l in blanke u	nderline or circ	le the corr	act anewore	Send ton the	ee conies to Ka	neas De	nartment of	Health and