

1 LOCATION OF WATER WELL:	Fraction SW ¼ NE ¼ NW ¼	Section Number 5	Township Number T 26 S	Range Number R 16W E/W
---------------------------	----------------------------	---------------------	---------------------------	---------------------------

Distance and direction from nearest town or city street address of well if located within city?

downtown Trousdale, KS

2 WATER WELL OWNER: W. Parker	Sterling Dilling Company	Parker 1-5
RR#, St. Address, Box # : RR 1, Box 71	P. O. Box 1006	Board of Agriculture, Division of Water Resources
City, State, ZIP Code : Lewis, KS 67552	Pratt, KS 67124	Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL 94 ft. ELEVATION: unknown
--	---

N	
- NW -	- NE -
X	
W	E
S	

Depth(s) Groundwater Encountered 1 **39** ft. 2 ft. 3 ft.

WELL'S STATIC WATER LEVEL **39** ft. below land surface measured on mo/day/yr **10/7/05**

Pump test data: Well water was ft. after hours pumping gpm

Est. Yield **60** gpm: Well water was ft. after hours pumping gpm

WELL WATER TO BE USED AS:

5 Public water supply	8 Air conditioning	11 Injection well
1 Domestic was Feedlot	<u>6 Oil field water supply</u>	9 Dewatering
2 Irrigation	4 Industrial	7 Domestic (lawn & garden)
		10 Monitoring well

12 Other (Specify below)

Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below) <u>Welded</u>
2 <u>PVC</u>	4 ABS	7 Fiberglass	Threaded
Blank casing diameter 5 in. to ft., Dia	7 1/4 in. to ft., Dia		
Casing height above land surface 3 ft. below in., weight 2.8 lbs./ft. Wall thickness or guage No. Sch. 40			
TYPE OF SCREEN OR PERFORATION MATERIAL:			
1 Steel	3 Stainless Steel	5 Fiberglass	7 PVC
2 Brass	4 Galvanized Steel	6 Concrete tile	8 <u>RMP (SR)</u>
			10 Asbestos-Cement
			11 Other (Specify)
			12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:			
1 Continuous slot	3 Mill slot	5 Gauzed wrapped	8 <u>Saw cut</u>
2 Louvered shutter	4 Key punched	6 Wire wrapped	11 None (open hole)
		7 Torch cut	9 Drilled holes
			10 Other (specify) ft.
SCREEN-PERFORATED INTERVALS: From 74 ft. to 94 ft., From ft. to ft.			
GRAVEL PACK INTERVALS: From 23 ft. to 94 ft., From ft. to ft.			

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 <u>Bentonite</u>	4 Other
Grout Intervals: From 3 ft. to 39 ft., From ft. to ft., From ft. to ft.				
What is the nearest source of possible contamination:				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
			13 Insecticide storage	
Direction from well? How many feet?				

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
			94	39	sand and gravel
			39	3	bentonite
			3	0	top soil

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) <u>plugged</u> under my jurisdiction and was completed on (mo/day/year) 10/07/05 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No 186 This Water Well Record was completed on (mo/day/yr) 10/10/05 under the business name of Kelly's Water Well Service, Inc. by (signature) <i>Kathryn L Good</i>
--

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.