			TER WELL RE	CORD F	Form WWC-5	KSA 82a	-1212 IE	No			
\vdash		TER WELL:	Fraction			Se	ection Number	er Towns	ship Number	Range Numb	er
	dwards		NW 1/4				6	Т	26 s	R 16	X /W
			vn or city street	address of	well if located	within city?					
		f Trousda									
2 WATER V		D.	ell Wood	^							
RR#, St. Addi City, State, ZI	P Code	: Lewi	1, Box 120 s, Ks. 675	552				Applic	cation Number:	Division of Water Res 4675	
3 LOCATE W	ELL'S LO	CATION WITH	4 DEPTH OF	COMPLETE	D WELL	.10	ft. ELE	VATION:			
AN "X" IN S		BOX:	Depth(s) Grou		countered	1		ft. 2	ft. 3	3	ft.
	ı N	1	WELL'S STAT	IC WATER	LEVEL)ft. be	low land sur	face measured	on mo/day/yr	.12-27-05	
	1 /	-	Fet Viold	Imp test dat 1000 - apr	a: Well wate	r was	18	π. aπer	nours pours	oumping925 oumping1.000	gpm
N	ıw -	- NE	WELL WATER			Public water		8 Air condi		njection well	gpii
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below										Other (Specify below)	
w	1 37	. ¦ E	2 Irrigation	4 Ind	ustrial 7 [Domestic (la	wn & garder	n) 10 Monitorin	g well		
	X	١ ١									
s	sw -	- SE	Was a chemic	al/bacteriolo	ogical sample s	submitted to	Department			mo/day/yrs sample w	as sub
mitted Water Well Disinfected? Yes HTH No											
L	S										
5 TYPE OF	BLANK C	ASING USED:		5 Wroug	ht iron	8 Conc	rete tile	CASIN	G JOINTS: Glue	edX Clamped .	
1 Steel		3 RMP (SF	₹)	6 Asbest	tos-Cement		(specify bel			ded	
2 PVC		4 ABS		7 Fibergl						eaded	
Blank casing	diameter .	16	in. to	/0	ft., Dia		in. to		ft., Dia	in. to	ft.
				in., we	eightSC.	14Q		lbs./ft. Wall t	hickness or gua	ge No	
	REEN OF	PERFORATIO				7 <u>P</u>			0 Asbestos-Cer		
1 Steel		3 Stainless		5 Fiberg		8 R 9 A	MP (SR)		· · ·	/)	
2 Brass		4 Galvaniz		6 Concre			_	******	2 None used (o		
		ATION OPENIN			5 Guazed wrapped			8 × 8 × 8 × 8 × 8 × 8 × 8 × 8 × 8 × 8 ×	_	11 None (open ho	le)
1 Continuous slot 3 Mill slot 2 Louvered shutter 4 Key punched					6 Wire wrapped 7 Torch cut			9 Drilled h			ft
				110							
SCREEN-PE	REORATE	D INTERVALS:	From	110	ft. to		ft., Fro	om	ft. to	o	ft.
GR	AVEL PAC	K INTERVALS:	From	110	ft. to	20	ft Fro	om	ft. to))	ft.
			From		ft. to		ft., Fro	om	ft. to	·	ft.
0 00017									11010 10110		
6 GROUT			cement		ent grout		ntonite				
Grout Interval				n.,	From	π.				ft. to	
What is the nearest source of possible contamina							10 Livestock pens			14 Abandoned water well	
1 Septic tank 4 Lateral lines					7 Pit privy		11 Fuel storage			15 Oil well/Gas well	
2 Sewer lines 5 Cess pool					8 Sewage lagoon		12 Fertilizer storage		Mor	16 Other (specify below) None	
3 Watertight sewer lines 6 Seepage pit Direction from well?					9 Feedyard			ecticide storage			
FROM	TO		LITUOLOGI	0100		FDOM	_	nany feet?	DI LICOINO I	TED VALO	
\vdash	10	m	LITHOLOGI	C LOG		FROM	то		PLUGGING II	VIERVALS	
0		Top soil									
7	7	Clay	1	l 0	•						
25	25	Sand & gr		Lean &							
40	40	Sand & gi		reaks of							
	106		ravel clea		ose						
106	110	Clay/ ca.	<u>liche stre</u>	eaks							
7						L					
	TOR'S O	R LANDOWNE	R'SCERTIFICA XXXX 1_12	NTION: This -∩6	water well wa	s (1) const	ructed, (2) re	econstructed, or	(3) plugged un	der my jurisdiction a	nd was
completed on (mo/day/ye	ear) :	134		Th:- 147-1-	M-II D:	and this	record is true to	tne best of my k	nowledge and belief.	Kansas
					I nis Water	vveii Hecord			· , · · , · · · · · · · · · · · · · · · ·		
under the busi		1030	encrantz-						you C		
										s to Kansas Department of I ER and retain one for your	Health
		ch constructed well.		-,							