142 WATED	8595	RECORD	Form WWC-5		Division	of Water	Resources; App. No.	31,815	
			Fraction		Section Nu		Township Number		
1 LOCATION OF WATER WELL: County: Edwards			1/4 NC 1/4 S	I .	23	mioei	T 26 S	Range Number	
Distan	ce and direc	tion from nearest town or city str					Systems (decimal degr		
within city? Approximately 2 1/2 miles south and 2 1/2 miles west					Latitude: 37.765795				
of Hopewell					Longitude: -99.04558				
2 WATER WELL OWNER: Norman Wood Trust & Betty Wood Trust RR#, St. Address, Box # : Route 1 - Box 75					Elevation: Unknown				
City, State, ZIP Code : Haviland, KS 67059					Datum: NAD83				
						Data Collection Method: WAAS GPS Unit			
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 186 ft.									
LOCATION WITH AN "X" IN SECTION BOX: Depth(s) Groundwater Encountered (1) ft. (2) ft. (3) WELL'S STATIC WATER LEVEL 31 ft. below land surface measured on mo/day/yr 03-26-								ft,	
SECTION BOX: WELL'S STATIC WATER LEVEL 31 ft. below land surface measured on mo/day/yr 03-26-0								//yr03-26-07	
Pump test data: Well water was Not checked ft. after hours pumping hours pumping								gpm	
Est. Yield Unknown gpm: Well water was ft. after hours pumping WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									
							•		
W E 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								other (Specify below)	
Was a chemical/bacteriological sample submitted to Department? Yes No V If yes, mo/day/yrs									
	S	Sample was submitted	l	Water	well disinf	ected?	Yes No	/	
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped									
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded									
		ABS 7 Fibergla	ss	` .	,		Threaded		
PVC 4 ABS 7 Fiberglass Threaded Blank casing diameter 16 in. to 118 ft., Diameter in. to ft. Casing height above land surface 24 in., weight 19.75 lbs./ft. Wall thickness or gauge No616									
Casing height above land surface 24 in., weight 19.75 lbs./ft. Wall thickness or gauge No616									
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)									
2 Brass 4 Galvanized Steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
1 Continuous slot (3) Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)									
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (Specify) SCREEN REPEORATED INTERIVALS: From 119 ft to 194 ft From ft to ft									
SCREEN-PERFORATED INTERVALS: From 118 ft. to 184 ft., From ft. to ft.									
From ft. to ft., From ft. to ft.									
SCREEN-PERFORATED INTERVALS: From 118 ft. to 184 ft., From ft. to From ft. to ft., From ft. to GRAVEL PACK INTERVALS: From 24 ft. to 95 ft., From ft. to From 95 ft. to 186 ft., From ft. to							II.		
6 CPOUT MATERIAL 1 Next Compart (2) Country 1 Col									
6 GROUT MATERIAL: 1 Neat Cement ② Cement grout 3 Bentonite 4 Other									
Grout Intervals: From ft. to ft., From ft. to ft. to ft. to ft. to ft. to ft. to ft. What is the nearest source of possible contamination:									
Septic tank 4 Lateral lines / Pit privy 10 Livestock pens 13 insecticide Storage 10 Other (specify								(10) Office (specify	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 14 Abandoned water well						below)			
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well None known									
		?LITHOLOGIC LO		Iow many FROM	feet?		PLUGGING INTE	ZDV/ALC	
FROM 0	TO 2	Topsoil, sandy	JG	109	110	Clay	brown, hard	ERVALS	
2	5	Clay, sandy		110	115		gray and white	w	
5	12	Clay, brown		115	170		and gravel, fine, me	edium, some clay	
12	25	Clay, gray, with fine sand				streak			
25	35	Clay, gray and brown		170 172	172 183		brown		
35	50		nd and gravel, fine, medium			Sand and gravel, fine, medium, some			
50	61		nd and gravel, fine, medium, with clay			Clay			
61	66	streaks Clay, yellow and brown		183	186	Clay,	brown		
66	79	Sand and gravel, fine, me	edium		-				
79	109	Clay, brown and gray, so							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed (2) reconstructed (3) plugged									
under my jurisdiction and was completed on (mo/day/year) 03-26-07 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/year) 34-06-07									
Under the business name of Clarke Well & Equipment, Inc. by (signature) INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three									
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone									
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.									