

WOODS D-2

1/ LOCATION OF WATER WELL:	Fraction 220H	Section Number	Township Number	Range Number
County: EDWARDS	SE 1/4 SE 1/4 NE 1/4	26	T 26 S	R 16 E 10

Distance and direction from nearest town or city street address of well if located within city?
TROUSDALE 1/2 S 3E 3 1/2 S WESTSIDE.

2/ WATER WELL OWNER: D.R. LAUCK OIL CO INC. E.D. WOODS, HAVILAND, KS.	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box #: 221 S. BROADWAY SUITE 400	Application Number: 784-907
City, State, ZIP Code: WICHITA, KS 67202	

3/ LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4/ DEPTH OF COMPLETED WELL: 65 ft. ELEVATION:
	Depth(s) Groundwater Encountered 1. 37 ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL 25 ft. below land surface measured on mo/day/yr 11-26-84
	Pump test data: Well water was = ft. after = hours pumping = gpm
	Est. Yield = gpm; Well water was = ft. after = hours pumping = gpm
	Bore Hole Diameter 7 7/8 in. to 65 ft., and = in. to = ft.
	WELL WATER TO BE USED AS:
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
	2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well
	Was a chemical/bacteriological sample submitted to Department? Yes = No =; If yes, mo/day/yr sample was submitted
	Water Well Disinfected? Yes = No =

5/ TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued <u>XX</u> Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded
Blank casing diameter = 5 in. to 45 ft., Dia = in. to = ft., Dia = in. to = ft.			Threaded
Casing height above land surface = 12 in., weight = 2.65 lbs./ft. Wall thickness or gauge No. = 214			
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
11 Other (specify)			12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE: 1/8	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify)
SCREEN-PERFORATED INTERVALS: From = 45 ft. to = 65 ft., From = ft. to = ft., From = ft. to = ft.			
GRAVEL PACK INTERVALS: From = 35 ft. to = 65 ft., From = ft. to = ft., From = ft. to = ft.			

6/ GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals: From = 0 ft. to = 10 ft., From = ft. to = ft., From = ft. to = ft.				
What is the nearest source of possible contamination: NONE				
1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
13 Insecticide storage				

Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	15	SSAND			
15	35	OIL CLAY			
35	65	GRAVEL			

7/ CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 11-26-84 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 389. This Water Well Record was completed on (mo/day/yr) 12-5-84 under the business name of PEISET WATER WELL SERV. INC. by (signature) *Paula J. Peiser*

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY
T
R
E
SEC.
SE 1/4
SE 1/4
NE 1/4

8