


1 LOCATION OF WATER WELL: Fraction near center S  $\frac{1}{2}$  NE  $\frac{1}{4}$  Section Number 1 Township Number T 26 S Range Number R 17 E/W  
 County: Edwards

Distance and direction from nearest town or city street address of well if located within city?  
 2  $\frac{1}{2}$  east  $\frac{1}{2}$  north of Fellsburg

2 WATER WELL OWNER: Welton Parker & Goldie Gifford  
 RR#, St. Address, Box #: 4227 Mountain View Board of Agriculture, Division of Water Resources  
 City, State, ZIP Code: Lewis, Ks. 67552 Yakima, Washington Application Number: 34,948 & 34,947

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:  
  
 4 DEPTH OF COMPLETED WELL: 187 ft. ELEVATION:  
 Depth(s) Groundwater Encountered 1. 10 ft. 2. ft. 3. ft.  
 WELL'S STATIC WATER LEVEL: 26 ft. below land surface measured on mo/day/yr 3-6-81  
 Pump test data: Well water was 40 ft. after 1 hours pumping 1200 gpm  
 Est. Yield 1400 gpm: Well water was 44 ft. after 1 1/2 hours pumping 1400 gpm  
 Bore Hole Diameter: 29 in. to 187 ft., and in. to ft.  
 WELL WATER TO BE USED AS:  
 1 Domestic  3 Feedlot  6 Oil field water supply  9 Dewatering  12 Other (Specify below)  
 2 Irrigation  4 Industrial  7 Lawn and garden only  10 Observation well  
 Was a chemical/bacteriological sample submitted to Department? Yes No  X; If yes, mo/day/yr sample was submitted  
 Water Well Disinfected? Yes HTH No

5 TYPE OF BLANK CASING USED:  
 1 Steel  3 RMP (SR)  6 Asbestos-Cement  9 Other (specify below)  Welded  
 2 PVC  4 ABS  7 Fiberglass  Threaded  
 Blank casing diameter: 1.6 in. to 1.47 ft., Dia. in. to ft., Dia. in. to ft.  
 Casing height above land surface: 18 in., weight lbs./ft. Wall thickness or gauge No. 7  
 TYPE OF SCREEN OR PERFORATION MATERIAL:  
 1 Steel  3 Stainless steel  5 Fiberglass  8 RMP (SR)  10 Asbestos-cement  
 2 Brass  4 Galvanized steel  6 Concrete tile  9 ABS  12 None used (open hole)  
 SCREEN OR PERFORATION OPENINGS ARE:  
 1 Continuous slot  3 Mill slot  6 Wire wrapped  9 Drilled holes  
 2 Louvered shutter  4 Key punched  7 Torch cut  10 Other (specify)  
 SCREEN-PERFORATED INTERVALS: From 14.7 ft. to 18.7 ft., From ft. to ft., From ft. to ft.  
 GRAVEL PACK INTERVALS: From 10 ft. to 18.7 ft., From ft. to ft., From ft. to ft.

6 GROUT MATERIAL:  1 Neat cement  2 Cement grout  3 Bentonite  4 Other  
 Grout Intervals: From 0 ft. to 10 ft., From ft. to ft., From ft. to ft.  
 What is the nearest source of possible contamination:  
 1 Septic tank  4 Lateral lines  7 Pit privy  10 Livestock pens  14 Abandoned water well  
 2 Sewer lines  5 Cess pool  8 Sewage lagoon  11 Fuel storage  15 Oil well/Gas well  
 3 Watertight sewer lines  6 Seepage pit  9 Feedyard  12 Fertilizer storage  16 Other (specify below)  
 13 Insecticide storage  NONE  
 Direction from well? How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	10	Sandy top soil			
10	25	Sand and gravel			
25	35	Clay			
35	75	Sand and gravel			
75	95	Sand and gravel mixed w/ clay			
95	115	Sand and gravel			
115	125	Sand and gravel w/clay			
125	195	Sand and gravel			
195		Sand and gravel w/clay			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-10-82 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/yr) 8-18-82 under the business name of Rosencrantz-Bemis Ent. by (signature) *Lora Dodson*

INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.

OFFICE USE ONLY  
T  
26  
R  
17  
E/W  
SEC  
CS 1/4  
NE 1/4