WATER WELL RECORD KSA 82a-1201-1215

Kansas Department of Health and Environment-Division of Environment (Water well Contractors) Topeka, Kansas 66620

1. Location of wells						Topeka, Kansus 50020	
2. Distances and direction from mercent from or city: 2. Sowmer of well 2. Distances and direction from mercent from or city: 2. Sowmer of well 2. Distances and direction from mercent from or city: 2. Sowmer of well 3. Owner of well 4. Locates with "X" in section before 3. Owner of well 4. Locates with "X" in section before 3. Owner of well 4. Locates with "X" in section before 3. Owner of well 4. Locates with "X" in section before 4. Locates with "X" in section before 3. Owner of well 4. Locates with "X" in section before 4. Locates with "X" in section before 3. Owner of well 4. Locates with "X" in section before 4. Locates with "X" in section before 5. Owner of well 4. Locates with "X" in section before 5. Owner of well 4. Locates with "X" in section before 5. Owner of well 4. Locates with "X" in section before 5. Owner of well 4. Locates with "X" in section before 5. Owner of well 6.	1. Location of well:	· •			Section number		Township number Range number
Street address of well location if in city. Trousdale, Ks. City, state, sipcode Great Bend, Ks. 67530 4. Locate with "X" in section later: N 4. Locate with "X" in section later: N		Edwards	1/4 cne 1/4 se	⊋1/4	13		T 26 S R 17W E/W
Street oddrage of well location if finishing: A. Locative with *X* in section below: Starch maps: Starch m						amac Drlg Inc	
Sketch mage: Sk	Street address of well location if in city:						
Top Soil-Clay Sand-Gravel 15 Sand-Gravel 16 Sand-Gravel 16 Sand-Gravel 17 Sand-Gravel 17 Sand-Gravel 18 Sand-Gravel 18 Sand-Gravel 19 Sand-Gravel 18 Sand-Gravel 19 Sand-Gravel						Great Bend, Ks. 67530	
Top Soil-Clay Sand-Gravel 15 Sand-Gravel 16 Sand-Gravel 16 Sand-Gravel 17 Sand-Gravel 17 Sand-Gravel 18 Sand-Gravel 18 Sand-Gravel 19 Sand-Gravel 18 Sand-Gravel 19 Sand-Gravel	'						Well depth 27 ft. Completion date Well depth 27 ft.
Hollow rod _ Interd _ Road _ Reverse rotory	 						
Lown Si Held water Other							
Lown Si Held water Other							
9. Casing Medical Medical Scripts of Medical Script						Irrigation Air conditioning Stock	
Treaded wided wide with a surface 12 in. No. 5 in. 1 Mile with a surface 12 in. No. 5 in. 1 Mile with a surface 12 in. No. 5 in. 10 Z7 in. depth wild libidage: inche or Dia. in. 10	SW SE						
5. Type and color of material Top Soil-Clay Sandy Clay Sand-Gravel 45 77 Sand-Gravel 10. Screen Agrange-typer large by 201 Set between 72 11. and 777 11. Stept large by 201 Set between 72 11. and 777 Set between 73 11. and 777 Set between 74 11. and 777 Set between 75 11. and 777 Set	<u> </u>					Threaded Welded Surface in.	
Top Soil-Clay 0 30 Sandy Clay 30 45 Sand-Gravel 45 77 Sand-Gravel 45 77 Crove pack 1 pack							RMP PVC X Weight 2.8 lbs./ft.
Top Soil-Clay 0 30 Sandy Clay 30 45 Sand Gravel 45 77 Sand - Gravel 45 77 Sand - Gravel 45 77 Il. Steptic water level: 11. Steptic water level: 2. Pumping 1. Steptic water level: 2. Pumping 2. Steptic water level: 2. Pumping 2. Steptic water level: 3. Steptic water level: 2. Pumping 2. Steptic water level: 2. Pumping 2. Steptic water level: 3. Steptic water level: 4. Steptic water level: 11. Steptic water level: 2. Pumping 2. Pum 1. Steptic water level: 4. A steptic water level: 5. Steptic water level: 6. Steptic water level: 7. Steptic water level: 8. Steptic water level: 9. Pum 1. Steptic water level: 11. Steptic water level: 12. Pumping 2. Pum 2. Pumping 2. Pumping 2. Pum 2. Pumping 2. Pumping 2. Pum 2. Pumping 2. Pum					From	То	Diain. to ft. depth yang Inickness: inches or in. to ft. depth yange NSCN 40
Sandy Clay Sandy Clay Sand Gravel Sand Gr					ļ ·		10. Screen: Manufacturer's name
Sandy Clay Sand—Gravel Sand—G			Top Soil-Cl	Lay	0	30	
Sand-Gravel 45 77 Grovel pack? \(\times \) Size range of material \(\times \) 8 11. Size range of material \(\times \) 8 12. Pumping level below land surface \(\times \) 12. Pumping level below land surface \(\times \) 12. Pumping level below land surface \(\times \) 13. Water sample submitted: \(\times \) 14. Well head campletion: \(\times \) 14. Well head campletion: \(\times \) 15. Well grouted? \(\times \) 28. With \(\times \) 28. Date \(\times \) 15. Well grouted? \(\times \) 28. With \(\times \) 28. Well disinfected upon completion: \(\times \) 16. Negagat source of possible contamination, \(\times \) 16. Negagat source of possible contamination, \(\times \) 16. Direction \(\times \) 10. Direction \(\times			G - 12 - 3 - 12 - 12 - 12 - 12 - 12 - 12			1	Slot/gauze 1/32" Length 20
Sand-Gravel 45 77 Grovel pack? Is stay range of material 28-3/4* 1. Staylic water level:			Sandy Clay		30	45	11.
12. Pumping level below land surfaces: ———————————————————————————————————			Sand-Grave	<u> </u>	45	77	Gravel pack? X Size range of materia 8-3/4
12. Pumping level below land surfaces: ———————————————————————————————————		,					11. Static water level: 2.5 the below to the state of th
ft, other hrs, pumping g.p.m. Estimated maximum yield 00 g.p.m. 13. Water sample submitted: mo./day/yr. Yes X No Date 14. Well head completion: Pitles dadpter 12 Inches above grade 15. Well grouted? X. With: Neal cement X Bentonite Concrete Depthe From 0 ft, to 10 ft. 16. Negrest source of possible contamination, City ft. 00 Direction 110 Type CST Well disinfected upon completion? Yes X No 17. Pump: Not installed Monufacturer's name GOULGS Model number 11 ft. HP 5 Voln230 Length of drop pipe 3 ft. capacity 50 g.p.m. Type: X Submersible							
Estimated maximum yield 00 g.p.m. 13. Water sample submitted: mo./day/yr. Yes X No Date 14. Well head completion: Pittes adapter 12 Inches above grade 15. Well grouted? X With: Neat cement X Sentonite Concrete Depth: From 0 ft. to 10 ft. 16. Nearest source of possible contaminations; 01 ft. Well distinfected upon completion? Yes X No 17. Pump: Well distinfected upon completion? Yes X No 17. Pump: Maintended when the following of the contamination of the contami							
13. Water sample submitted: mo./day/yr. Yes							4
14. Well head completion: Pitless adapter 12 Inches above grade 15. Well grouted? X With: Near cement X Bentonite Concrete Depth: From 0 ft. to 10 ft. 16. Negrest source of possible contamination; 0 1 ft. 0 Direction 1e Type test Well disinfected upon completion? Yes X No 17. Pump: Manufacturer's name Goulds Madel number utm HP 5 volts230 Length of frop pipe 3 ft. capacity 50 g.p.m. Type: X Submersible Turbine Jet Reciprocating Centrifugal Other 18. Elevation: 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Kellys Waterwell Soc 186 Kellys Waterwell Soc 186 Kellys Waterwell Soc 186 Signed Water Well Date - Date - 11 720 W							
Pitless adapter 12 Inches above grade 15. Well grouted? X With: Near cement X Bentonite Concrete Depth: From Off. to 10 ft. 16. Neargest source of possible contamination; 011 ft. 00 Direction 12 Type USES Well disinfected upon completion? Yes X No 17. Pump: GOULGS Model number USM HP 5 Volts230 Length of drop pipe 03 ft. capacity 50 g.p.m. Type: X Submersible Turbine Jet Reciprocating Centrifugal 18. Elevation: 19. Remarks: 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Kellys Waterwell Ser 186 Business name Address R2. Great Bend, KS. Signed XIII Julia Date 1900 Signed Address R2. Great Bend, KS. Signed Address R2. Great Bend, KS. Signed XIII Julia Date 1900 Signed Address R2. Great Bend, KS.							
With: Neat cement							
Depth: From							
Fr. UO Direction TRE Type USS Well disinfected upon completion? Yes X No 17. Pump: Not installed Manufacturer's name GOULDS Model number Utm HP 5 Volte230 Length of drop pipe 03 ft. capacity 50 g.p.m. Type: X Submersible Turbine Length of drop pipe 05 ft. capacity 50 g.p.m. Type: X Submersible Turbine Length of drop pipe 05 ft. capacity 50 g.p.m. Type: X Submersible Turbine Length of drop pipe 05 ft. capacity 50 g.p.m. Type: X Submersible Turbine Length of drop pipe 05 ft. capacity 50 g.p.m. Type: X Submersible Turbine Length of drop pipe 05 ft. capacity 50 g.p.m. Type: X Submersible Turbine Length of drop pipe 05 ft. capacity 50 g.p.m. Type: X Submersible Turbine Length of drop pipe 05 ft. capacity 50 g.p.m. Type: X Submersible Turbine Length of drop pipe 05 ft. capacity 50 g.p.m. Type: X Submersible Turbine Length of drop pipe 05 ft. capacity 50 g.p.m. Type: X Submersible Turbine Length of drop pipe 05 ft. capacity 50 g.p.m. Type: X Submersible Turbine Length of drop pipe 05 ft. capacity 50 g.p.m. Type: X Submersible Turbine Length of drop pipe 05 ft. capacity 50 g.p.m. Type: X Submersible Turbine Length of drop pipe 05 ft. capacity 50 g.p.m. Type: X Submersible Turbine Length of drop pipe 05 ft. capacity 50 g.p.m. Type: X Submersible Turbine Length of drop pipe 05 ft. capacity 50 g.p.m. Type: X Submersible Turbine Length of drop pipe 05 ft. capacity 50 g.p.m. Type: X Submersible Turbine Length of drop pipe 05 ft. capacity 50 g.p.m. Type: X Submersible Turbine Length of drop pipe 05 ft. capacity 50 g.p.m. Type: X Submersible Turbine Length of drop pipe 05 ft. capacity 50 g.p.m. Type: X Submersible Turbine Length of drop pipe 05 ft. capacity 50 g.p.m. Type: X Submersible Turbine Length of drop pipe 05 ft. capacity 50 g.p.m. Type: X Submersible Turbine Length of drop pipe 05 ft. capacity 50 g.p.m. Type: X Submersible Turbine Length of drop pipe 05 ft. capacity 50 g.p.m. Type: X Submersible Turbine Length			· · · · · · · · · · · · · · · · · · ·				Depth: FromO ft. toO ft.
Well disinfected upon completion? Yes X No 17. Pump: Not installed GOULGS Madel number Utm HP 5 Volts230 Length of drop pipe 3 ft. capacity 50 g.p.m. Type: X Submersible Turbine Jet Reciprocating Other Other 18. Elevation: 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Kellys Waterwell Ser 186 Business name Address R2 Great Bend Ks Address R2 Great Bend Ks Signed Address R2 Great Bend Ks							16. Nearest source of possible contamination; Oil
17. Pump: Manufacturer's name Goulds Model number utm HP 5 Volts230 Length of drop pipe 3 ft. capacity 50 g.p.m. Type: X Submersible Turbine — Jet Reciprocating — Centrifugal 18. Elevation: 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Kellys Waterwell Ser 186 Business name Address B2. Great Bend Ks X Upland Signed Waterwell Date - 11 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Some Address B2. Great Bend Ks Signed Waterwell Ser 186 Signed Waterwell Date - 11 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Signed Waterwell Ser 186 Signed Waterwell S							
Madel number 12 tm HP 5 Volts230 Length of drop pipe 63 ft. capacity 50 g.p.m. Type: X Submersible Turbine Beciprocating Centrifugal Other 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Kellys Waterwell Ser 186 Business name Address R2. Great Bend Ks Y Upland Signed Ally Jucce Date 9-11-79W		, - , - , - , - , - , - , - , - , - , -					
Length of drop pipe 63 ft. capacity 50 g.p.m. Type: X Submersible Trubine — Jet Reciprocating — Centrifugal Other 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Kellys Waterwell Ser 186 Business name Address R2. Great. Bend. Ks. Y Upland Signed Waterwell Pate - 11 79W							
Topography: Hill Slope Wigners ble Great Bend, Ks. Turbine Reciprocating Other 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Kellys Waterwell Ser 186 Welliam Business name Address R2. Great Bend, Ks. Welliam Business name Address R2. Great Bend, Ks. Signed Address R2. Great Bend, Ks. Signed Address R2. Great Bend, Ks. Signed Address R2. Great Bend, Ks.							Length of drop pine 63 ft. capacity 50 a.p.m
Centrifugal							Type:
(Use a second sheet if needed) 18. Elevation: 19. Remarks: 20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Kellys Waterwell Ser 186 Business name Address R2. Great Bend Ks. Vulled Signed Address Page 11 - 79W						l	
Topography: Hill Slope Upland Topography: Slope Upland Topography: Slope Upland Topography: Slope Slope Slope Slope Upland This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Kellys Waterwell Ser_ 186 Element Some Address R2. Great. Bend. Ks	(Use a second sheet if needed)						
Topography: HillSlopeVupland Topography: HillSlopeSlopeSlopeSlopeSlope	18. Elevation: 19. Remarks:						
Hill Slope Slope Wpland Signed	_						
Slope W Upland Signed							
Signed Date TIT LYV							D2 (2004 D 1 1
	Upland Valley						Signed Authorized representative Date 9-11-79 M