LOCATION OF WA	TED WELL.								
unty: Edwa:		Fraction NW 1/4	nw 1/4	1	ection Numbe 28	Township		1 7.	Number
	from nearest town or			SW 1/4 ated within city?		1 20	S	R 1'	T TEW
	3/4 west of	-		alog William Oity					
WATER WELL OV		n Stejsk							· · · · · · · · · · · · · · · · · · ·
#, St. Address, Bo		_	_			Do and of	A!!b	Distalan of Mi	0
		wis, Ks.	01000				•	Division of Wa	ater Hesourc
, State, ZIP Code				60			on Number:		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
AN "X" IN SECTIO	N BOX: Dep	th(s) Groundwa	MPLETED WELL. Iter Encountered VATER LEVEL	1 32	ft.	2	ft. :	3	
using height above I PE OF SCREEN O 1 Steel 2 Brass	WE SE SE Was mitted CASING USED: 3 RMP (SR) 4 ABS 4 ABS ABS ABS ABS ABS ABS ABS ABS	e Hole Diamete LL WATER TO 1 Domestic 2 Irrigation s a chemical/baced 5 to	., weight	to	ter supply ater supply garden only Department? \(\text{W} \) wrete tile r (specify bek \(\text{L} \) \(\text	and	well X; If yes ted? Yes OINTS: Glue Welc Thre s or gauge N sbestos-ceme ther (specify) one used (or	Injection well Other (Specification of the content	y below) Imple was su Imped
2 Louvered shut	ter 4 Key ni	inched		• •					
REEN-PERFORAT				60					
GRAVEL PA	CK INTERVALS:	From		6Q <u>3 Be</u> m	ft., Fro ft., Fro ft., Fro tonite 4	om	ft. 1	to to	
GRAVEL PA GROUT MATERIAI out Intervals: Fro	CK INTERVALS:	From 1.6 From ont 2 0 1.0		6Q <u>3 Be</u> m	ft., Fro ft., Fro ft., Fro conite 4	om	ft. 1	to	
GRAVEL PA GROUT MATERIAL out Intervals: Fro lat is the nearest se	CK INTERVALS:	From 1.6 From	ft. to Oft. to ft. to Cement grout ft., From	6Q <u>3 Be</u> m	ft., From the first from the from	omom Otherft., From .	ft. : ft. : ft. :	o	ffftftftft ter well
GRAVEL PA GROUT MATERIAL out Intervals: Fro lat is the nearest so 1 Septic tank	CK INTERVALS:	From 1.0 From 2 D 1.0	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy		ft., From the first file of the file	om	ft. ft. ft. ft. ft. ft. ft. ft. ft.	ooo	
GRAVEL PAGROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines	CK INTERVALS: I Neat ceme mOft. to purce of possible cont 4 Lateral lin 5 Cess poo	From 1.6 From 2 o 1.0	ft. to ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage li	3 Ben ft.	ft., From tt., From	omom Othertt., Fromstock pens I storage	14 A	to	
GRAVEL PAGROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew	CK INTERVALS:	From 1.6 From 2 o 1.0	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy	3 Ben ft.	ft., From the first file of the file	omom Otherft., From . stock pens I storage Illizer storage cticide storage	14 A	ooo	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sevection from well?	CK INTERVALS: 1 Neat ceme mOft. to purce of possible cont 4 Lateral lin 5 Cess poo ver lines 6 Seepage	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Ben ft.	ft., From the first from the first from the from the from the first from th	omom Othertt., Fromstock pens I storage	14 A 15 C	to	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO	CK INTERVALS: 1 Neat ceme mOft. to purce of possible cont 4 Lateral lin 5 Cess poo ver lines 6 Seepage	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Ben ft.	ft., From the first file of the file	omom Otherft., From . stock pens I storage Illizer storage cticide storage	14 A	to	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 0 24	CK INTERVALS: 1 Neat ceme mOft. to ource of possible cont 4 Lateral lin 5 Cess poor ver lines 6 Seepage L Sandy top	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Ben ft.	ft., From the first from the first from the from the from the first from th	omom Otherft., From . stock pens I storage Illizer storage cticide storage	14 A 15 C	to	
GRAVEL PA GROUT MATERIAL out Intervals: Fro lat is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? ROM TO 0 4 4 38	CK INTERVALS: 1 Neat ceme mOft. to purce of possible cont 4 Lateral lin 5 Cess poor ver lines 6 Seepage Landy top Light gra	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Ben ft.	ft., From the first from the first from the from the from the first from th	omom Otherft., From . stock pens I storage Illizer storage cticide storage	14 A 15 C	to	
GRAVEL PA GROUT MATERIAL out Intervals: Fro lat is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 0 4 4 38 58 42	CK INTERVALS: 1 Neat ceme mOft. to purce of possible cont 4 Lateral lin 5 Cess poor ver lines 6 Seepage Landy top Light gra Tan sandy	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Ben ft.	ft., From the first from the first from the from the from the first from th	omom Otherft., From . stock pens I storage Illizer storage cticide storage	14 A 15 C	to	
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sew ection from well? ROM TO 0 4 4 38 42 42 46	CK INTERVALS: 1 Neat cemes con	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Ben ft.	ft., From the first from the first from the from the from the first from th	omom Otherft., From . stock pens I storage Illizer storage cticide storage	14 A 15 C	to	
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sev rection from well? ROM TO 0 4 4 38 4 38 42 46 46 48	CK INTERVALS: 1 Neat ceme mOft. to purce of possible cont 4 Lateral lin 5 Cess poor ver lines 6 Seepage Light gra Tan sandy Sand and Tan clay	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Ben ft.	ft., From the first from the first from the from the from the first from th	omom Otherft., From . stock pens I storage Illizer storage cticide storage	14 A 15 C	to	
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight severection from well? ROM TO 0 4 4 38 4 38 42 42 46 46 48	CK INTERVALS: 1 Neat ceme mOft. to ource of possible cont 4 Lateral lin 5 Cess poor ver lines 6 Seepage Light gra Tan sandy Sand and Tan clay Sand and	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Ben ft.	ft., From the first from the first from the from the from the first from th	omom Otherft., From . stock pens I storage Illizer storage cticide storage	14 A 15 C	to	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 0 4 4 38 68 42 46 66 48 68 62	CK INTERVALS: 1 Neat ceme mOft. to purce of possible cont 4 Lateral lin 5 Cess poor ver lines 6 Seepage Light gra Tan sandy Sand and Tan clay	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Ben ft.	ft., From the first from the first from the from the from the first from th	omom Otherft., From . stock pens I storage Illizer storage cticide storage	14 A 15 C	to	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 0 4 4 38 8 42 2 46 6 48 8 62	CK INTERVALS: 1 Neat ceme mOft. to ource of possible cont 4 Lateral lin 5 Cess poor ver lines 6 Seepage Light gra Tan sandy Sand and Tan clay Sand and	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Ben ft.	ft., From the first from the first from the from the first f	omom Otherft., From . stock pens I storage Illizer storage cticide storage	14 A 15 C	to	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 0 4 4 38 8 42 46 6 48 8 62	CK INTERVALS: 1 Neat ceme mOft. to ource of possible cont 4 Lateral lin 5 Cess poor ver lines 6 Seepage Light gra Tan sandy Sand and Tan clay Sand and	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Ben ft.	ft., From the first from the first from the from the first f	omom Otherft., From . stock pens I storage Illizer storage cticide storage	14 A 15 C	to	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 0 4 4 38 8 42 46 6 48 8 62	CK INTERVALS: 1 Neat ceme mOft. to ource of possible cont 4 Lateral lin 5 Cess poor ver lines 6 Seepage Light gra Tan sandy Sand and Tan clay Sand and	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Ben ft.	ft., From the first from the first from the from the first f	omom Otherft., From . stock pens I storage Illizer storage cticide storage	14 A 15 C	to	
GRAVEL PA GROUT MATERIAL out Intervals: Fro at is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 0 4 4 38 8 42 2 46 6 48 8 62	CK INTERVALS: 1 Neat ceme mOft. to ource of possible cont 4 Lateral lin 5 Cess poor ver lines 6 Seepage Light gra Tan sandy Sand and Tan clay Sand and	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Ben ft.	ft., From the first from the first from the from the first f	omom Otherft., From . stock pens I storage Illizer storage cticide storage	14 A 15 C	to	
GRAVEL PA GROUT MATERIAL out Intervals: Fro lat is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 0 4 4 38 58 42 46 48 48 62	CK INTERVALS: 1 Neat ceme mOft. to ource of possible cont 4 Lateral lin 5 Cess poor ver lines 6 Seepage Light gra Tan sandy Sand and Tan clay Sand and	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Ben ft.	ft., From the first from the first from the from the first f	omom Otherft., From . stock pens I storage Illizer storage cticide storage	14 A 15 C	to	
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight severection from well? ROM TO 0 4 4 38 38 42 42 46 46 48 48 62	CK INTERVALS: 1 Neat ceme mOft. to ource of possible cont 4 Lateral lin 5 Cess poor ver lines 6 Seepage Light gra Tan sandy Sand and Tan clay Sand and	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Ben ft.	ft., From the first from the first from the from the first f	omom Otherft., From . stock pens I storage Illizer storage cticide storage	14 A 15 C	to	
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight sevention from well? ROM TO 0 4 4 38 4 38 4 2 4 46 4 48 4 8	CK INTERVALS: 1 Neat ceme mOft. to ource of possible cont 4 Lateral lin 5 Cess poor ver lines 6 Seepage Light gra Tan sandy Sand and Tan clay Sand and	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Ben ft.	ft., From the first from the first from the from the first f	omom Otherft., From . stock pens I storage Illizer storage cticide storage	14 A 15 C	to	
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight severection from well? ROM TO 0 4 4 38 38 42 42 46 46 48 48 62	CK INTERVALS: 1 Neat ceme mOft. to ource of possible cont 4 Lateral lin 5 Cess poor ver lines 6 Seepage Light gra Tan sandy Sand and Tan clay Sand and	From	ft. to ft. to ft. to Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	3 Ben ft.	ft., From the first from the first from the from the first f	omom Otherft., From . stock pens I storage Illizer storage cticide storage	14 A 15 C	to	
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest se 1 Septic tank 2 Sewer lines 3 Watertight severection from well? ROM TO 0 4 4 38 38 42 42 46 46 48 48 62 52 65 CONTRACTOR'S on pleted on (mo/day)	CK INTERVALS: 1 Neat ceme mOft. to ource of possible cont 4 Lateral lin 5 Cess poor ver lines 6 Seepage Light gra Tan sandy Sand and Tan clay Sand and Yellow cl. OR LANDOWNER'S Conterval and Seepage	From		3 Bent ft. agoon FROM was (1) constr	toft., From tonite to 10 Live 11 Fue 12 Fert 13 Inse How m TO	om	plugged unapest of my kn	der my jurisdic owledge and i	tion and wa
GRAVEL PA GROUT MATERIAL out Intervals: Fro nat is the nearest st 1 Septic tank 2 Sewer lines 3 Watertight sev rection from well? ROM TO 0 4 4 38 38 42 42 46 46 48 48 62 62 65 CONTRACTOR'S on pleted on (mo/day ater Well Contractor	CK INTERVALS: 1 Neat ceme mOft. to ource of possible cont 4 Lateral lin 5 Cess poor ver lines 6 Seepage Light gra Tan sandy Sand and Tan clay Sand and Yellow cl. OR LANDOWNER'S Colored year)8 's License No13	From		3 Bentification of the second was (1) construction.	toft., From tonite to 10 Live 11 Fue 12 Fert 13 Inse How m TO	om	plugged unipest of my kn	ter my jurisdkowledge and in 4-84	ction and wa
GROUT MATERIAL out Intervals: Fro hat is the nearest so 1 Septic tank 2 Sewer lines 3 Watertight sewerection from well? FROM TO 0 4 4 38 38 42 42 46 46 48 62 62 65 65	CK INTERVALS: 1 Neat ceme mOft. to ource of possible cont 4 Lateral lin 5 Cess poor ver lines 6 Seepage Light gra Tan sandy Sand and Tan clay Sand and Yellow cl. OR LANDOWNER'S Conterval and Seepage	From		3 Bentification of the second was (1) construction.	toft., From tonite to 10 Live 11 Fue 12 Fert 13 Inse How m TO	om	plugged unipest of my kn	ter my jurisdkowledge and in 4-84	ction and wa