LOCATION OF WATER WEL		NUO NUO	Section Number	26	Range Number
County: Edwards	C 1/4	NE 1/4 NE	1/4 34		R 17W E/W
Distance and direction from nea			Street address of well i	f located within city?	
2 WATER WELL OWNER:		ger Drilling			
RR#, St. Address, Box # :	1720 Ka	ansas State Bank	: Bldg.	Board of Agriculture,	Division of Water Resources
City, State, ZIP Code	Wichita	a, <sup>K</sup> ansas 67202	•	Application Number:	Unknown
3 DEPTH OF COMPLETED V	VELL7.5ft. 1	Bore Hole Diameter	8in. to75	ft., and	in. to ft
Well Water to be used as:	5 Public water	supply	8 Air conditioning	11 Injection we	I
1 Domestic 3 Feedlot	6 Oil field wate	r supply	9 Dewatering	12 Other (Spec	ify below)
2 Irrigation 4 Industrial	7 Lawn and ga	rden only	10 Observation well		
Well's static water level					
Pump Test Data Est. Yield 60 gr	: Well water was. om: Well water was			. hours pumping	gpm
4 TYPE OF BLANK CASING	USED:	5 Wrought iron	8 Concrete tile	Casing Joints: Glue	dClamped
1 Steel 3		6 Asbestos-Cement	9 Other (specify belo	ow) Wel	ded
2 PVC 4		7 Fiberglass			aded
Blank casing dia5					
Casing height above land surfa	ce12.	in., weight	.2,8ы	s./ft. Wall thickness or gauge	No Sch. 40
TYPE OF SCREEN OR PERFO			7 PVC	10 Asbestos-cem	
1 Steel 3	Stainless steel	5 Fiberglass	8 RMP (SR)	11 Other (specify	)
2 Brass 4	Galvanized steel	6 Concrete tile	9 ABS	12 None used (o	pen hole)
Screen or Perforation Openings	s Are:	5 Gauzeo	d wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire w	rapped	9 Drilled holes	
2 Louvered shutter	4 Key punched	7 Torch o	cut	10 Other (specify)	
Screen-Perforation Dia 5				ft., Dia	in to
Screen-Perforated Intervals:	From 55	ft. to	$.75\ldots$ ft., From		
Gravel Pack Intervals:	From	to	. (, り ft., From		
Gravel Pack Intervals:	From	π. to ft. to		π. to.	
5 GROUT MATERIAL:	From  Neat cement	ft. to 2 Cement grout	ft., From 3 <u>Bentonite</u> 4	ft. to	ft.
-	From  Neat cement	ft. to 2 Cement grout	ft., From 3 <u>Bentonite</u> 4	ft. to	ft.
5 GROUT MATERIAL:	From  Neat cement  O ft. to . 10	ft. to 2 Cement grout	ft., From           3 Bentonite         4           ft. to	ft. to Other	ft.
5 GROUT MATERIAL: Grouted Intervals: From	From  Neat cement  O ft. to . 10	ft. to 2 Cement grout	ft., From  3 Bentonite 4ft. to 10 Fuel	ft. to           Other            ft., From            storage         14 //	
5 GROUT MATERIAL: Grouted Intervals: From What is the nearest source of p	From  1 Neat cement 0 ft. to . 10  cossible contamination:	ft. to  2 Cement grout ft., From  7 Sewage lagoo	ft., From  3 Bentonite 4	ft. to  Other	ft.  ft. toft  Abandoned water well
5 GROUT MATERIAL: Grouted Intervals: From What is the nearest source of p	From  1 Neat cement  0 ft. to . 10  cossible contamination:  4 Cess pool  5 Seepage pit  6 Pit privy	ft. to  2 Cement grout  7 Sewage lagor 8 Feed yard 9 Livestock pen	ft., From  3 Bentonite 4	ft. to Other	ft.  ft. toft  Abandoned water well  Dil well/Gas well
GROUT MATERIAL: Grouted Intervals: From What is the nearest source of p 1 Septic tank 2 Sewer lines	From  1 Neat cement  0 ft. to . 10  cossible contamination:  4 Cess pool  5 Seepage pit	ft. to  2 Cement grout  7 Sewage lagor 8 Feed yard 9 Livestock pen	ft., From  3 Bentonite 4  10 Fuel  11 Fert  12 Inse	ft. to Other	Abandoned water well Dil well/Gas well Other (specify below)
5 GROUT MATERIAL: Grouted Intervals: From What is the nearest source of p 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological	From  1 Neat cement 0	ft. to  2 Cement grout  ft., From  7 Sewage lagoo  8 Feed yard  9 Livestock pen  v many feet  partment? Yes	ft., From  3 Bentonite 4  ft. to	ft. to Other ft., From I storage Ilizer storage cticide storage r Well Disinfected? Yes	ft. to
GROUT MATERIAL: Grouted Intervals: From What is the nearest source of particle 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted	From  1 Neat cement 0	ft. to  2 Cement grout ft., From  7 Sewage lagoo 8 Feed yard 9 Livestock pen v many feet partment? Yes day	ft., From  3 Bentonite 4  ft. to 10 Fuel  11 Ferti 12 Inse  13 Wate  Wate  year: Pump Installi	ft. to Other ft., From I storage Ilizer storage Cticide storage Fr Well Disinfected? Yes Frederick From From From From From From From From	tt.  ft. to
GROUT MATERIAL: Grouted Intervals: From What is the nearest source of particle 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted.  If Yes: Pump Manufacturer's na	From  1 Neat cement 0	ft. to  2 Cement grout  ft., From  7 Sewage lagoo 8 Feed yard 9 Livestock pen v many feet partment? Yes day	ft., From  3 Bentonite 4  ft. to 10 Fuel on 11 Ferti 12 Inse s 13 Wate	ft. to Other  ft., From I storage Ilizer storage Iticide stora	tt.  ft. to
GROUT MATERIAL: Grouted Intervals: From What is the nearest source of particle 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well Was a chemical/bacteriological was submitted	From  1 Neat cement 0	ft. to  2 Cement grout  ft., From  7 Sewage lagoo 8 Feed yard 9 Livestock pen v many feet partment? Yes day	ft., From  3 Bentonite 4  ft. to 10 Fuel on 11 Ferti 12 Inse s 13 Wate	ft. to Other  ft., From I storage Ilizer storage Iticide stora	tt.  ft. to
GROUT MATERIAL:  Grouted Intervals: From.  What is the nearest source of page 1. Septic tank 2 Sewer lines 3 Lateral lines  Direction from well	From  1 Neat cement  0	ft. to  2 Cement grout  ft., From  7 Sewage lagod 8 Feed yard 9 Livestock pen v many feet partment? Yes day  ft.  2 Turbine	ft., From  3 Bentonite 4  ft. to 10 Fuel on 11 Ferti 12 Inse s 13 Wate 60 ? Wateyear: Pump Install Model No Pumps Capacity rated a 3 Jet 4 Cere	ft. to  Other  ft., From  I storage  Ilizer storage  oticide storage  r Well Disinfected? Yes  ded? Yes  HP  t to  Other  ft. to  ft.	tt.  ft. to
GROUT MATERIAL:  Grouted Intervals: From.  What is the nearest source of page 1. Septic tank 2 Sewer lines 3 Lateral lines  Direction from well.  Was a chemical/bacteriological was submitted.  If Yes: Pump Manufacturer's nate to be page 1. Septic tank  Type of pump: 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	From  1 Neat cement 0	ft. to  2 Cement grout  ft., From  7 Sewage lagod 8 Feed yard 9 Livestock pen v many feet partment? Yes day  ft.  2 Turbine	ft., From  3 Bentonite 4  ft. to  10 Fuel  11 Fert  12 Inse  3 Wate  Wate  Wate  Wate  Pumps Capacity rated a  3 Jet 4 Cer  s (1) constructed, (2) received.	ft. to  Other  ft., From  I storage  Ilizer storage  cticide storage  It follows  In the storage  It follows  It f	tt.  ft. to
GROUT MATERIAL:  Grouted Intervals: From.  What is the nearest source of page 1. Septic tank 2 Sewer lines 3 Lateral lines  Direction from well	From  1 Neat cement 0	ft. to  2 Cement grout  ft., From  7 Sewage lagod 8 Feed yard 9 Livestock pen v many feet partment? Yes day  ft.  2 Turbine	ft., From  3 Bentonite 4  ft. to 10 Fuel on 11 Ferti 12 Inse s 13 Wate 60 ? Wateyear: Pump Install Model No Pumps Capacity rated a 3 Jet 4 Cere	ft. to Other ft., From I storage I 14 / I storage I 15 (cticide storage in the st	tt.  ft. to
GROUT MATERIAL: Grouted Intervals: From	From  1 Neat cement 0	ft. to  2 Cement grout  ft., From  7 Sewage lagod 8 Feed yard 9 Livestock pend 9 Livestock pend 9 many feet 1001  ft.  2 Turbine 1 Tion: This water well was 1 month 1 belief. Kansas Water Well  1 to 1 t	ft., From  3 Bentonite 4 ft. to 10 Fuel 11 Ferti 12 Inse 5 13 Wate 60 ? Wate year: Pump Install Model No. Pumps Capacity rated a 3 Jet 4 Cer 13 S (1) constructed, (2) rec 12 day ell Contractor's License N	tt. to  Other  ft., From  I storage  Ilizer storage  octicide storage  ertight sewer lines  r Well Disinfected? Yes  HP  tt.  otrifugal  5 Reciprocation  constructed, or (3) plugged un  1979	ft. to
GROUT MATERIAL: Grouted Intervals: From	From  1 Neat cement 0	ft. to  2 Cement grout  ft., From  7 Sewage lagoo 8 Feed yard 9 Livestock pen 9 many feet partment? Yes day  ft.  2 Turbine TION: This water well wa month the belief. Kansas Water Well March mo	ft., From  3 Bentonite 4  ft. to  10 Fuel  11 Ferti 12 Inse  s 13 Wate  60 ? Wate	ft. to Other  ft., From Istorage Ilizer storage Ilizer storage Inticide st	ft. to
GROUT MATERIAL: Grouted Intervals: From	From  1 Neat cement 0 ft to 10 cossible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy East How sample submitted to De month ame.  Submersible OWNER'S CERTIFICAT otember est of my knowledge and completed on ys Water Well S	ft. to  2 Cement grout  ft., From  7 Sewage lagoo 8 Feed yard 9 Livestock pen 9 many feet partment? Yes day  ft.  2 Turbine TION: This water well wa month the belief. Kansas Water Well March mo	ft., From  3 Bentonite ft. to  10 Fuel on 11 Ferti 12 Inse s 13 Wate 60 ? Wate	tt. to Other  ft., From Istorage 14 / Illizer storage 15 (cticide storage 16 (cticide	tt.  ft. to
GROUT MATERIAL: Grouted Intervals: From	From  1 Neat cement 0 ft. to 10 cossible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy East How sample submitted to De month ame.  Submersible OWNER'S CERTIFICAT otember est of my knowledge and completed on ys Water Well S	ft. to  2 Cement grout  ft., From  7 Sewage lagod 8 Feed yard 9 Livestock pen 9 many feet partment? Yes day  ft.  2 Turbine TION: This water well wa month d belief, Kansas Water Well March motervice b LITHOLOGIE	ft., From  3 Bentonite  ft. to  10 Fuel  11 Ferti  12 Inse  13 Wate  60 ? Wate	ft. to Other  ft., From Istorage 14 / Istorage 15 ( Conticide storage 16 ( Conticide storag	tt.  ft. to
GROUT MATERIAL: Grouted Intervals: From	From  1 Neat cement 0 ft. to 10 cossible contamination: 4 Cess pool 5 Seepage pit 6 Pit privy East How sample submitted to De month come  Submersible COWNER'S CERTIFICAT cotember cest of my knowledge and completed on completed	ft. to  2 Cement grout ft., From  7 Sewage lagoo 8 Feed yard 9 Livestock pen 9 Interest (100) 6 This water well wa 6 March (100) 6 Clay	ft., From  3 Bentonite  ft. to  10 Fuel  11 Ferti  12 Inse  13 Wate  60 ? Wate	ft. to Other  ft., From Istorage 14 / Istorage 15 ( Conticide storage 16 ( Conticide storag	ft. to
GROUT MATERIAL: Grouted Intervals: From. What is the nearest source of particle 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriological was submitted. If Yes: Pump Manufacturer's nate of pump in take. Type of pump in take. T	From  1 Neat cement 0	ft. to  2 Cement grout ft., From  7 Sewage lagoo 8 Feed yard 9 Livestock pen 9 many feet partment? Yes day  ft.  2 Turbine FION: This water well wa month delief. Kansas Water We March motervice b LITHOLOGIE Clay Sand	ft., From  3 Bentonite  ft. to  10 Fuel  11 Ferti  12 Inse  13 Wate  60 ? Wate	ft. to Other  ft., From Istorage 14 / Istorage 15 ( Conticide storage 16 ( Conticide storag	ft. to
GROUT MATERIAL: Grouted Intervals: From. What is the nearest source of particle 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriological was submitted. If Yes: Pump Manufacturer's nate of pump Intake. Type of pump 1 CONTRACTOR'S OR LAND completed on Septing and this record is true to the beat of the septing of the second of t	From  1 Neat cement 0	ft. to  2 Cement grout ft., From  7 Sewage lagoo 8 Feed yard 9 Livestock pen y many feet partment? Yes day  ft.  2 Turbine TION: This water well wa month d belief. Kansas Water We March moth fervice b LITHOLOGIC Clay Sand Clay	ft., From  3 Bentonite 4 ft. to 10 Fuel 11 Ferti 12 Inse s 13 Wate 60 ? Wate year: Pump Install Model No. Pumps Capacity rated a 3 Jet 4 Cen s (1) constructed, (2) red 12 day ell Contractor's License Nonth. y (signature)	ft. to Other  ft., From Istorage 14 / Istorage 15 ( Conticide storage 16 ( Conticide storag	ft. to
GROUT MATERIAL: Grouted Intervals: From	From  1 Neat cement 0	ft. to  2 Cement grout ft., From  7 Sewage lagoo 8 Feed yard 9 Livestock pen 9 many feet partment? Yes day  ft.  2 Turbine FION: This water well wa month delief. Kansas Water We March motervice b LITHOLOGIE Clay Sand	ft., From  3 Bentonite 4 ft. to 10 Fuel 11 Ferti 12 Inse s 13 Wate 60 ? Wate year: Pump Install Model No. Pumps Capacity rated a 3 Jet 4 Cen s (1) constructed, (2) red 12 day ell Contractor's License Nonth. y (signature)	ft. to Other  ft., From Istorage 14 / Istorage 15 ( Conticide storage 16 ( Conticide storag	ft. to
GROUT MATERIAL: Grouted Intervals: From	From  1 Neat cement 0	ft. to  2 Cement grout ft., From  7 Sewage lagoo 8 Feed yard 9 Livestock pen y many feet partment? Yes day  ft.  2 Turbine TION: This water well wa month d belief. Kansas Water We March moth fervice b LITHOLOGIC Clay Sand Clay	ft., From  3 Bentonite 4 ft. to 10 Fuel 11 Ferti 12 Inse s 13 Wate 60 ? Wate year: Pump Install Model No. Pumps Capacity rated a 3 Jet 4 Cen s (1) constructed, (2) red 12 day ell Contractor's License Nonth. y (signature)	ft. to Other  ft., From Istorage 14 / Istorage 15 ( Conticide storage 16 ( Conticide storag	ft. to
GROUT MATERIAL: Grouted Intervals: From	From  1 Neat cement 0	ft. to  2 Cement grout ft., From  7 Sewage lagoo 8 Feed yard 9 Livestock pen y many feet partment? Yes day  ft.  2 Turbine TION: This water well wa month d belief. Kansas Water We March moth fervice b LITHOLOGIC Clay Sand Clay	ft., From  3 Bentonite 4 ft. to 10 Fuel 11 Ferti 12 Inse s 13 Wate 60 ? Wate year: Pump Install Model No. Pumps Capacity rated a 3 Jet 4 Cen s (1) constructed, (2) red 12 day ell Contractor's License Nonth. y (signature)	ft. to Other  ft., From Istorage 14 / Istorage 15 ( Conticide storage 16 ( Conticide storag	ft. to
GROUT MATERIAL: Grouted Intervals: From	From  1 Neat cement 0	ft. to  2 Cement grout ft., From  7 Sewage lagoo 8 Feed yard 9 Livestock pen y many feet partment? Yes day  ft.  2 Turbine TION: This water well wa month d belief. Kansas Water We March moth fervice b LITHOLOGIC Clay Sand Clay	ft., From  3 Bentonite 4 ft. to 10 Fuel 11 Ferti 12 Inse s 13 Wate 60 ? Wate year: Pump Install Model No. Pumps Capacity rated a 3 Jet 4 Cen s (1) constructed, (2) red 12 day ell Contractor's License Nonth. y (signature)	ft. to Other  ft., From Istorage 14 / Istorage 15 ( Conticide storage 16 ( Conticide storag	ft. to
GROUT MATERIAL: Grouted Intervals: From	From  1 Neat cement 0	ft. to  2 Cement grout ft., From  7 Sewage lagoo 8 Feed yard 9 Livestock pen y many feet partment? Yes day  ft.  2 Turbine TION: This water well wa month d belief. Kansas Water We March moth fervice b LITHOLOGIC Clay Sand Clay	ft., From  3 Bentonite 4 ft. to 10 Fuel 11 Ferti 12 Inse s 13 Wate 60 ? Wate year: Pump Install Model No. Pumps Capacity rated a 3 Jet 4 Cen s (1) constructed, (2) red 12 day ell Contractor's License Nonth. y (signature)	ft. to Other  ft., From Istorage 14 / Istorage 15 ( Conticide storage 16 ( Conticide storag	ft. to
GROUT MATERIAL: Grouted Intervals: From	From  1 Neat cement 0	ft. to  2 Cement grout ft., From  7 Sewage lagoo 8 Feed yard 9 Livestock pen y many feet partment? Yes day  ft.  2 Turbine TION: This water well wa month d belief. Kansas Water We March moth fervice b LITHOLOGIC Clay Sand Clay	ft., From  3 Bentonite 4 ft. to 10 Fuel 11 Ferti 12 Inse s 13 Wate 60 ? Wate year: Pump Install Model No. Pumps Capacity rated a 3 Jet 4 Cen s (1) constructed, (2) red 12 day ell Contractor's License Nonth. y (signature)	ft. to Other  ft., From Istorage 14 / Istorage 15 ( Conticide storage 16 ( Conticide storag	ft. to
GROUT MATERIAL: Grouted Intervals: From. What is the nearest source of particle 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriological was submitted. If Yes: Pump Manufacturer's nate of Pump Intake.  Type of pump: 1  GONTRACTOR'S OR LAND completed on Septing and this record is true to the beat of the	From  1 Neat cement 0	ft. to  2 Cement grout ft., From  7 Sewage lagoo 8 Feed yard 9 Livestock pen y many feet partment? Yes day  ft.  2 Turbine TION: This water well wa month d belief. Kansas Water We March moth fervice b LITHOLOGIC Clay Sand Clay	ft., From  3 Bentonite 4 ft. to 10 Fuel 11 Ferti 12 Inse s 13 Wate 60 ? Wate year: Pump Install Model No. Pumps Capacity rated a 3 Jet 4 Cen s (1) constructed, (2) red 12 day ell Contractor's License Nonth. y (signature)	ft. to Other  ft., From Istorage 14 / Istorage 15 ( Conticide storage 16 ( Conticide storag	ft. to
GROUT MATERIAL: Grouted Intervals: From. What is the nearest source of particle 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriological was submitted. If Yes: Pump Manufacturer's nate of Pump Intake.  Type of pump: 1  GONTRACTOR'S OR LAND completed on Septing and this record is true to the beat of the	From  1 Neat cement 0	ft. to  2 Cement grout ft., From  7 Sewage lagod 8 Feed yard 9 Livestock pend 9 Livestock p	ft., From  3 Bentonite ft. to  10 Fuel ft. to  11 Ferti 12 Inse s 13 Wate 60 ? Wate  year: Pump Install Model No.  Pumps Capacity rated a 3 Jet 4 Cen s (1) constructed, (2) rec 12 day ell Contractor's License Nonth.  y (signature) C LOG FRO	ft. to Other  ft., From Istorage 14 / Istorage 15 ( Oticide storage 16 (	ft. to
GROUT MATERIAL: Grouted Intervals: From. What is the nearest source of particle 1 Septic tank 2 Sewer lines 3 Lateral lines Direction from well. Was a chemical/bacteriological was submitted. If Yes: Pump Manufacturer's nate of Pump Intake.  Type of pump: 1  GONTRACTOR'S OR LAND completed on Septing and this record is true to the beat of the	From  1 Neat cement 0	ft. to  2 Cement grout ft., From  7 Sewage lagod 8 Feed yard 9 Livestock pend 9 Livestock p	ft., From  3 Bentonite ft. to  10 Fuel ft. to  11 Ferti 12 Inse s 13 Wate 60 ? Wate  year: Pump Install Model No.  Pumps Capacity rated a 3 Jet 4 Cen s (1) constructed, (2) rec 12 day ell Contractor's License Nonth.  y (signature) C LOG FRO	ft. to Other  ft., From Istorage 14 / Istorage 15 ( Oticide storage 16 (	ft. to

.