WATE	R WE	LL RECORD	Form WWC-5			Division of Water Resources App. No.			
1 LOCATION OF WATER WELL: County: Edwards			Fraction	0.14		on Number	Range Number R 17 ☐E ☑W		
			1/4 SW 1/4 NE						
		Address of Well Location; if			Global Positioning System (GPS) information: Latitude:				
	from nearest town or intersection: If at owner's address, check here					Longitude: (in decimal degrees) Longitude: (in decimal degrees)			
1 3/	1 3/4 East, 3 South of Fellsburg					Elevation:			
A WATER WELL OWNER						Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Brandon Roenbaugh						Collection Method:			
		Address, Box #: 515 Wa				☐ GPS unit (Make/Model:			
City	, State, A	Pratt, Ks	s. 67124			Est. Accuracy: \square <3 m, \square 3-5 m, \square 5-15 m, \square >15 m			
3 LOC	ATE WI	CLL				оп, [] о оп, []	, , , , , , , , , , , , , , , , , , ,		
	ITH AN "X" IN 4 DEPTH OF COMPLETED WELL 60 ft.								
SEC	TION BO	Depth(s) Groundwater Encountered (1)							
·	WELL'S STATIC WATER LEVEL. 20ft. below land surface measured on mo/day/yr. 11-16-1								
	Pump test data: Well water was								
w N									
w									
	SW SE- Domestic Feedlot Doll field water supply Dewatering Other (Specify below)								
3\	☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well Stock								
i!	Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No								
	S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? ☑ Yes □ No									
5 TYPE OF CASING USED: Steel V PVC Other									
CASING JOINTS: Glued Clamped Welded Threaded									
Casing diameter .5 in. to .60 ft., Diameter in. to									
Casing height above land surface!8in., Weight SUR-26lbs./ft., Wall thickness or gauge No									
TYPE OF SCREEN OR PERFORATION MATERIAL: ☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)									
SCREEN OR PERFORATION OPENINGS ARE:									
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)									
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)									
			From	ft. to		ft., From	ft. 1	to ft.	
	GRAV	EL PACK INTERVALS:	From 60	ft. to20		ft., From	ft.	to ft.	
								to ft.	
6 GROUT MATERIAL: Neat cement Cement grout Bentonite Other Hole Plug Grout Intervals: From ft. to ft., From ft. to ft., From 20 ft. to 0 ft.									
Grout In				١	ft. to	ft.,	From . 49	. ft. to	
What is the nearest source of possible contamination: ☐ Septic tank ☐ Lateral lines ☐ Pit privy ☐ Livestock pens ☐ Insecticide storage ☑ Other (specify below)									
	Sewer lin			Fuel storage		Abandoned	water well		
☐ Watertight sewer lines ☐ Seepage pit ☐ Feedyard ☐ Fertilizer ste						Oil well/gas	s well Cree	k	
		n well South	CLOG			ell100ft			
FROM 0	TO 4	LITHOLOGI	CLOG	FROM	TO	LITHO, LC	OG (cont.) <u>or</u> PLU	GGING INTERVALS	
4	34	Top sand Clay							
34	60	Sand & gravel- med to I	arne						
		Cana a graver mea to r	шус						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☐ constructed, ☐ reconstructed, or ☐ plugged									
under my jurisdiction and was completed on (mo/day/year) .11-16-11 and this record is true to the best of my knowledge and belief.									
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 11-30-11									
under the business name of Rosencrantz-Bemis by (signature)									
INSTRUC	TIONS:	Use ty pewriter or ball point pen.	PLEASE PRESS FIRMLY	and PRINT cle	arly. Plea	se fill in blanks a	and check the correct	answers Send three copies	
(white, blu	ie, pink) to	Kansas Depar tment of Health a	nd E nvironment, Bureau o	of Water, Geol	ogy Sectio	n. 1000 SW Jacl	kson St., Suite 420, 7	Topeka Kansas 666 12-1367	
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each constructed well. Vi sit us at http://www.kdheks.gov/waterwell/index.html .									

KSA 82a-1212