WAT	ER WEL	L RECORD	Form V	WWC-5		Division of Water	Resources App. No		
	OCATION ( ounty: Edwa	OF WATER WELL: ards	Fraction ½ SW ½ S		Se	ection Number	Township No.	Range Number R 17 □E ☑W	
Str	eet/Rural Ad	ddress of Well Location; i	f unknown, distance	e & direction	CL			armetian:	
fro	m nearest to	wn or intersection: If at o	wner's address, che		Global Positioning System (GPS) information:  Latitude:				
	4 South of Fellsburg					Longitude: (in decimal degrees)			
						Elevation:			
2 WATER WELL OWNER: Brandon Roenbaugh							, □ NAD 83, □	NAD 27	
RR#, Street Address, Box #: 515 Watson						Collection Method:			
City, State, ZIP Code Pratt, Ks. 67124					1 }	☐ GPS unit (Make/Model:) ☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey			
			0. 07 124		Est	t. Accuracy: $\square < 3$	$3 \text{ m}, \square 3-5 \text{ m}, \square 5$	5-15 m. $\square$ >15 m	
	CATE WEL	L		400				15 III, L.I. 15 III	
1	VITH AN "X" IN ECTION BOX: 4 DEPTH OF COMPLETED WELL 120 ft.  Depth(s) Groundwater Encountered (1) ft. (2)								
SEA	Depth(s) Groundwater Encountered (1)								
	WELL'S STATIC WATER LEVEL								
	Pump test data: Well water was ft. after hours pumping gpr EST. YIELD. N/A gpm. Well water was ft. after hours pumping gpn Bore Hole Diameter 1.0 in. to 12.0 ft., and in. to ft.								
w   r									
X_									
8	WELL WATER TO BE USED AS: Public water supply Geothermal Injection well SWSE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
	Irrigation Industrial Domestic-lawn & garden Monitoring well								
-	Was a chemical/bacteriological sample submitted to Department? ☐ Yes ☑ No								
	S If yes, mo/day/yr sample was submitted								
Water well disinfected? Ves No									
5 TYPE OF CASING USED: Steel V PVC Other									
CASING JOINTS: V Glued Clamped Welded Threaded									
Casing diameter 3 in to 120 ft Diameter in to 20 ft Diameter									
Casing neight above land surface									
Of the Control of the									
☐ Steel ☐ Stainless Steel ☐ PVC ☐ Other (Specify)									
SCREEN OR PERFORATION OPENINGS ARE:									
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)									
Louvered shutter   Key punched   Wire wranged   Z Sony out   Cher (was 15)									
SCREEN-PERFORATED INTERVALS: From 120 ft. to 100 ft., From ft. to ft.									
From									
From ft. to ft. from ft. to ft. ft. from ft. to ft.									
Neat cement   Cement grout   Rentonite / Other Hole Plud									
Grout Intervals: From ft. to									
what is the hearest source of possible contamination:									
L	Septic tank	Lateral lines		Livestock		Insecticide st	orage 🗹 Other	(specify below)	
Sewage lagoon									
Dire	ction from w	/ell	recayara			☐ Oil well/gas v	well inone	••••••	
FROM	TO	LITHOLOGIC	CLOG	FROM	TO	LITHO, LOC	(cont) or PLUGO	GING INTERVALS	
0		op sand					· (John) <u>OI</u> I DOG(	JITO ITTERVALS	
12		andy clay & fine sand							
31	120 Sa	and & gravel- med, coa	rse,loose				, V. W.		
	,								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was  constructed, or plugged under my jurisdiction and was completed on (mo/day/(see)) 11-18-11									
and this record is the best of									
Named Well Contractor's License No. 104 This Weter Well December 11. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.									
under the business hame of the period and a period a period a period a period a period and a period a period a period a pe									
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Leading Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 666 12-1367.									
		The state of the s						icieu well. VI sit us at	
SA 82a-1212 Criginal Returned to Sender Check: White Copy,  Blue Copy, Pink Copy									