WATER WELL RECORD			Form W	WC-5	Division of	Water Resources App. N	No.
1 LOCATION OF WATER WELL: County: Edwards			Fraction ¹ / ₄ NW ¹ / ₄ NE	1/4 NE 1/4	Section Numb	er Township No. T 26 S	Range Number R 17 ☐E ☑W
			unknown, distance & direction wner's address, check here		Global Positioning System (GPS) information: Latitude:		
from	nearest t	own or intersection: If at o					
1 1/	1 1/2 South, 1 West of Felisburg				Longitude: (in decimal degrees)		
	•				Elevation:		
2 WATER WELL OWNER: Mica Schnoebelen					Collection Method:		
RR#, Street Address, Box #: 2065 U Road City, State, ZIP Code : Lewis, Ks. 6755					GPS unit (Make/Model:)		
			(s. 67552		☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
2 700					Est. Accuracy:	☐ <3 m, ☐ 3-5 m, ☐	5-15 m, >15 m
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 135 ft.							
	SECTION BOX: Depth(s) Groundwater Encountered (1)						
Pump test data: Well water was ft. after hours pumping. EST. YIELD. N/A gpm. Well water was ft. after hours pumping.							nping gpm
							nping gpm
W Bore Hole Diameter 10 in. to 135 ft., and in. to ft. WELL WATER TO BE USED AS: Public water supply Geothermal Injection well							
SW - SE - Domestic Feedlot Oil field water supply Dewatering Other (Specify below) Irrigation Industrial Domestic-lawn & garden Monitoring well Stock							
	Was a chemical/bacteriological sample submitted to Department? ☐ Yes ✓ No						
	S If yes, mo/day/yr sample was submitted						
Water well disinfected? ✓ Yes □ No							
5 TYPE OF CASING USED: Steel V PVC Other							
CASING JOINTS: 🗹 Glued 🔲 Clamped 🔲 Welded 🔲 Threaded							
Casing diameter 5 in. to 135 ft., Diameter in. to ft., Diameter in. to ft.							
Casing height above land surface18							
Steel Stainless Steel ✓ PVC ☐ Other (Specify)							
Brass Galvanized Steel None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
☐ Continuous slot ☐ Mill slot ☐ Gauze wrapped ☐ Torch cut ☐ Drilled holes ☐ None (open hole) ☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)							
SCREEN-PERFORATED INTERVALS: From 135 ft. to 115 ft., From ft. to ft.							
From							
GRAVEL PACK INTERVALS: From							
From ft to ft From ft to A							
6 GROUT MATERIAL: Neat cement Cement grout Denotite Other Grout Intervals: From ft. to ft., From 20 ft. to ft., From ft. to ft.							
What is	the neare	st source of possible contain	mination	. 	τ. το	. π., From	ft. toft.
Septic tank							
Sewer lines							
□ Watertight sewer lines □ Seepage pit □ Feedyard □ Fertilizer storage □ Oil well/gas well Shed Direction from well South Distance from well 10ft							
FROM	TO	LITHOLOGI		FROM			UGGING INTERVALS
0	4	Top soil				(COII) OF 1 E.	COMING HATERVALS
4	35	Sand & gravel					
35	60	Tan clay					
60	89	Sand & gravel					
89	116	White clay & caliche					
116	135	Sand & gravel					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year)							
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 7/24/12							
under the business name of Rosencrantz-Bemis by (signature) by (signature) by (signature)							
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies (white, blue, pink) to Kansas Depar tment of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.							
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Vi sit us at http://www.kdheks.gov/waterwell/index.html.							
VCA 20 1010							
500					CIRCIA.	"Time Copy, BI	ue Copy, Pink Copy