VATE	R WE	LL RECORD	Form W	WC-5	Division of Water	r Resources App. No	34946
		OF WATER WELL:	Fraction		Section Number	Township No.	Range Number
	ity: Edv			<u> </u>		T 26 S	R 17 □E 🗹 W
	Street/Rural Address of Well Location; if unknown, distance & from nearest town or intersection: If at owner's address, check h				Global Positioning	g System (GPS) inf 117	formation:
3/4 South, 2 1/2 East of Fellsburg				k liele .	Latitude: .37.80317 (in decimal degrees) Longitude: 099.13691 (in decimal degrees)		
3/4 South, 2 1/2 Last of Felisburg					Elevation:		• • • •
2 WATER WELL OWNER: Parker Trust					Datum: ☐ WGS 84, ☑ NAD 83, ☐ NAD 27		
2 WATER WELL OWNER: Parker Trust RR#, Street Address, Box #: 587 Sunrise Avenue					Collection Method:  ☐ GPS unit (Make/Model:)		
City, State, ZIP Code : Pratt. KS 67124					☐ Digital Map/Photo, ☐ Topographic Map, ☐ Land Survey		
3 LOCATE WELL					Est. Accuracy: <	3 m, 🔲 3-5 m, 🔲	5-15 m, □>15 m
	A I E WE H AN "X	"IN 4 DEPTH OF C	COMPLETED WEL	լ 170	ft		
SECTION BOX: Depth(s) Groundwater Encountered (1)							3) ft.
N WELL'S STATIC WATER LEVEL42ft. below land surface measured on mo/day						ıy/yr9 <del>.</del> .15 <del>.</del> .15	
			test data: Well wate	r was. 55	ft. after 3 hours pumping 797 gpm		
N	<b>V</b>  N	EST. YIELDV	tiagpm. well wate	was. 59			
WELL WATER TO BE USED AS: Public water supply Geothermal						othermal $\square$ In	iection well
57	Domestic   Feedlot   Oil field water supply   Dewatering   Other (Specify below a chemical/bacteriological sample submitted to Department?   Yes   No    If yes, mo/day/yr sample was submitted						
5 TYPE OF CASING USED: ☐ Steel ☑ PVC ☐ Other							
Casing diameter .16 in. to .170 ft., Diameter in. to ft., Diameter ft.							
Casing height above land surface18							
TYPE OF SCREEN OR PERFORATION MATERIAL:							
☐ Steel ☐ Stainless Steel							
SCREEN OR PERFORATION OPENINGS ARE:							
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)							
☐ Louvered shutter ☐ Key punched ☐ Wire wrapped ☑ Saw cut ☐ Other (specify)  SCREEN-PERFORATED INTERVALS: From							
BORLER			From	ft. to	ft. From	ft to	ъ
	GRAV	EL PACK INTERVALS:	From 170	ft. to20	ft., From	ft. to	o ft.
From ft. to ft., From ft. to ft.							
6 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other							
What is the nearest source of possible contamination:							
Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify bel							r (specify below)
	Sewer lin			Fuel storag			
□ Watertight sewer lines       □ Seepage pit       □ Feedyard       □ Fertilizer storage       □ Oil well/gas well       None         Direction from well       □ Distance from well							
FROM	TO	LITHOLOG		FROM			GGING INTERVALS
0	5	Sandy top soil & clay		<del></del>	I69 Sand & gra	vel- small to med	
5	20	Sand & gravel- coarse		169	Tan clay		
20 22	22 35	Tan clay					
<u>22</u> 35	49.5	Sand & gravel- fine to small Sand & gravel- med, coarse		<b></b>			
49.5	51	Tan clay					
51	85	Sand & gravel- med, co					
85	87	Yellow clay					
37	94	Sand & gravel- small					
94 99 Sandy tan clay							
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ✓ constructed, ☐ reconstructed, or ☐ plugged							
under my jurisdiction and was completed on (mo/day/year) .9-12-12							
Kansas Water Well Contractor's License No. 134 This Water Well Record was completed on (mo/day/year) 11-4-15							
under the business name of Rosencrantz- Bemis Ent Inc by (signature) District Clearly District Cle							
Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW, Jackson St., Suite 420, Toneka, Kansas 66612-1367							
Telephone 785-296-5524. Send one copy to WATER WELL OWNER and retain one for your records. Include fee of \$5.00 for each constructed well. Visit us at <a href="http://www.kdheks.gov/waterwell/index.html">http://www.kdheks.gov/waterwell/index.html</a>							
			mit //www.kuneks.gov	/waterwell/index	nimi		