WATER WELL		Form V			ision of Water			
Original Record Correction				Resources App. No.			Well ID	
			Fraction		tion Number	1 -		
County: Edwards 45w45w45w4 / T 26 S R 17 DE XW								
2 WELL OWNER: Last Name: Roenbaugh First: Brandon Street or Rural Address where well is located (if unknown, distance and								
Business: Address: 2346 220 B Ave. direction from nearest town or intersection): If at owner's address, check here: 24 miles West of Trousdale on TRd.								
Address:			1	,				
City: Lewis		State: KS	ZIP:67552	Wello	1 The 1	Jorth Side o	+ T-Rd.	
3 LOCATE WELL	4 DEPTI		IPLETED WELL: .					
WITH "X" IN	4 DEPTH OF COMPLETED WELL:							
SECTION BOX:	2)							
N	WELL'S S	TATIC WA	TER LEVEL: 3.9	ft.	Source	for Latitude/Longitude		
	below land surface, measured on (mo-day-yr). 12-21-20- GPS (unit make/model:							
NWNE	above land surface, measured on (mo-day-yr)				(WAAS enabled? ☐ Yes ☐ No)			
	Pump test data: Well water was ft. after hours pumping gpm				☐ Land Survey ☐ Topographic Map			
W	anter			Onl	Online Mapper:			
SW SE	after	Well water was ft. after hours pumping gpm						
x	Estimated Yield:gpm				6 Elevation:ft. Ground Level TOC			
S	Bore Hole Diameter: 103/2. in. to				Source: Land Survey GPS Topographic Map			
1 mile in. to								
7 WELL WATER TO BE USED AS:								
1. Domestic:			ter Supply: well ID				ease	
Household		6. Dewatering: how many wells?				11. Test Hole: well ID		
☐ Lawn & Garden ☐ Livestock		7. Aquifer Recharge: well ID				☐ Cased ☐ Uncased ☐ Geotechnical 12. Geothermal: how many bores?		
2. Irrigation								
3. Feedlot		Air Sparge				sed Loop	scharge Inj. of Water	
4. Industrial		Recovery		DAUGUION				
Was a chemical/bacteriological sample submitted to KDHE? ☐ Yes ☒ No If yes, date sample was submitted:								
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter								
Casing neight above land surface								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel ☐ Fiberglass ☑ PVC ☐ Other (Specify)								
☐ Brass ☐ Galvanized Steel ☐ Concrete tile ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
☐ Continuous Slot								
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)								
SCREEN-PERFORATED INTERVALS: From								
9 GROUT MATERIAL: ☐ Neat cement ☐ Cement grout ☐ Bentonite ☐ Other Grout Intervals: From								
Nearest source of possible contamination:								
☐ Septic Tank ☐ Lateral Lines ☐ Pit Privy ☐ Livestock Pens ☐ Insecticide Storage								
☐ Sewer Lines ☐ Cess Pool ☐ Sewage Lagoon ☐ Fuel Storage ☐ Abandoned Water Well								
☐ Watertight Sewer Lines ☐ Seepage Pit ☐ Feedyard ☐ Fertilizer Storage ☐ Oil Well/Gas Well								
Other (Specify)	000							
Direction from well?			Distance from we		7	ft.		
10 FROM TO		LITHOLOG	GIC LOG	FROM	TO L	ITHO. LOG (cont.) or	PLUGGING INTERVALS	
0 20		Tan	Sand					
20 35	TAN							
35 50		Sand						
50 58		e som	ul				<u> </u>	
58 110	med	Sand.						
Notes:								
11 CONTRACTORIS OR LANDOWNER OF CONTRACT CONTRAC								
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged under my jurisdiction and was completed on (mo-day-year)								
Kansas Water Well Contractor's License No. 672 This Water Well Record was completed of (mo-day-year) 1.2-29-2020								
I sandou the bession and a con-			14 1 m. 1444 11 6.	~ ~.				
Mail 1 white copy a	ong with a fee of	f \$5.00 for eac	h constructed well to: Kan	sas Department	of Health and Er	nvironment, Burea	GWTS Section,	
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524.								
Visit us at http://www.kdhek	s.gov/waterwell/	index.html		KSA 82a-12		•	Revised 7/10/2015	