<b>,</b>			ELL RECORD	Form WWC-8	KSA 82a			
I LOCATION OF WATE County: EAW9		Fraction 14	W N	(A) 1/4 Sec	tion Number	Township i	humpber S	Range Number
Distance and direction f	rom nearest town or	city street addre	ss of well if loca	ted within city?	<del></del>		<i></i>	
	en/=121	16M /	ansa					··
WATER WELL OWN	NER: (/o //	1/ 5M	Th	10	,			
RR#, St. Address, Box		1	111	K		Board of	Agriculture, [	Division of Water Resource
City, State, ZIP Code		dic//V4			(nS		n Number:	
LOCATE WELL'S LO AN "X" IN SECTION	CATION WITH 4 D	EPTH OF COM	PLETED WELL.	1.05	Oft. ELEVA	TION:		
	Debi	LIC CTATIO MA	TED LEVEL	k/ 12	.Υπ. i	<u> </u>	π. 3	4-26-84
	WEL	LLS STATIC WA	TEH LEVEL	π. ε	elow land sui	ace measured o	n mo/day/yr	7. db. 37
NW	- NE   _							mping gpm
	ı Est.	Yield	gpm: Well wa	iter was	<u></u> ft. a	fter	. hours pur	mping gpm
w				-		and	in.	toft.
		L WATER TO B	E USED AS:	5 Public water		8 Air conditioning	_	Injection well
sw .	>:!   ~	Domestic	3 Feedlot	6 Oil field wa	ter supply	9 Dewatering	12 (	Other (Specify below)
	· • • • • • • • • • • • • • • • • • • •	2 Irrigation	4 Industrial			10 Observation w		• • • • • • • • • • • • • • • • • • • •
1	Was	a chemical/bacte	eriological sample	submitted to D	epartment? Y	esNo <b>/</b>	; If yes,	mo/day/yr sample was sub
S	mitte	ed			Wa	ter Well Disinfect	ed?Yes 🗡	No
TYPE OF BLANK CA	ASING USED:	5 '	Wrought iron	8 Concre	ete tile	CASING JO	INTS: Glued	1 🔨 Clamped
1 Steel	3 RMP (SR)	6	Asbestos-Cemen	t 9 Other	(specify below	v)	Welde	ed
2 PVC	4 ABS	_ 7_	Fiberglass				Threa	ded
Blank casing diameter .	<b>.</b> 5in. to		ft., Dia				i	in. to <u>.</u> ft.
Casing height above lan	nd surface/	ر. <del>ک</del> ے in	weight		lbs./	ft. Wall thickness	or gauge No	5D8-26
YPE OF SCREEN OR			<b>3</b>	7 PV			bestos-ceme	• , ,
1 Steel	3 Stainless stee		Fibergiass	(8.8W	-			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
2 Brass	4 Galvanized st		Concrete tile	9 AB			ne used (op:	
CREEN OR PERFORA				zed wrapped	3		ne useu (opi	•
1 Continuous slot	3 Mill slo			wrapped		8 Saw cut		11 None (open hole)
2 Louvered shutter				• •		9 Drilled holes		
	,	$\sigma$	7 Toro					
SCREEN-PERFORATE		from	π. το		ft., From	n	ft. to	o
	·	rom	ft. to .	· · · · · · · · · · · · · · · · · · ·	ft., Fror	n	ft. to	o
GRAVEL PAC				<i>70.</i>	ft., Fror	n	ft. to	o
1		rom	ft. to		ft., Fror		ft. to	
GROUT MATERIAL:	Neat cemer		ement grout	3 Bento		Other		
			ft., From	ft.	to	ft., From		. ft. to
What is the nearest sou	rce of possible conta	amination:			10 Livest	tock pens	14 At	pandoned water well
1)Septic tank	1 Septic tank 4 Lateral lines		7 Pit privy		11 Fuel storage		15 Oil well/Gas well	
2 Sewer lines 5 Cess pool			8 Sewage lagoon		12 Fertilizer storage		16 Other (specify below)	
<ol><li>Watertight sewer</li></ol>	r lines 6 Seepage p	oit,	9 Feedyard		13 Insec	ticide storage	<u>,</u>	
Direction from well?					How mar	ny feet? フ・	5	
FROM TO	Li	THOLOGIC LOG		FROM	то		LITHOLOGI	C LOG
0 2	TO11.	Soil						
2,14	BROWN	Vay						
14 36	Janl	lay						
36 471	GRave/	'					.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
47 55	Clau	1						
52 105	GRANDE		1					
	V / 100 / V	1						
							,	
					<del></del>			
						7707		
CONTRACTOR'S OF	R LANDOWNER'S CI	ERTIFICATION:	This water well v	vas (1) donstru	ted. (2) reco	nstructed or (3)	olugged under	er my jurisdiction and was
ompleted on (mo/day/ye		4-28	-84	` /				wiedge and belief. Kansas
later Well Contractor's		224	. This Water \				ヴージョ	- X 4 Deliet. Natisas
nder the business name	O Wa	yes Wa		veil ribcord was	•		1. L. J.	٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠
	pewriter or hall point	pen. PI FASE PE	RESS FIRMI V 9		by (signat	blanks underlie	or circle the	correct answers. Send top
ree copies to Kansas D	epartment of Health a	and Environment	Division of Enviro	nment. Environn	nental Geolog	v Section. Toneka	KS 66620	Send one to WATER WELL
	for your records.			,	9	,, , opena	,	