WATE	R WELI	RECORD	Form WWC-5		Division of Water Resources; App. No.		
1 LOCATION OF WATER WELL:				SE	Section Number	1 *	Range Number
	ity: Edwa		SW 1/4 SW 1/4 S		23	T 26 S	R 18 XEXW
Distance and direction from nearest town or city street address of well if located within city?  Global Positioning Systems (decimal degrees, min. of 4 digital Latitude:							
locate	_	th, ½ East of Centerv	iou				
2 WA	TER WEI	LLOWNER: Glenn Mull	TEM		Elevation:		
RR#, St. Address, Box # : 553 R XX					Datum:		
	, State, ZII		k, Ks. 67567		Data Collection	Method:	
3 LOC	CATE WE			100			
	CATION					•	
WIT	'H AN "X'	'IN Depth(s) Groundwater	Encountered (1)		ft. (2)	ft. (3)	ft.
SEC'	TION BO	X: WELL'S STATIC WA	ATER LEVEL48	3ft.	below land surface	ce measured on mo/day/	/yr11 <del>.</del> -2 <del></del> 10
	N	Pump test data	: Well water was		ft. after	hours pumping	gpm
		Est. YieldN/.Agpm	i: Well water was	io water	tt. atter	hours pumping r conditioning 11 Inju	gpm
	W NE	1 m // 2 m	dlot 6 Oil field	water si	unnly 9 De	ewatering 12 Oth	her (Specify below)
W			ustrial 7 Domesti	c (lawn a	& garden) 10 Mo	onitoring well	Stock
'	u   GF						
SW	V   SE	was a chemical/bacter	iological sample subn	nitted to	Department? Yes	s; No .X;	If yes, mo/day/yrs
Sample was submitted							
	S						
5 TYPI	E OF CAS	ING USED: 5 Wrought	Iron 8 Conc	rete tile	CASI	NG JOINTS: Glued	
	Steel	3 RMP (SR) 6 Asbestos-	-Cement 9 Other	(specify	below)	Welded	
2 PVC 4 ABS 7 Fiberglass							
Blank casing diameter 5. in to 80 ft., Diameter in to ft., Diameter in to ft., Diameter in to ft. Wall thickness or guage No.							
		N OR PERFORATION MATE		W.#Y	.108./1t. wan u	ilektiess of guage tvo	
1 Steel 3 Stainless Steel 5 Fiberglass 7 PVC 9 ABS 11 Other (Specify)							
2 Brass 4 Galvanized Steal 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)							
SCREEN OR PERFORATION OPENINGS ARE:							
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)							
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw cut 10 Other (specify)							
SCREEN-PERFORATED INTERVALS: From 10.00. It. to 00. It., From It. to It. From It. to It. From It. to It.							
GRAVEL PACK INTERVALS: From100							
	Glarvide					ft. to	
					,		
		ERIAL: 1 Neat cement 2	Cement grout 3 Ber	ntonite	4 Otherno.le	e prug	
Grout In		From ft. to			ft. to	ft., From29	ft. to⊻ft.
What is the nearest source of possible contamination:  1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide storage 16 Other (specify							
	Sewer line			1 Fuel s		Abandoned water well	below)
		sewer lines 6 Seepage pit	9 Feedvard 1	2 Fertili	zer storage 15 C	Oil well/gas well .	· · · · · · · · · · · · · · · · · · ·
		ll?North	I	How man	ny feet? 氢Mi.]	<u>.e</u>	
FROM	TO	LITHOLOGIC	LOG	FROM	1 TO	PLUGGING INT	ERVALS
0	6	Fine sand					
6	68	Sand & gravel- med t	to Ig				
68	72	White clay					
72	96	Sand & gravel- med	to lg				
96	100	White clay		1			
					<del>                                     </del>		
				-			
7 CONT	TRACTO	L R'S OR LANDOWNER'S CI	ERTIFICATION: T	his water	r well was (1) cons	structed, (2) reconstruct	ed, or (3) plugged
under m	y jurisdict	ion and was completed on (mo	/day/year)11-2-1	.0 and	d this record is true	e to the best of my know	vledge and belief.
Kansas	Water Wel	l Contractor's License No	1.34 This Water	Well Re	cord was complete	ed on (mo/day/year) $1$	1-24-10
under th	e business	name of Rosencrantz-	Bemis	b	y (signature)	down all	
INSTRUC	CTIONS: U	se typewriter or ball point pen. PLEA	ISE PRESS FIRMLY and F	PRINT clea	rly. Please fill in blan	iks, underline or circle the co	orrect answers. Send to
three copi 785-296-5		Department of Health and Environme d one to WATER WELL OWN					
		/waterwell/index.html.					