

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: <u>Edwards</u>		<u>C</u> $\frac{1}{4}$ <u>NW</u> $\frac{1}{4}$ <u>SE</u> $\frac{1}{4}$	<u>27</u>	<u>T 26</u> <u>S</u>	<u>R 18</u> <u>E/W</u>
Distance and direction from nearest town or city street address of well if located within city? <u>4 1/8 south 1/4 west of Center View</u>					
2 WATER WELL OWNER: <u>Slawson Drilling</u>					
RR#, St. Address, Box # : <u>Box 1409</u>			Board of Agriculture, Division of Water Resources		
City, State, ZIP Code : <u>Great Bend, Ks. 67530</u>			Application Number: <u>T81-598</u>		
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>100</u> ft. ELEVATION:			
<div style="text-align: center;"><p>1 Mile</p></div>		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL <u>34</u> ft. below land surface measured on mo/day/yr <u>9-2-81</u>			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield <u>NA</u> gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter <u>11</u> in. to <u>100</u> ft. and in. to ft.			
TYPE OF BLANK CASING USED:		CASING JOINTS: Glued <u>X</u> Clamped			
1 Steel		5 Wrought iron	8 Concrete tile	Welded	
3 RMP (SR)		6 Asbestos-Cement	9 Other (specify below)	Threaded	
8 PVC		7 Fiberglass			
4 ABS					
Blank casing diameter <u>5</u> in. to <u>80</u> ft., Dia. in. to ft., Dia. in. to ft.					
Casing height above land surface <u>18</u> in., weight lbs./ft. Wall thickness or gauge No. <u>258</u>					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement
2 Brass		4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot		3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes	
			7 Torch cut	10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From <u>80</u> ft. to <u>100</u> ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From <u>10</u> ft. to <u>100</u> ft., From ft. to ft.					
6 GROUT MATERIAL: 0 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout intervals: From <u>0</u> ft. to <u>10</u> ft., From ft. to ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)
				13 Insecticide storage	
Direction from well? <u>North west</u>		How many feet? <u>75</u>			
FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	3	Top soil			
3	12	Brown clay			
12	17	Gray clay			
17	25	Gray clay & sand and gravel			
25	34	Sand and gravel			
34	36	Brown sandy clay			
36	47	Sand and gravel			
47	50	Brown sandy clay			
50	73	Sand and gravel			
73	74	Brown sandy clay			
74	82	Sand and gravel			
82	84	Brown sandy clay			
84	100	Sand and gravel			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (0) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>9-2-81</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>134</u> This Water Well Record was completed on (mo/day/yr) <u>9-17-81</u> under the business name of <u>Rosencrantz-Bemis Ent.</u> by (signature) <u>Lora Dodson</u>					
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.					

OFFICE USE ONLY

T

R

EW

SEC.

27

C 84 NW 1/4 SE 1/4