KOLAR Document ID: 1534350

	WELL R			WWC-5		vision of Wat			Well ID			
—		Correction		ge in Well Use		ources App.		Township Numb		aa Numbar		
1 LOCATION OF WATER WELL: County:Fraction1/41/4						ection NumberTownship NumberRange NumberTSR \Box EW						
						reet or Rural Address where well is located (if unknown, distance and						
Business:							irection from nearest town or intersection): If at owner's address, check here:					
Address:												
Address:			~									
City:		1	State:	ZIP:								
3 LOCATE WELL WITH "X" IN 4 DEPTH OF COMPLETED WELL:						5 Latit	tude:			(decimal degrees)		
	SECTION BOX. Depth(s) Groundwater Encounter							Longitude:(decimal degrees)				
N				Dry Well			WGS 84 🗌 NAD					
		WELL'S STATIC WATER LEVEL: ft. below land surface, measured on (mo-day-yr)					Source for Latitude/Longitude:					
				yr) yr)								
NW	NE	Pump test d				(WAAS enabled? ☐ Yes ☐ No) ☐ Land Survey ☐ Topographic Map						
wX	E	after				Mapper:						
SW	SE I		Well v									
3 w		after hours pumping gpn Estimated Yield:gpm			gpm	6 Elevation:ft. Ground Level TOC						
	S S		ft and	Source: Land Survey GPS Topographic Map								
1 r		Bole Hole I	Bore Hole Diameter: in. to f			\Box Other						
7 WELL WATER TO BE USED AS:												
1. Domestic: 5. Dublic Water Supply: well ID 10. Doil Field Water Supply: lease												
House!		6. 🗌	Dewaterin	g: how many wells?								
🗌 Lawn a	& Garden		7. 🗌 Aquifer Recharge: well ID									
	Livestock 8. Monitoring: well ID							al: how many bores				
	2. Irrigation 9. Environmental Remediation: well ID.					a) Closed Loop 🔲 Horizontal 🗌 Vertical						
					xtraction b) Open Loop Surface Discharge Inj. of Wate 13. Other (specify):							
Was a chemical/bacteriological sample submitted to KDHE? Yes No If yes, date sample was submitted:												
Water well disinfected? Ves No												
8 TYPE OF CASING USED: Steel PVC Other CASING JOINTS: Glued Clamped Welded Threaded												
Casing diameter in. to ft., Diameter in. to ft.												
Casing height above land surface												
TYPE OF SCREEN OR PERFORATION MATERIAL:												
□ Steel □ Stainless Steel □ PVC □ Other (Specify)												
Brass Galvanized Steel None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
□ Continuous Slot □ Mill Slot □ Gauze Wrapped □ Torch Cut □ Drilled Holes □ Other (Specify) □ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole)												
□ Louvered Shutter □ Key Punched □ Wire Wrapped □ Saw Cut □ None (Open Hole) SCREEN-PERFORATED INTERVALS: From												
GRAVEL PACK INTERVALS: From ft. to ft., From ft., From ft. to ft.												
9 GROUT MATERIAL: Deat cement Dement grout Bentonite Other												
Grout Interv	als: From	ft. to		ft., From	ft. to	ft., From	1	ft. to	ft.			
		e contaminati		potential source of cont								
			Lateral Line			Livestock P						
Sewer			Cess Pool	Sewage Lag		Fuel Storage		Abando				
□ Watertight Sewer Lines □ Seepage Pit □ Feedyard □ Fertilizer Storage □ Oil Well/Gas Well □ Other (Specify)												
Direction from well?												
10 FROM	ТО	I	ITHOLO	GIC LOG	FROM	TO	LIT	HO. LOG (cont.) or	PLUGGIN	G INTERVALS		
	ļļ											
	<u>├</u>				Notes:		L					
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was constructed, reconstructed, or plugged												
under my ju	urisdiction ar	nd was compl	eted on (n	no-day-year) This Wa	and	this record	is tru	e to the best of my	/ knowled;	ge and belief.		
Kansas Wa	ter Well Cor	tractor's Lice	ense No	This Wa	ter Well Rec	cord was co	omplet	ted on (mo-day-ye	ar)			
under the b	usiness name	5 01 Send one copy to	WATER W	/FLL OWNER and retain o	ne for your reco	ords Fee of ¢		or each constructed wel	<u></u> 1			
Send one copy to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each <u>constructed</u> well. KS Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-3565.												
Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212												