


USE TYPEWRITER OR BALL
POINT PEN-PRESS FIRMLY,
PRINT CLEARLY.

WATER WELL RECORD
KSA 82a-1201-1215

Kansas Department of Health and
Environment-Division of Environment
(Water well Contractors)
Topeka, Kansas 66620

1. Location of well: Edwards		Fraction 300' east of Sec 11 <small>1/4 1/4 1/4 1/4</small>	Section number 11	Township number 26	Range number 19
2. Distance and direction from nearest town or city: 7 1/2 S - 5 1/4 W of Kinsley, Ks. Street address of well location if in city:		3. Owner of well: Midwest Land & cattle R.R. or street: Box 64 City, state, zip code: Kinsley, Ks. 67547			
4. Locate with "X" in section below:  N W E S 1 Mile		Sketch map: 1/2 S 5 1/4 W of Center View, Ks. south side		6. Bore hole dia. 29 in. Completion date 3-17-75 Well depth 72 ft.	
5. Type and color of material		From	To	7. <input checked="" type="checkbox"/> Cable tool <input checked="" type="checkbox"/> Rotary <input type="checkbox"/> Driven <input type="checkbox"/> Dug <input type="checkbox"/> Hollow rod <input type="checkbox"/> Jetted <input type="checkbox"/> Bored <input type="checkbox"/> Reverse rotary	
Sandy top soil		0	10	8. Use: <input type="checkbox"/> Domestic <input type="checkbox"/> Public supply <input type="checkbox"/> Industry <input checked="" type="checkbox"/> Irrigation <input type="checkbox"/> Air conditioning <input type="checkbox"/> Stock <input type="checkbox"/> Lawn <input type="checkbox"/> Oil field water <input type="checkbox"/> Other	
Sand and gravel clean		10	43	9. Casing: Material steel Height: Above or below Threaded <input type="checkbox"/> Welded <input checked="" type="checkbox"/> Surface 12 in. RMP <input type="checkbox"/> PVC <input type="checkbox"/> Weight <input type="checkbox"/> lbs./ft. Dia. 16 in. to 72 ft. depth Wall Thickness: inches or Dia. <input type="checkbox"/> in. to <input type="checkbox"/> ft. depth Gauge No. 7	
Brown clay		43	50	10. Screen: Manufacturer's name Doerrs Type steel Dia. 16 Slot/gauge 3/16 Length 30 Set between 42 ft. and 72 ft. Gravel pack? <input checked="" type="checkbox"/> Size range of material 3/4 - 3/8 - 1/2	
White chalky clay		50	55	11. Static water level: <input type="checkbox"/> mo./day/yr. 11 ft. below land surface Date 2-12-75	
hard sand rock		55	65	12. Pumping level below land surfaces: 30 ft. after 1 hrs. pumping 500 g.p.m. 50 ft. after 1 hrs. pumping 500 g.p.m. Estimated maximum yield 550 g.p.m.	
White rock		65	66	13. Water sample submitted: <input type="checkbox"/> mo./day/yr. <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Date 2-12-75	
Sand rock		66	79 1/2	14. Well head completion: <input type="checkbox"/> Pitless adapter <input type="checkbox"/> Inches above grade	
Hard		79 1/2		15. Well grouted? <input checked="" type="checkbox"/> With: <input checked="" type="checkbox"/> Neat cement <input type="checkbox"/> Bentonite <input type="checkbox"/> Concrete Depth: From 0 ft. to 10 ft.	
				16. Nearest source of possible contamination: ft. 2000 Direction sw Type corral Well disinfected upon completion? hth Yes <input type="checkbox"/> No <input type="checkbox"/>	
				17. Pump: Fairbanks-Morse Manufacturer's name Fairbanks-Morse Model number 5-10ma HP 10 Volts 115 Length of drop pipe 60 ft. capacity 500 g.p.m. Type: <input type="checkbox"/> Submersible <input checked="" type="checkbox"/> Turbine <input type="checkbox"/> Jet <input type="checkbox"/> Reciprocating <input type="checkbox"/> Centrifugal <input type="checkbox"/> Other	
18. Elevation:		(Use a second sheet if needed)		20. Water well contractor's certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Rosnecrantz-Bemis 134 Business name Great Bend, Ks. License No. 67879 Address Great Bend, Ks. Signed S. Kilgore Date 2-12-75 Authorized representative	
19. Remarks:					

Forward the white, blue and pink copies to the Department of Health and Environment

Form WWC-5