


1 LOCATION OF WATER WELL:	Fraction	Near Center	Section Number	Township Number	Range Number
County: Edwards	1/4	1/4 NE	26	T 26 S	R 19 E/W

Distance and direction from nearest town or city street address of well if located within city?

Approx. 10 1/4 miles south and 2 miles east of Kinsley

2 WATER WELL OWNER:	Dick Wenstrom	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # :	Route 1	Application Number: 36,548
City, State, ZIP Code :	Kinsley, KS 67547	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: 160 ft. ELEVATION: unknown
	Depth(s) Groundwater Encountered 1. 36 ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL 36 ft. below land surface measured on mo/day/yr 4-12-84
	Pump test data: Well water was not ck'd. ft. after hours pumping gpm
	Est. Yield 1000 gpm: Well water was ft. after hours pumping gpm
	Bore Hole Diameter 24 in. to 160 ft., and in. to ft.
	WELL WATER TO BE USED AS:
	5 Public water supply 8 Air conditioning 11 Injection well
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
	2 Irrigation 4 Industrial 7 Lawn and garden only 10 Observation well
	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yr sample was submitted
	Water Well Disinfected? Yes No X

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued Clamped
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded XX
Blank casing diameter 16 in. to 100 ft., Dia.			Threaded
Casing height above land surface 12 in., weight 36.87 lbs./ft.			Wall thickness or gauge No. 219
TYPE OF SCREEN OR PERFORATION MATERIAL:	7 PVC	10 Asbestos-cement	
1 Steel	3 Stainless steel	5 Fiberglass	8 RMP (SR)
2 Brass	4 Galvanized steel	6 Concrete tile	9 ABS
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauzed wrapped	8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot	6 Wire wrapped	9 Drilled holes
2 Louvered shutter	4 Key punched	7 Torch cut	10 Other (specify) Doerr Bridge Slot
SCREEN-PERFORATED INTERVALS:	From 100 ft. to 160 ft.	From ft. to ft.	
GRAVEL PACK INTERVALS:	From 40 ft. to 160 ft.	From ft. to ft.	
ANNULAR FILL	From 10 ft. to 40 ft.	From ft. to ft.	

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
Grout Intervals:	From 0 ft. to 10 ft.	From ft. to ft.	From ft. to ft.	From ft. to ft.
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
	2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage
	3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage
				13 Insecticide storage
				14 Abandoned water well
				15 Oil well/Gas well
				16 Other (specify below)
				FIELD
Direction from well?	all			How many feet?

FROM	TO	LITHOLOGIC LOG	FROM	TO	LITHOLOGIC LOG
0	14	Fine sand topsoil & sandy brown clay			
14	43	Sand & gravel, med. w/a few thin clay streaks			
43	46	Yellow clay			
46	83	Sand & gravel, med. to fine			
83	100	Brown clay w/caliche			
100	115	Sand & gravel, fine to very fine			
115	127	Sand & gravel, fine, some med.			
127	137	Hard brown clay			
137	145	Sand & gravel, fine to very fine w/a couple thin clay streaks			
145	149	Sandy brown clay			
149	159	Sand & gravel, fine, some med.			
159	160	Brown clay			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4/12/84 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 185 This Water Well Record was completed on (mo/day/yr) 4/19/84 under the business name of Clarke Well & Eq., Inc. by (signature) [Signature]
INSTRUCTIONS: Use typewriter or ball point pen, PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Division of Environment, Environmental Geology Section, Topeka, KS 66620. Send one to WATER WELL OWNER and retain one for your records.