		WA	TER WELL REC	ORD	Form WWC-5	KSA 82a-	1212 ID	No				
1 LOCATI	ION OF WAT	TER WELL:	Fraction			Se	ction Numbe	r Township Nun	nber	Range Nur	mber	
	<u>Edwards</u>			NE		1/4	9	т 26	S	R 19w	E/W	
Distance an	nd direction f	rom nearest to	wn or city street a	address of	well if located	within city?						
	of Kinsle											
2 WATER	WELL OWN	NER: Tom &	Mary Fox		L.	D. Drill	ing, Ind	Fo.	x B#1-	- 9		
RR#, St. Ac	dress, Box	# : 1310 1	Marsh Ave.		7 <i>S</i> W	26th Av	e.	Board of Agric	culture, D	ivision of Water F	Resources	
City, State,		: Kinsl	ey, KS 675	47	Gre	at Bend,	KS 6753	30 Application N	umber: 2	20050224		
3 LOCATE	WELL'S LO	CATION WITH	4 DEPTH OF C	OMPLET	ED WELL	109	ft. ELEV	ATION:unknown				
_	I SECTION I		Depth(s) Grour	ndwater Ei	ncountered	16	0	ft. 2	ft. 3		ft.	
	N		WELL'S STATI	C WATER	LEVEL	.6ე ft. bel	ow land surfa	ace measured on mo/d	ay/yr(08 /3/05		
	1 1	i						. after				
	-NW	- NE	WELL WATER			er was Public water		. after		umpingijection well	gpm	
	1	'	1 Domestic			Oil field water				ther (Specify belo	ow)	
w	1		2 Irrigation	4 Inc) 10 Monitoring well				
	i	i										
	-sw	- SE	Was a chemica	al/bacteriol	logical sample	submitted to	Department's	? Yes <u> No .</u>	If yes, m	o/day/yrs sample	was sub-	
	1	1	mitted					Water Well Disinfected		No		
	<u> </u>											
5 TYPE C	OF BLANK C	ASING USED:		5 Wroug	aht iron	8 Concr	ete tile	CASING JOIN	TS: Glue	d Clampe	d	
1 Stee		3 RMP (SI			stos-Cement		(specify belo			ed		
2 PVC		4 ABS	,	7 Fibero	glass					aded		
Blank casin	ng diameter .	5	in. to	69	ft., Dia		in. to	ft., Dia		in. to	ft.	
Casing heig	ght above la	nd surface	12	in., w	veight	2.8		lbs./ft. Wall thicknes	s or guag	e No Sch	40	
TYPE OF S	SCREEN OF	PERFORATION				7 P\		10 Asbe				
1 Steel 3 Stainless Steel 5 Fiberglas							MP (SR)		11 Other (Specify)			
2 Bras	S	4 Galvaniz	zed Steel	6 Conc	rete tile	9 A E	38	12 None	used (op	en hole)		
SCREEN C	OR PERFOR	ATION OPENII	NGS ARE:			zed wrapped		8 Saw cut		11 None (open	hole)	
	tinuous slot		/lill slot			e wrapped		9 Drilled holes 10 Other (specify)			£4	
	ered shutter		(ey punched		7 Toro							
SCREEN-F	PERFORATE	ED INTERVALS						m				
	SDAVEL DAG	CK INTERVALS						m m				
	ANAVELIA	DIC INTERIORES						m				
-												
	T MATERIA		at cement		ment grout		tonite	4 Other				
) ft.	., From	ft.	to	ft., From		ft. to	ft.	
What is the	e nearest sou	urce of possible	contamination:				10 Live	estock pens		bandoned water	well	
1 Sep	tic tank	4 Late	eral lines	I lines 7 Pit privy			11 Fuel storage			15 Oil well/Gas well		
2 Sewer lines 5 Cess			•		-		tilizer storage	16 C	Other (specify belo	ow)		
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage												
	om well?	outh					How m	any feet? 100				
FROM	ТО		LITHOLOGIC	CLOG		FROM	то	PLUC	GING IN	TERVALS		
0	88	top sand	3									
8	35	clay										
35	60	fine sar										
60	109	sand and	d gravel w	ith cla	ay streal	rs.						
7 CONTR	ACTOR'S O	B LANDOWNE	ER'S CERTIFICA	ATION: Th	is water well	was (1) const	ructed (2) re	econstructed or (3) plu	laded rib	der my jurisdictio	n and was	
7 CONTR	ACTOR'S C	PR LANDOWNE	ER'S CERTIFICA /03/05	ATION: Th	is water well	was (1) const	ructed, (2) re	econstructed, or (3) plu	igged und	der my jurisdiction	n and was ief. Kansas	

der the business name of Kelly's Water Well Service, Inc. by (signature)

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.

under the business name of Kelly's Water Well Service, Inc.